3.5.1 Revenue generated from consultancy and corporate training during the last five years

AY:2022-23

Name of the faculty consultant or trainer	Organization to which consultancy or corporate training provided	Dates/duration of consultancy	Amount generated in INR
P. Kishore Kumar Reddy	Advisor (Mining), SMSL TMPL, Vemula, Kadapa.	18.07.2022	2100
P. Rajendra Kumar	Sri Shaik Mohammed Arief, Door No: 3-401, Main Road, Pulivendula	18.07.2022	1000
V.Sai Neeraja	Sri Kodandaramaswamy Temple, Mallur Kothapalli, Chinnamandyam, Annamayya	18.07.2022	1500
K.Niveditha	The Head Master, Z P H S Tallaproddatur, Kondapuram (M), YSR Kadapa.	19.07.2022	1000
K.Pramod	B. Amarnath Reddy, Gauthama Budda Township, Near Sub Register Office, Kadapa.	21.07.2022	1500
P. Suresh Praveen Kumar	M/s. MK Reddy Infra Pvt. Ltd., #4/163, Buchi Reppy Palem, Badvel, YSR District.	22.07.2022	3000
P. Rajendra Kumar	The Head Master, Z P H S Tallaproddatur, Kondapuram (M), YSR Kadapa.	19.07.2022	3200
V.Sai Neeraja	The Head Master, MPPS SANTHI NAGAR, Kadapa Municipality.	28.07.2022	5000
V.Sai Neeraja	The Principal, APSWRS GIRLS CHINNA CHOWK, Kadapa Municipality.	28.07.2022	5000
V.Sai Neeraja & P. Rajendra Kumar	The Head Master, MPPS KONDAYAPALLI, Kadapa Municipality.	28.07.2022	6000
K. Hemanth Kumar Reddy	The Head Master, Municipal High School Main, Kadapa.	28.07.2022	5000
K. Hemanth Kumar Reddy	Dy. Executive Engineer, PIU, Rajampeta	28.07.2022	5000
K. Hemanth Kumar Reddy & P. Rajendra Kumar	The headmaster, MPL HS, Saipet, Kadapa Municipal Corporation.	28.07.2022	6000
K. Hemanth Kumar Reddy	The headmaster, ZPHS Chinnamachupalli, Kadapa.	28.07.2022	5000

V.Sai Neeraja	The Head Master, ZPHS ANGADIVEEDHI URDU SCHOOL, Kadapa Municipality.	28.07.2022	5000
V.Sai Neeraja	The Head Teacher, MPL PS 1st ward APHB Colony, Kadapa Municipality, Kadapa	26.08.2022	5000
V.Sai Neeraja	The Head Master, MPPS NTR NAGAR, Kadapa Municipality, Kadapa	28.07.2022	5000
K. Hemanth Kumar Reddy	The Headmistress, MPLHS Nagarajupeta, Kadapa Municipality.	28.07.2022	5000
V.Sai Neeraja	The Headmistress, GOVT PS GGHS CAMPUS, Kadapa Municipality.	28.07.2022	5000
V.Sai Neeraja	The Headmistress, GOVT PS GGHS CAMPUS, Kadapa Municipality.	28.07.2022	5000
K. Hemanth Kumar Reddy	The Head Master, MPPS SANTHI NAGAR, Kadapa Municipality.	28.07.2022	5000
K. Hemanth Kumar Reddy	Dy. Executive Engineer, R&B Division, Proddatur (South)	28.07.2022	5000
M.V. Ravi Kishore Reddy	M/s Dwaraka Constructions, 4 th floor, 21/77-4, Dwaraka towers, Kadapa.	30.07.2022	3800
P. Rajendra Kumar	The Assistant Engineer, Ramarajupalli, YSR Kadapa.	27.07.2022	1000
Y. Dasthagiri	R.K. Infratel Projects, AP/CU/AT/25215, Annapusastrulapalli	28.07.2022	450
Y. Dasthagiri	R.K. Infratel Projects, AP/CU/AT/25215, Annapusastrulapalli	28.07.2022	450
D.Viswanath	Dalmia Cement (B) Ltd, Chinna Komerla – Village, Near Jammalamadugu, YSR Kadapa.	29.07.2022	450
M.C. Venkata Subbaiah	S. Riyaz Rehaman, D.No. 62/98, SKM Street, Rayachoty	30.07.2022	1000
P. Rajendra Kumar	Skandanshi Projects Pvt. Ltd., Survey No. 347,Mittameeda Palli, Kadapa	29.07.2022	1000
K. Niveditha	The Andhra Cricket Association, D.NO. 10-24/1, NH-16, Pothinamallayyapalem, Vishakapatnam	30.07.2022	1000
P. Rajendra Kumar	The Parents committee, MPL Primary School, Bommanawadi, YSR Kadapa.	30.07.202	1000
K.Pramod	Masha Allah, Ananthapur Energy Projects Ltd., Gandikovvur village,	01.08.2022	1500

	Chakrayapet Mandal, Kadapa		
K.Pramod	Masha Allah, Ananthapur Energy Projects Ltd., Gandikovvur village, Chakrayapet Mandal, Kadapa	01.08.2022	1500
K.Niveditha	Smart Constructions, D.No.21/607-1,Near Old RIMS Circle, KAdapa	02.08.2022	2000
P. Rajendra Kumar	The Parents committee, MPL Primary School (U) Girls, Madras Road, YSR Kadapa.	01.08.2022	1000
I. Srinivasa Reddy	Municipal Commissioner, 33rd ward anmenities, kadapa	01.08.2022	6500
P.Suresh Praveen Kumar	M/s. Movtech Solar & Security Solutions, #Shop No. 7/3891-5, Near 2 Town Police Station, Bypass Road, Proddatur, YSR District.	01.08.2022	1000
K.Niveditha	K.Nagendra Kalyan, Survey No 582, 581/3 & 581/2, Devuni Kadapa Road, Kadapa - 516002.	04.08.2022	4000
P.Suresh Praveen Kumar	The Head Master, Municipal Primary School, Dasthagiripet, Proddatur Municipality,Proddatur, YSR District.	04.08.2022	3000
P.Suresh Praveen Kumar	Singamreddy Krishna Kishore Reddy, D. No: 3 / 357, Sunnapuvaari Veedhi, YMR Colony, Proddatur.YSR District.	04.08.2022	1000
V.Sai Neeraj	A. Suresh, D.No. 45/153-5-1, Balaji Nagar, Kadapa	06.08.2022	8000
M.C. Venkata Subbaiah	Sri A. Sivarudra Goud M.Tech, Deputy Executive Engineering, R.W.S. &S Kodur	10.08.2022	1000
K.Niveditha	D.Madhavi, D.S.R Oil Mills, Nabikota Sivalayam, Kadapa.	10.08.2022	1000
M.V. Ravi Kishore Reddy	The Principal, MPP School, SanthiNagar, Kadapa	12.08.2022	1000
G.Chenna Kesava Reddy	The Spectrum Engineering Consultancy, Kadapa.	12.08.2022	8000
Y. Dasthagiri	R.K. Infratel Projects, AP/CU/AT/25215, Annapusastrulapalli	13.08.2022	450
Y. Dasthagiri	R.K. Infratel Projects, AP/CU/AT/25215, Annapusastrulapalli	11.09.2022	450
P. Rajendra Kumar	Sri Raghu, Tadiaptri, Anantapur(D).	16.08.2022	2000

P. Rajendra Kumar	The Head Master, Municipal High School, Nadimpalli, Proddatur Municipality, Proddatur.	18.08.2022	2000
P. Rajendra Kumar	E. Rajasekhar Reddy, Plot No. 65, Reddy Colony, Kadapa - 516002.	20.08.2022	2000
D.Viswanath	M/s Shanum Projects, 1-4-170/66 Madhavapuri volony, Sainikpuri, Secunderabad -94	22.08.2022	900
V.V.Prasad	The Executive Engineer,APMSIDC,Kadapa.	10.08.2022	9500
P.Suresh Praveen Kumar	The Executive Engineer,APMSIDC,Kadapa.	10.08.2022	1000
K.Niveditha	MASjid -AL -Manar, Bellary Road, Near KC Canal,After CS Convention hall, Kadapa	23.08.2022	2000
P. Rajendra Kumar	The Commissioner, Kadapa Muncipality, Kadapa	23.08.2022	2000
K.Niveditha	M/s SLRIPL-AIPPL(JV), Hyderabad	24.08.2022	3000
K.Pramod	M/s SMS Ltd., Vemula	24.08.2022	1500
P. Rajendra Kumar	M/S M K Reddy Infra Projects Limited, Plot No. 66, Reddy Colony, Kadapa - 516002.	26.08.2022	3000
K.Pramod	S.Khaja Khizar,Bismillah Water Plant,YSR Colony,YSR Kadapa District.	05.09.2022	1500
V.V. Prasad	Deepak, DharaPRime Projects Pvt. Ltd., Proddatur, Kadapa	30.08.2022	14400
P. Rajendra Kumar	Sri Bayya Srinivasulu,Opp. Manasa Inn,Railway Station Road,Kadapa - 516002.	01.09.2022	3000
P. Rajendra Kumar	Smt. P. Gopalamma, Door No. 39-152, Pakkirpalli, Kadapa - 516002.	01.09.2022	3000
M.V. Ravi Kishore Reddy	M/s Spectrum Engineering Consultancy, 11/709, Habeebulla Street, Kadapa – 516003.	02.09.2022	1000
M.V. Ravi Kishore Reddy	M/s Spectrum Engineering Consultancy,11/709, Habeebulla Street,Kadapa – 516003.	02.09.2022	1000
D.Viswanath & G. Chennakesava Reddy	K. Sudheer Kumar, Kottireddy Circle, R.S. Road, Kadapa	26.08.2022	1650
Y.Dasthagiri	K. Sudheer Kumar, Kottireddy Circle, R.S. Road, Kadapa	02.09.2022	600
M.C. Venkata Subbaiah	M. Krishna Chaitanya, Padmavati Nagar, Kadapa	06.09.2022	1000

M.V. Ravi Kishore Reddy	T Amarnath Reddy, T Sreenivasa Reddy & T Madhusudhan Reddy,Plot no. 57858,Mamillapalli, CK Dinne, Kadapa.	06.09.2022	2000
P. Rajendra Kumar	Sri D. Gurivi Reddy, Deputy Exe. Engineer, APEWIDC, Kadapa.	07.09.2022	2000
M.C. Venkata Subbaiah	M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty.	20.09.2022	1000
K.Niveditha	B.Damodar Reddy,Survey No 310/B & 307/C,Door No 75/9-1-2,Vijaya Durga Officers Colony,Kadapa.	10.09.2022	1000
D.Viswanath	Mr. Srinivasul Reddy, Civil Consultant Engineer, Dharmavaram	10.08.2022	450
D.Viswanath	Shanum Projects,C/O Dalmia Cement (P) Ltd,Chinna Komerla -Village Near Jammalamadugu,YSR Kadapa.	13.09.2022	900
M.V. Ravi Kishore Reddy	Sri M V Ramachandra Reddy,Deputy Executive Engineer,PRI Sub-Division,Vempalli,Kadapa.	15.09.2022	2800
P.Rajendra Kumar	Sri D. Gurivi Reddy,Deputy Exe. Engineer,APEWIDC,Kadapa.	07.09.2022	1000
P.Rajendra Kumar	The Deputy Executive Engineer, APSHCL, Pulivendula.	07.09.2022	1000
V. Sai Neeraja	R.K Infratel Projects, AP/CU/AT/25425, Eguvakunta, Kadapa, Y.S.R. (Dt.)	17.09.2022	450
V. Sai Neeraja	R.K Infratel Projects, AP/CU/AT/25425, Eguvakunta, Kadapa, Y.S.R. (Dt.)	17.09.2022	450
K. Pramod	Mrudala Hospital, #1/102, Goerge Reddy street,Yerramukkapalli, Kadapa	17.09.2022	1500
G. Sreenivasula Reddy	The Manager (E), APIIC LTD, KADAPA.	17.09.2022	1500
G. Sreenivasula Reddy	The Manager (E), APIIC LTD, KADAPA.	17.09.2022	1500
M.C. Venkata Subbaiah	Sri. M.V. Raja Kumar, M.Tech, Deputy Executive Engineer, M.I Sub Division, Proddatur, Y.S.R District	20.09.2022	6000
M.C. Venkata Subbaiah	Sri. M. Narayana Naik, Assistant Executive Engineer, R&B NH, Kadapa	20.09.2022	4000
D.Viswanath	K Nagendra Kalyan, Devuni Kadapa road, YSR Kadapa.	20.09.2022	450
P. Suresh Praveen Kumar	The Assistant Executive Engineer, R&B Section,Rayachoty..	20.09.2022	6000

Y.Dasthagiri	Mr.Raja sri Reddy,Consultant Engineer,Dharmavaram,Satya sai District.	21.08.2022	450
P. Rajendra Kumar	The Head Master, Z P H S Pottipadu, Kondapuram (M), YSR Kadapa.	18.09.2022	3200
P. Rajendra Kumar	L. Niranjan Reddy, MEO, Vemula (M), YSR Kadapa.	21.09.2022	2000
P. Rajendra Kumar	L. Niranjan Reddy, MEO, Vemula (M), YSR Kadapa.	21.09.2022	2000
P. Rajendra Kumar	L. Niranjan Reddy, MEO, Vemula (M), YSR Kadapa.	21.09.2022	2000
M.V. Ravi Kishore Reddy	Sri A. Sivarudra Goud M.Tech, Deputy Executive Engineering, R.W.S. &S Kodur	24.09.2022	1000
V.Giridhar & D. Viswanath	Sri K.Siva Reddy, Executive Engineer, NTR TGP Division, Badvel.	26.08.2022	50800
K.Niveditha	Shaik Mohammed Tahrez, Door No. 13/201, Bombay Marriage Hall, Trunk Road, Kadapa	27.09.2022	1000
D.Viswanath	M/s Spectrum Engineering Consultancy,11/709, Habeebulla Street,Kadapa – 516003.	29.09.2022	1050
K.Niveditha	Sri D.Venkateswara Rao, B.Tech, Deputy Executive Engineer, Irrigation Subdivision, Rayachoty.	29.09.2022	6000
V. Giridhar	M/s Spectrum Engineering Consultancy,11/709, Habeebulla Street,Kadapa – 516003.	30.09.2022	450
V. Giridhar	M/s Spectrum Engineering Consultancy,11/709, Habeebulla Street,Kadapa – 516003.	30.09.2022	450
P. Rajendra Kumar	Sri M. Prasanna Lakshmi B.Tech, Assistant Executive Engineer, R&B Section – I, YSR Kadapa.	03.10.2022	1000
V. Sai Neeraja	R.K. Infratel Projects, AP/CU/AT/25425, Eguvakunta, Kadapa	06.10.2022	450
V. Sai Neeraja	R.K. Infratel Projects, AP/CU/AT/25425, Eguvakunta, Kadapa	06.10.2022	450
I. Srinivasa Reddy	Dy. Executive Engineer/ Civil, Survey –Sub Division, A.P. Transco, Trancso Nilayam, Sankarapuram, Kadapa..	07.10.2022	8000
M.V. Ravi Kishore Reddy	Sri Y S Joseph Reddy, 3/9/33-1, Beside Reliance Petrol Bunk, Kadapa	11.10.2022	2000

	Road, Pulivendula, YSR Kadapa (D).		
M.V. Ravi Kishore Reddy	Sri Venkateswara Swami Constructions, 35/104, Nagarajupet, YSR Kadapa.	14.10.2022	2000
D.Viswanath	K.Nagendra Kalyan, Survey No 582, 581/3 & 581/2, Devuni Kadapa Road, Kadapa - 516002.	15.10.2022	450
P.Suresh Praveen Kumar	The Deputy Executive Engineer, RWS & S, Sub Division, Mydukur, YSR District.	14.10.2022	1000
K. Hemanth Kumar Reddy	Superintendent Engineer, Shilparamam, Andhra Pradesh.	17.10.2022	1800
D.Viswanath	K.Nagendra Kalyan, Survey No 582, 581/3 & 581/2, Devuni Kadapa Road, Kadapa - 516002.	17.10.2022	450
G. Chenna Kesava Reddy	N. Sunitha, Head Master, Z.P.Urdu High School, Kagitalapenta, Kadapa	26.09.2022	5000
K. Hemanth Kumar Reddy	Manager (Engg-Civil), Airports Authority of India, Kadapa Airport.	20.10.2022	450
K. Hemanth Kumar Reddy	Manager (Engg-Civil), Airports Authority of India, Kadapa Airport.	20.10.2022	450
M.C. Venkata Subbaiah	Manager (Engg-Civil), Airports Authority of India, Kadapa Airport.	22.10.2022	2000
K.Pramod	Syed Jameel Ahamed, Ganjikunta colony, Machupalli Road, Kadapa	25.10.2022	3000
P. Rajendra Kumar	M/s ASM Associates, Plot: 171, Flat No.102, First Floor,RS Towers,Kavuri Hills, Phase-2,Madhapur,Hyderabad.	25.10.2022	9000
P. Rajendra Kumar	M/s R. R. Stones Pvt. Ltd., Road No. 2,Banjara Hills,Hyderabad	25.10.2022	3000
M.V. Ravi Kishore Reddy	B. Jaswanth Reddy,Madanapalle road, Rayachoty	26.10.2022	2000
G. Chenna Kesava Reddy	The Commissioner, Kadapa Muncipality, Kadapa	26.10.2022	6500
K. Niveditha	Shaik Mohammed Tahrez, Door No 13/201, Bombay Marraiage Hall, Trunk Road,Kadapa.	27.10.2022	6000
D.Viswanath	R K Infratel PVt. Ltd., AP/AN/AT/25580, Agraharam, Bukkapatnam, Kadapa	27.10.2022	1350
D.Viswanath	R K Infratel PVt. Ltd., AP/AN/AT/25580, Agraharam, Bukkapatnam, Kadapa	27.10.2022	450

D.Viswanath	R K Infratel PVt. Ltd., AP/AN/AT/25580, Agraharam, Bukkapatnam, Kadapa	27.10.2022	450
P. Rajendra Kumar & P. Pavan Kumar	The Superintending Engineer, Kadapa Municipal Corporation,Kadapa YSR District.	28.10.2022	20000
M.V. Ravi Kishore Reddy	Sri D Venkateswara Rao, Deputy Executive Engineer,Irrigation Sub-Division,Rayachoty.	10.10.2022	6000
M.C. Venkata Subbaiah	Deputy Executive Engineer, Room No.14, T.T.D.Admin Bldg.(Annex), K.T.Road, Tirupati.	12.10.2022	4000
D.Viswanath	R K Infratel PVt. Ltd., AP/KU/AT/25433, Markapuram, Kadapa	31.10.2022	450
D.Viswanath	R K Infratel PVt. Ltd., AP/KU/AT/25432, Agraharam, Bukkapatnam, Kadapa	31.10.2022	450
M.V. Ravi Kishore Reddy	Deputy Executive Engineer, Room No.14, T.T.D.Admin Bldg.(Annex), K.T.Road, Tirupati.	31.10.2022	2000
D.Viswanath	R K Infratel PVt. Ltd., AP/KU/AT/25432, Agraharam, Bukkapatnam, Kadapa	31.10.2022	900
K. Pramod	Raju Lakshmi Narayana Reddy, S/o Raju Venkata Subba Reddy (Late), Raju Sathrugna Eswar Reddy, S/o Raju Venkata Subbar Reddy(Late), D.No. 39/317-1, R.V.S. Nagar Vivekananda Nagar, Chinna Chowk,	31.10.2022	1500
P.Rajendra Kumar	Sri Kaluva Neelesh Kumar, Chintakommadinne, Kadapa.	01.11.2022	2000
M.C. Venkata Subbaiah	Sri P. Ravindranath Reddy (MLA), Ircon Circle, Alamkhanpalle,YSR Kadapa.	05.11.2022	3000
V. Sai Neeraja & P. Rajendra Kumar	Sri K. Maheswar Reddy,Executive Officer, Endowment Department, Sri Malleshwara swami temple, Polathala, Pendlimarri (M), Y.S.R. (Dt.)	07.11.2022	6300
D.Viswanath	Sri N.V. Konda Reddy, Deputy Executive Engineer, APEWIDC, Pulivendula	07.11.2022	3000
K. Niveditha	Sri N.V. Konda Reddy, Deputy Executive Engineer, APEWIDC, Pulivendula	07.11.2022	1000
P.Suresh Praveen Kumar	Executive Engineer, R&B Section, Vempalli	08.11.2022	8000

P.Suresh Praveen Kumar	Executive Engineer, R&B Section, Vempalli	09.11.2022	1000
M.V. Ravi Kishore Reddy	M/s Aditya Builders and Developers, Hari Nivas,Mandi complex road,Proddatur, YSR Kadapa (D)	08.11.2022	2000
G. Chenna Kesava Reddy	The Commissioner, Kadapa Muncipality, Kadapa	11.11.2022	60000
P. Rajendra Kumar & P. Suresh Praveen Kumar	The Manager (E), APIIC LTD,KADAPA.	11.11.2022	52200
I. Srinivasa Reddy	The Head Master, Urdu High School, Kadapa	15.11.2022	5000
D.Viswanath	R K Infratel PVt. Ltd., AP/KU/AT/25433, Markapuram, Kadapa	15.11.2022	450
P. Rajendra Kumar	The Head Master, MPL PS (U) School, Khaleel Nagar, YSR Kadapa.	16.11.2022	1000
M.C. Venkata Subbaiah	The Executive Engineer, RWS &S Division, Kadapa	16.11.2022	1000
M.C. Venkata Subbaiah	The Executive Engineer, RWS &S Division, Kadapa	16.11.2022	1000
M.C. Venkata Subbaiah	The Executive Engineer, RWS &S Division, Kadapa	16.11.2022	1000
P.Suresh Praveen Kumar	The Assistant Executive Engineer, R&B Section,Vempalli.	17.11.2022	8000
K. Niveditha	Assistant Executive Engineet (R&B), Kadapa Rural Section, Kamalapuram, SubDivision, Kadapa	17.11.2022	3000
D.Viswanath	K. Sudheer Kumar, Kottireddy Circle, R.S. Road, Kadapa	17.11.2022	450
D.Viswanath	K. Sudheer Kumar, Kottireddy Circle, R.S. Road, Kadapa	17.11.2022	450
M.V. Ravi Kishore Reddy	Sri D Venkateswara Rao, Deputy Executive Engineer, Irrigation Sub Division,Rayachoty.	19.11.2022	6000
M.C. Venkata Subbaiah	Mr. Azhar Phatan, Affinity Engineering Consultant, Kadapa	19.11.2022	2000
K. Niveditha	P. Vijay Bhaskar Reddy, Geetham Infra Pvt. Ltd., Meenapuram, Proddatur	22.11.2022	2000
M.C. Venkata Subbaiah	The Head Master, Anganwadi School, Near Narayana Reddy Mattam, Kadapa	23.11.2022	1000
M.C. Venkata Subbaiah	The Head Master, Anganwadi School, Near Narayana Reddy Mattam, Kadapa	23.11.2022	1000

M.V. Ravi Kishore Reddy	Sri M V Raja Kumar, Deputy Executive Engineer, M.I Sub Division,Proddatur.	25.11.2022	2000
I. Srinivasa Reddy	The A.V. Mohan Reddy, Contractor	29.11.2022	2000
D.Viswanath	K. Nagaraja- DGM, NSL Textiles Ltd., Pulivendula	30.11.2022	450
D. Viswanath	R K Infratel PVt. Ltd., AP/KU/AT/25435, Erragudi, Kurnool	30.11.2022	450
P. Pavan Kumar	R K Infratel PVt. Ltd., AP/KU/AT/25435, Erragudi, Kurnool	30.11.2022	8500
P. Rajendra Kumar	Executive Engineer, RWS & S, Mydukuru	01.12.2022	5000
D.Viswanath	R K Infratel PVt. Ltd., AP/KU/AT/25435, Erragudi, Kurnool	01.12.2022	450
D.Viswanath	Sri. M. Krishnaiah, District Head,AP State Housing Corporation, Kadapa,Y.S.R. (Dt.)	03.12.2022	600
K. Niveditha	Executive Engineer,PR Division,Jammalamadugu,YSR	24.11.2022	2000
K. Niveditha	P.Manohar Babu DE, TTD Ananatapuram Sub Division,Anantapuram.	06.12.2022	1000
K. Pramod	Sri Vasavi Drinking Water Plant, Nellore road, Badvel , Kadapa	06.12.2022	1500
K. Niveditha	Sri V. Ramalinga Reddy, Akkayapalli, Kadapa	07.12.2022	2000
P. Rajendra Kumar	A. Naga Manideep, 4/352-3-1 up,Nagarajpeta,Kadapa.	07.12.2022	4000
I. Srinivasa Reddy	Sri P. Ravindranath Reddy (MLA), Ircon Circle, Alamkhanpalle,YSR Kadapa.	07.12.2022	8000
M.V. Ravi Kishore Reddy	The President,Cuddapah Islamic Welfare Society,Kadapa.	08.12.2022	1000
D.Viswanath	The A.V. Mohan Reddy, Contractor	09.12.2022	450
M.C. Venkata Subbaiah	The Chief Engineer, APIIC LTD, 9 th Floor,APIIC Tower Mangalagiri,Guntur	12.12.2022	6000
K. Niveditha	Sri Syed Abdul Hussain, Rayachoty	13.12.2022	2000
K. Niveditha	k. Sirish, Ranga Swamy Nagar, Porumamilla	13.12.2022	1000
G.Chenna Kesava Reddy	The Commissioner, Kadapa Muncipality, Kadapa	14.12.2022	40000

K. Niveditha	Smart Constructions, D.No.21/607-1,Near Old RIMS Circle, KAdapa	15.12.2022	2000
P.Suresh Praveen Kumar	The Assistant Executive Engineer,R&B Kadapa Rural,Kadapa.	16.12.2022	3000
P.Suresh Praveen Kumar	M/s. The Young Designers, Plot No. 81, Vasavi Nagar,Old Alwal,Secunderabad.	15.12.2022	2000
I. Srinivasa Reddy	New Model High School located in CSI Compound, Kadapa,	21.12.2022	5000
D.Viswanath	K.Nagaraja-DGM NSL Textiles Ltd., Puilvendula	21.12.2022	450
P.Suresh Praveen Kumar	The Superintending Engineer,Operation Circle,APSPDCL,Kadapa.	23.12.2022	2000
P.Suresh Praveen Kumar	The Assistant Executive Engineer, R&B Section,Thondur.	23.12.2022	6000
D.Viswanath	K.Nagaraja-DGM NSL Textiles Ltd., Puilvendula	23.12.2022	450
M.V. Ravi Kishore Reddy	M/s Dream Homes, Rayachoty,Annamayya (D).	27.12.2022	1000
D.Viswanath	Asia Engineering Company Pvt Ltd, Nungambakkam,Chennai-600034.	28.12.2022	450
D. Viswanath	The Deputy Executive Engineer,TTD Engg. Dept(Tirupati).Akepadu (V),Rajampeta (M),YSR Kadapa.	16.12.2022	450
K. Niveditha	Sadipiralla Narasimha Reddy,Survey No 216, 217, 218,Pothukurapalli,Ramapuram.	29.12.2022	3000
M.V. Ravi Kishore Reddy	Dr. Y Prasad Babu,Jandrapalli, Dappepalli,Lakkireddypalli (M),Annamayya (D).	30.12.2022	3000
M.C. Venkata Subbaiah	F6 Architect, Hyderabad	31.12.2022	1000
P.Rajendra Kumar & V.V. Prasad	The Deputy Executive Engineer,RWS & S Division,Pulivendula	06.01.2022	16200
P. Rajendra Kumar	Deputy Executive Engineer,DPAP(I) SubDivision,Pulivendula.	06.06.2022	4000
P.Rajendra Kumar & G. Sreenivasula Reddy	Assistant Engineer, PIU SubDivision, Pulivendula	10.03.2022	19800
P. Rajendra Kumar	Sri R. Giridhar, B.Tech,Assistnat Executive Engineer,(R&B) Section-I1,Kadapa.	05.07.2022	4000

P. Rajendra Kumar	Sri R. Giridhar, B.Tech, Assistnat Executive Engineer,(R&B) Section-II,Kadapa.	15.04.2022	1000
V.V. Prasad & G. Chenna Kesava Reddy	Sri M. Maheswara, Deputy Executive Engineer, RWS&S, Subdivision,Mydukur.	25.07.2022	11600
P. Rajendra Kumar	The Deputy Executive Engineer,PRI Sub Division,Pulivendula.	11.02.2022	1000
P. Suresh Praveen Kumar	The Mandal Engineering Officer,Mandal Praja Parishad,Thondur.YSR District.	23.09.2021	2000
D. Viswanath	Deputy Executive Engineer,APMSIDC Division,RajampetaY.S.R. (Dt.)	24.04.2022	900
D. Viswanath	Deputy Executive Engineer,APMSIDC Division,RajampetaY.S.R. (Dt.)	24.04.2022	900
V. Giridhar, P. Kishore Kumar Reddy, P. Pavan Kumar & V. Sai Neeraja	Sri K.Bhaskar,Assistant Executive Engineer,R&B Section,Orvakal	26.03.2022	33000
P. Suresh Praveen Kumar	The Executive Engineer,GNSS Division No. 6,NAC Hostel Building,Pulivendula - 516390	27.06.2022	11400
P. Suresh Praveen Kumar	The Executive Engineer,GNSS Division No. 6,NAC Hostel Building,Pulivendula - 516390	11.07.2022	12000
k.Pramod	The Executive Engineer,GNSS Division No. 6,NAC Hostel Building,Pulivendula - 516390	11.07.2022	1500
P. Rajendra Kumar & I. Sreenivas Reddy	The Deputy Executive Engineer,RWS & S Division,Velpula Village,Vemula Mandal, Pulivendula.	10.05.2022	16200
G. Sreenivasula Reddy	The Manager (E), APIIC LTD,KADAPA.	20.04.2022	1500
G. Sreenivasula Reddy	The Manager (E), APIIC LTD,KADAPA.	29.04.2022	1500
V. Giridhar, P. Kishore Kumar Reddy & P. Rajendra Kumar	The Executive Engineer, R&B Section -I, Kadapa	02.01.2022	32000
P. Rajendra Kumar	Sri G. Venugopal Reddy, Deputy Executive Engineer,GKLI Sub-Division No 3,Kondapuram,Kadapa (D)	04.08.2022	2000
V.V. Prasad, P. Pavan Kumar & Y. Dasthgiri	Sri R. Giridhar, B.Tech, Assistnat Executive Engineer,(R&B) Section-	12.05.2022	61600

	II,Kadapa.		
G. Sreenivasula Reddy	The Manager (E), APIIC LTD,KADAPA.	29.04.2022	8000
P. Suresh Praveen Kumar	The Deputy Executive Engineer,Proddatur Sub Division,Badvel.	13.07.2022	2000
M.C. Venkata Subbaiah	Sri Prabhakar Reddy,Executive Engineer,APSCRIC, Kadapa	02.07.2022	2000
P. Suresh Praveen Kumar	The Deputy Executive Engineer,Irrigation Sub Division,Rayachoty.	23.07.2022	2000
P. Suresh Praveen Kumar	The General Manager (Projects),AP Rajiv Swagruha Corporation. Ltd.,Sankarapuram,Kadapa.	24.06.2022	13600
P. Rajendra Kumar	Deputy Executive Engineer,V& QC,RWS,Kadapa	17.08.2022	1200
I. Srinivasa Reddy	Sri C. Sreehari, Assistant Executive Engineer, (R&B) Section - III, Kadapa	03.02.2022	16000
D. Viswanath	APEWIDC,Pulivendula Section,YSR District.	24.08.2022	450
D. Viswanath	APEWIDC,Pulivendula Section,YSR District.	24.08.2022	2000
Y.Dasthagiri	APEWIDC,Pulivendula Section,YSR District.	23.08.2022	450
Y.Dasthagiri	APEWIDC,Pulivendula Section,YSR District.	22.08.2022	450
Y.Dasthagiri	APEWIDC,Pulivendula Section,YSR District.	24.08.2022	450
Y.Dasthagiri	APEWIDC,Pulivendula Section,YSR District.	24.08.2022	450
Y.Dasthagiri	APEWIDC,Pulivendula Section,YSR District.	24.08.2022	450
Y.Dasthagiri	APEWIDC,Pulivendula Section,YSR District.	24.08.2022	450
P. Rajendra Kumar	Sri U. Nagaraju,Deputy Executive Engineer, FAC,DPAP (I) Sub Division,Pulivendula.	21.05.2022	2000
V.V. Prasad	The Assistant Executive Engineer (R&B), R&B Section, Vemula, Kadapa	03.05.2021	16000
G. Sreenivasula Reddy	The Manager (E), APIIC LTD,KADAPA.	25.07.2022	3000
G. Sreenivasula Reddy	The Manager (E), APIIC LTD,KADAPA.	06.08.2022	4800
G. Sreenivasula Reddy	The Manager (E), APIIC	13.08.202	4800

	LTD,KADAPA.	2	
D. Viswanath	Deputy Executive Engineer(Kadapa), Endowment Department,Room No.14, T.T.D. Admin BldgK.T.Road,Tirupati-517501	12.08.2022	900
D. Viswanath	Deputy Executive Engineer(Kadapa), Endowment Department,Room No.14, T.T.D. Admin BldgK.T.Road,Tirupati-517501	11.09.2022	900
P. Rajendra Kumar	Sri K.R. Ganeshwar Reddy, Deputy Executive Engineer,PRI Sub Division,Vempalli (M),YSR Kadapa.	02.08.2021	2000
G. Sreenivasula Reddy	The Manager (E), APIIC LTD,KADAPA.	16.08.2022	8000
P. Rajendra Kumar	L. Niranjan Reddy, MEO,Vemula (M),YSR Kadapa.	20.09.2022	2000
G. Chenna Kesava Reddy	The Manager (E), APIIC LTD,KADAPA.	20.05.2022	8000
I. Srinivasa Reddy	The Manager (E), APIIC LTD,KADAPA.	27.05.2022	8000
P. Rajendra Kumar	K. Murali, Deputy Executive Engineer,RWS &S Sub Division, Kamalapuram, Kadapa.	22.09.2022	1000
G. Chenna Kesava Reddy	The Spectrum Engineering Consultancy Kadapa.,	02.05.2022	8000
G. Chenna Kesava Reddy	The Spectrum Engineering Consultancy Kadapa.,	02.05.2022	3600
P. Rajendra Kumar	Assistant Executive Engineer (R&B), Kadapa Rural Section,Kamalapuram Sub - Division,Kadapa.	03.09.2022	5000
P. Rajendra Kumar	Assistant Executive Engineer (R&B), Section III,Kadapa.	05.04.2022	2000
P. Rajendra Kumar	Assistant Executive Engineer (R&B), Section III,Kadapa.	05.04.2022	1000
P. Suresh Praveen Kumar	The Deputy Executive Engineer, Irrigation Sub-Division, Badvel	15.04.2022	4000
G. Sreenivasula Reddy	The Manager (E), APIIC LTD,KADAPA.	10.11.2022	8000
G. Sreenivasula Reddy	The Manager (E), APIIC LTD,KADAPA.	10.11.2022	8000
P. Kishore Kumar Reddy	The Manager (E), APIIC LTD,KADAPA.	11.08.2022	7000
P. Rajendra Kumar	M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty.	06.10.2022	2800



P. Rajendra Kumar	M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty.	02.11.2022	1000
P. Rajendra Kumar	M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty.	11.08.2022	1000
P. Rajendra Kumar	M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty.	29.08.2022	1000
P. Rajendra Kumar	M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty.	06.10.2022	1000
P. Rajendra Kumar	The Deputy Executive Engineer, Irrigation Sub-Division,Badvel.	21.05.2022	8400
K.Niveditha	Deputy Executive Engineer,PRI Subdivision,Pulivendula.	10.03.2022	2800
Y.Dasthagiri	Sri M. Maheswar , B.Tech,Deputy executive Engineer,RWS&S, Sub Division,Mydukur,Y.S.R.Kadapa (Dt).	07.12.2022	450
Y.Dasthagiri	Sri M. Maheswar , B.Tech,Deputy executive Engineer,RWS&S, Sub Division,Mydukur,Y.S.R.Kadapa (Dt).	07.12.2022	450
Y.Dasthagiri	Sri M. Maheswar , B.Tech,Deputy executive Engineer,RWS&S, Sub Division,Mydukur,Y.S.R.Kadapa (Dt).	07.12.2022	450
Y.Dasthagiri	Sri M. Maheswar , B.Tech,Deputy executive Engineer,RWS&S, Sub Division,Mydukur,Y.S.R.Kadapa (Dt).	07.12.2022	450
D. Viswanath	Sri M. Maheswar , B.Tech,Deputy executive Engineer,RWS&S, Sub Division,Mydukur,Y.S.R.Kadapa (Dt).	23.08.2022	450
D. Viswanath	Sri M. Maheswar , B.Tech,Deputy executive Engineer,RWS&S, Sub Division,Mydukur,Y.S.R.Kadapa (Dt).	23.08.2022	450
D. Viswanath	Sri M. Maheswar , B.Tech,Deputy executive Engineer,RWS&S, Sub Division,Mydukur,Y.S.R.Kadapa (Dt).	23.08.2022	450
D. Viswanath	Sri M. Maheswar , B.Tech,Deputy executive Engineer,RWS&S, Sub Division,Mydukur,Y.S.R.Kadapa (Dt).	23.08.2022	450
G. Sreenivasula Reddy	Sri M.A.L.Srinivas, Deputy Executive Engineer, GKLI Sub	13.05.2022	36000

	Division 5, Kondapuram, Kadapa		
M.C. Venkata Subbaiah	Sri G. Venugopal Reddy, Deputy Executive Engineer,GKLI Sub-Division No 3,Kondapuram,Kadapa (D)	04.08.2022	2000
P. Rajendra Kumar	Sri M.A.L. Srinivas, Deputy Executive Engineer,GKLI Sub-Division No 5,Kondapuram,Kadapa (D)	06.01.2022	6000
G. Sreenivasula Reddy	The Manager (E),APIIC LTD,KADAPA.	04.09.2022	16000
P. Rajendra Kumar	The Manager (E),APIIC LTD,KADAPA.	30.08.2022	2000
G. Sreenivasula Reddy	The Manager (E),APIIC LTD,KADAPA.	15.09.2022	8000
P.Kishore Kumar Reddy & V. Giridhar	The Manager (E),APIIC LTD,KADAPA.	15.09.2022	24000
K. Pramod	The Deputy Executive Engineer/Civil,Civil Survey Sub Division, A.P. Transco,Transco Nilayam.Kadapa.	14.12.2022	1500
V.V.Prasad	The Manager (E),APIIC LTD,KADAPA.	22.08.2022	8000
K.Niveditha & I. Srinivasa Reddy	Sri M. Maheswara, Deputy Executive Engineer, RWS&S, Subdivision,Mydukur.	28.10.2022	12200
D. Viswanath	M. Maheswara,DEE,RWS &S.Sub division,Mydukur.	31.10.2022	450
D. Viswanath	M. Maheswara,DEE,RWS &S.Sub division,Mydukur.	31.10.2022	450
D. Viswanath	M. Maheswara,DEE,RWS &S.Sub division,Mydukur.	29.11.2022	450
D. Viswanath	M. Maheswara,DEE,RWS &S.Sub division,Mydukur.	29.11.2022	450
Y.Dasthagiri	M. Maheswara,DEE,RWS &S.Sub division,Mydukur.	31.10.2022	450
Y.Dasthagiri	M. Maheswara,DEE,RWS &S.Sub division,Mydukur.	31.10.2022	450
Y.Dasthagiri	M. Maheswara,DEE,RWS &S.Sub division,Mydukur.	29.11.2022	450
Y.Dasthagiri	M. Maheswara,DEE,RWS &S.Sub division,Mydukur.	29.11.2022	450
V.Giridhar	Sri P.Venkata Ramanaiah M.Sc, B.Ed,Commissioner, Proddatur Municipality,Proddatur,Kadapa (Dt)	02.12.2022	8000

V.V.Prasad	The Deputy Executive Engineer,RWS &S S Division,Mydukur.	12.12.2022	11600
P.Kishore Kumar Reddy & P.Rajendra Kumar	Sri R. Venkataramana, B.Tech, Asistant executive Engineer, RWS&S Section, Pengalur (M)	29.12.2022	11250
D.Viswanath	Sri Venkata Subba Reddy, Sai Rajeswari Colony, Proddatur, Kadapa	06.01.2023	1350
Y. Dasthagiri	Sri Venkata Subba Reddy, Sai Rajeswari Colony, Proddatur, Kadapa	07.01.2023	450
M.C.Venkata Subbaiah	The Executive officer, Srre veerabhadra Swamy Devasthanam, Rayachoty	06.01.2023	1000
Y. Dasthagiri	Mr.P.Rama murthy, B.Tech. Deputy Executive Engineer	07.01.2023	450
Y. Dasthagiri	The Deputy Executive Engineer, Survey sub division, A.P.Transco,Kadapa	07.01.2023	900
P. Rajendra Kumar	Yadalla Pitchaiah Chetty Charities Association, Kadapa.	11.01.2023	5000
D.Viswanath	JLC Infra Pvt Ltd,Beside Paradise Hotel,Kadapa	11.01.2023	450
M.V.Ravi Kishore Reddy	S Nageswara Reddy.Chinnachowk,Kondayapalli,Kadapa.	13.01.2023	2000
M.C.Venkata Subbaiah	Sri Arogya kumar,Nagireddy palli,Sambepalli Mandal,KADAPA	18.01.2023	2000
D.Viswanath	M/s Sri Lakshmi Vigneswara Fly ash Bricks, 416/1 lingampalli RoadTakkoli, Sidhout (M), Kadapa, Y.S.R. (Dt.)	17.01.2023	450
D.Viswanath	M/s Sri Lakshmi Vigneswara Fly ash Bricks, 416/1 lingampalli RoadTakkoli, Sidhout (M), Kadapa, Y.S.R. (Dt.)	17.01.2023	600
P. Rajendra Kumar	G.V. Ramanjaneyulu, Asst. Execurive Engineer,R&B Section, Kamalauram.	20.01.2023	2000
M.V.Ravi Kishore Reddy	Sri S.C. Ramu Naik,Executive Engineer,NTR TGP Division No. 1,Kadapa.	20.01.2023	7800
I. Srinivasa Reddy	Deputy Executive Engineer, Construction Sub Division -II, A.P.Transco, Kadapa	17.01.2023	5200
D.Viswanath	Sri A. V. Mohan Reddy, Contractor, Y.S.R.Kadapa (Dt).	20.01.2023	450

K.Niveditha	T.Vishnu Vardhan Reddy,Survey No 339/1, 339/2,Kanneluru Road,Jammalamadugu.	23.01.2023	1000
K.Niveditha	G.Madhu Kumar Reddy, Survey No 1571B, 1572 B,Proddutur Road,Jammalamadugu.	23.01.2023	1000
K.Hemanth Kumar Reddy	D. Venkata Subbaiah, Assistant Engineer,Shilparamam,Pulivendula.	25.01.2023	900
D.Viswanath	The Deputy Executive Engineer civil,Survey Sub Division, A.P. Transco,Transco Nilayam,Kadapa.	27.01.2023	900
K. Sudhakar Reddy	The Commissioner,Kadapa Municipal Corporation,Kadapa.	29.01.2023	10000
P. Rajendra Kumar & P. Kishore Kumar Reddy	M/s NRR Ready mix Concrete,Rameswaram Bypass Road,Beside HP Petrol Pump,Proddatur,Kadapa	27.01.2023	7400
M.C.Venkata Subbaiah	The Chief Engineer-II,9 th Floor, APIIC Tower I,IT Park, Autonagar,Mangalagiri,Guntur District.	30.01.2023	3800
D.Viswanath	Gina Engineering Company, (Pvt) Ltd,#330, Double Road ,Next to Bank of Baroda,Indira Nagar, Banglore-38	30.01.2023	900
I. Srinivasa Reddy & G. Chenna Kesava Reddy	Construction of Executive Center Building YSR Electronic Manufacturing Cluster, Kopparthy,YSR Dist,Andhra Pradesh	20.01.2023	18800
I. Srinivasa Reddy	Spectrum Engineer Consultancy,Kadapa.	02.02.2023	1500
K.Niveditha	ST.Benedict Bhavan,Chota Palli Road,Kadapa.	04.02.2023	1000
Y. Dasthagiri	Sri D. Rajagopal Reddy, B. Tech, Executive Engineer, APMSIDC MC Division, Pulivendula	04.02.2023	900
P. Suresh Praveen Kumar	The Assistant Executive Engineer, R & B Section,Pulivendula (West)	18.01.2023	6000
P. Suresh Praveen Kumar	The Assistant Executive Engineer, R & B Section,Pulivendula (West)	18.01.2023	6000
P. Suresh Praveen Kumar	The Assistant Executive Engineer, R & B Section,Pulivendula (West)	18.01.2023	6000
I. Srinivasa Reddy	Sri K.V.Kiriti, Assitant Engineer, Muncipal Corporation, Kadapa	06.02.2023	5400
Y. Dasthagiri	JLC Infra Pvt Ltd,Beside Paradise Hotel,Kadapa	07.02.2023	900

Y. Dasthagiri	The Deputy Executive Engineer/civil,Survey sub Division, A.P.Transco,Transco Nilayam,Kadapa.	07.02.2023	450
Y. Dasthagiri	The Deputy Executive Engineer/civil,Survey sub Division, A.P.Transco,Transco Nilayam,Kadapa.	07.02.2023	2250
Y. Dasthagiri	The Deputy Executive Engineer/civil,Survey sub Division, A.P.Transco,Transco Nilayam,Kadapa.	07.02.2023	900
P. Rajendra Kumar	M/s Prudhvi Raj infra Developers,Plot No. 90,Avasa Living,Opposite to Upadu village,Pottipadu Road,Proddatur.	10.02.2023	4000
K.Hemanth Kumar Reddy	The superintending Engineer,Shilparamam, A.P,Vijayawada.	15.02.2023	800
K.Niveditha	M.Vijay Kumar,Ayyappa Furniture,Pulivendula.	14.02.2023	3000
K.Niveditha	Sri V. M.Ravi Chandra Reddy, Deputy Executive Engineer, PRI Sub Divison , Vempalli	14.02.2023	2800
K.Niveditha	Bathala Kiran Kuma,Door No 1/335-1-2-3,R.T.C Busstand Road,Maruthi Nagar,Kadapa.	14.02.2023	1000
P. Rajendra Kumar	Sri M. Visweswara Rao,Chartered Accountant,42/107-4,Jayanagar Colony,Kadapa -516002.	14.02.2023	4000
M.C.Venkata Subbaiah	G. Subba reddy, Thallamapuram Panchayat	15.02.2023	2000
D.Viswanath	K. Nagaraj, DGM, NSLTextiles Ltd., Pulivendula	13.02.2023	4500
K. Sudhakar Reddy	The Commissioner,Kadapa Municipal Corporation,Kadapa.	15.02.2023	15000
M.C.Venkata Subbaiah	Sri. S.C. Ramu Naik, B.E.,M.B.A,The Executive Engineer,NTR TGP Division No.1,KADAPA	16.02.2023	9200
P. Rajendra Kumar	Sri Narayana Ankireddypalli, S/O Ankireddypalli Obanna ,Door No. 39/650-6-5,Chinna Chowk,Kadapa - 516002.	07.02.2023	1000
D.Viswanath	K. Nagaraj, DGM, NSLTextiles Ltd., Pulivendula	15.02.2023	450

M.V.Ravi Kishore Reddy	Smt. D Kalyani,Deputy Executive Engineer (R&B),R & B Sub-Division,Kamalapuram.	18.02.2023	2000
M.C.Venkata Subbaiah	Sri M.V Sesha Reddy,President, Sree Ayyappa Seva Samithi,Municipal High school Ground,Kadapa	17.02.2023	2000
P. Suresh Praveen Kumar	The Assistant Executive Engineer, R & B Section,Nandalur.,	17.02.2023	6000
P. Kishore Kumar Reddy	The Deputy Execuitive Engineer/civil,Survey sub Division, A.P.Transco,Transco Nilayam,Kadapa.	20.02.2023	450
P. Kishore Kumar Reddy	The Deputy Execuitive Engineer/civil,Survey sub Division, A.P.Transco,Transco Nilayam,Kadapa.	22.02.2023	900
P. Rajendra Kumar	Sri B. Giriraju,Deputy Executive Engineer,Public Health Sub – Division,Kadapa.	23.02.2023	6000
K.Hemanth Kumar Reddy	SVIST College Management,Road Krishnapuram,Tadigotla Panchayat,Kadapa.	25.02.2023	450
K.Hemanth Kumar Reddy	SVIST College Management,Road Krishnapuram,Tadigotla Panchayat,Kadapa.	25.02.2023	1800
M.C.Venkata Subbaiah	Sri R. Jaganatha Raju,House No: 7/495,N.G.O Colony,Kadapa	24.02.2023	2000
M.C.Venkata Subbaiah	Kosinepalli Sreedevi,W/O Sagili Venkatasivaiah,Survey No: 766, Rayachoty Town& Post,Kadapa District.	28.02.2023	1000
M.V.Ravi Kishore Reddy	Yeduula Pramoda,W/0 Nagireddy Satish Reddy,H.No: 36/261-3-19,Chinnachowk,Kadapa.	01.03.2023	1000
P. Rajendra Kumar	Sri Madhuvema Reddy,Proddatur, Kadapa.	28.02.2023	7000
P. Suresh Praveen Kumar	Sri. K. Pradeep Reddy,S/o. K. Venkat Reddy,KVR Hospital, Proddatur,YSR District.	03.03.2023	2000
V.V. Prasad	The Project Manager,Angel Constructions,Kadiri, Satya Sai Dist.	15.02.2023	13050
P. Suresh Praveen Kumar	Executive Enigneer, R&B, Rayachoty	04.03.2023	3000
K.Niveditha	Andhra pradesh Urban Infrastructure Asset Management Limited, D.No. 4-6-81,82 & 82A,Bramhampalli Road, Revenue Ward No.4,SBI	03.03.2023	3000

	Colony,Pulivendula - 526390, Kadapa.		
P. Suresh Praveen Kumar	Sri. J. Mallikarjuna Reddy,Plot No. 62, Gouthama Buddha Township,Putlampalli, Kadapa.YSR District.	03.03.2023	3000
D.Viswanath	Shree Builders and Developers Pvt. Ltd., Proddatur, Kadapa	01.03.2023	450
Y. Dasthagiri	Shree Builders and Developers Pvt. Ltd., Proddatur, Kadapa	01.03.2023	450
K.Niveditha	G. Ravi Kumar Reddy, Sagar Grand Villas, Krishnapuram, Kadapa	04.03.2023	1000
I. Srinivasa Reddy	Miss Swaroopa, Municipal Corporation, Kadapa	06.03.2023	500
M.C.Venkata Subbaiah	Shirdi Sai Electric, kadapa	09.03.2023	4000
P. Pavan Kumar	Rayachoty	09.03.2023	12000
M.V.Ravi Kishore Reddy	Ayyappa Swami Temple,Nellore Road,Badvel.	09.03.2023	2000
I. Srinivasa Reddy	The Deputy Executive Engineer,Civil Survey Sub-division,A.P. Transco, Sankarapuram,Kadapa.	10.03.2023	3800
K.Niveditha	Y.Raja sekhar ReddY,39/521-1,Aravinda Nagar,Kadapa.	11.03.2023	1000
K.Niveditha	Gona Purushotam Reddy,Survey No 586/18-2,I and PD Colony,Muddunur Road,Iammalamadudugu.	11.03.2023	1000
G. Sreenivasula Reddy	Deputy Executive Engineer,Room No. 14,Annex Building,TTD Administrative Building,Tirupati.	08.03.2023	3200
I. Srinivasa Reddy	The Deputy Executive Engineer,Construction Sub-Division-III,APTransco, Kadapa.	15.03.2023	5800
K.Hemanth Kumar Reddy	Sri. B. Venu Gopal,Deputy Executive Engineer,Kadapa Municipal Corporation,Kadapa.	16.03.2023	8000
I. Srinivasa Reddy	M/s Nanditha Enterprises,APHB Colony,Kadapa.	16.03.2023	1000
I. Srinivasa Reddy	M/s Srivari Construcitons,59/136-1, Nabikota, Akkayapalli, Kadapa	15.03.2023	1000
P. Rajendra Kumar	Deputy Executive Engineer,Construction Sub – Division – III,AP Transco, Kadapa	14.03.2023	1500

D.Viswanath	NSL Textiles Limited,Piot No 4, Near JNTUCE, APIIC Park,Pulivendula -516390Y.S.R. District.	14.03.2023	900
P. Rajendra Kumar	N. Chandra Sekhar Reddy,S/O N. Bala Subba Reddy,Chennur (Mandal),Kadapa.	20.03.2023	2000
K.Hemanth Kumar Reddy	Sri. Narayana Swamy,Executive Engineer,Kadapa Municipal Corporation,Kadapa.	20.03.2023	8000
P. Suresh Praveen Kumar	The Executive Engineer, NTR TGP Division No.1, Kadapa	23.03.2023	4400
Y. Dasthagiri	J.L.C infra,Site name-RS brothers,New bustand,Kadapa.	01.03.2023	450
Y. Dasthagiri	J.L.C infra,Site name-RS brothers,New bustand,Kadapa.	01.03.2023	450
Y. Dasthagiri	J.L.C infra,Site name-RS brothers,New bustand,Kadapa.	01.03.2023	450
V. Giridhar	Sri P.Venkata Ramanaiah M.Sc, B.Ed,Commissioner,Proddatur Municipality,Proddatur,Kadapa (Dt)	06.04.2023	8000
G. Chenna Kesava Reddy	Sri Narayana Swamy,Executive Engineer,Kadapa Municipal Corporation,Kadapa.	28.03.2023	8000
M.C.Venkata Subbaiah	A. Sunitha,Shankarapuram, Kadapa,Kadapa District.	28.03.2023	1000
I. Srinivasa Reddy	M/s Nanditha Enterprises,APHB Colony,Kadapa.	28.03.2023	500
I. Srinivasa Reddy	M/s Nanditha Enterprises,APHB Colony,Kadapa.	28.03.2023	500
I. Srinivasa Reddy	M/s Nanditha Enterprises,APHB Colony,Kadapa.	28.03.2023	1000
P. Rajendra Kumar	Sri B. Vinod Reddy,Mandi Bazaar,Kadapa	31.03.2023	1500
K.Niveditha	Sri B. Vinod Reddy,Mandi Bazaar,Kadapa	31.03.2023	1000
P. Suresh Praveen Kumar	The Deputy Executive Engineer, R&B Sub Division, Tadipatri	18.03.2023	4000
P. Suresh Praveen Kumar	The Deputy Executive Engineer, R&B Sub Division, Tadipatri	18.03.2023	6000
P. Suresh Praveen Kumar	The Deputy Executive Engineer, R&B Sub Division, Tadipatri	18.03.2023	3000
P. Suresh Praveen Kumar	The Deputy Executive Engineer, R&B Sub Division, Tadipatri	18.03.2023	2000
K.Niveditha	D. Ravi Kumar Gupta, Brahmin Street, Kadapa	03.04.2023	1000

Y. Dasthagiri	J.L.C infra,Site name-RS brothers,New bustand,Kadapa.	29.03.2023	450
P. Suresh Praveen Kumar	The Deputy Executive Engineer, R&B Sub Division, Tadipatri	06.04.2023	8000
M.C.Venkata Subbaiah	SVR Constructions, Bachupalli, Kadapa	03.04.2023	4100
I. Srinivasa Reddy	M/s Nanditha Enterprises,APHB Colony,Kadapa.	28.03.2023	500
K.Hemanth Kumar Reddy	The Head Master,MPPS Lohiyanagar,Kadapa.	06.04.2023	5000
K.Niveditha	VR Constrcutions, Flat No. 402, M.N.R. Residency, Reddy Colony, Kadapa	06.04.2023	1000
M.C.Venkata Subbaiah	RRR Construcitons, Gorantlapalli, Annamayya	13.04.2023	2000
P. Pavan Kumar	V. Ramesh Reddy, Near Shubham Kalyana Mantapam, Kadapa	14.04.2023	5000
K.Niveditha	Ramana Reddy, Triovision Composite Techonology, Kadapa	21.04.2023	1000
Y. Dasthagiri	Deputy Executive Engineer, Construction Sub Division -II, A.P.Transco, Kadapa	19.04.2023	750
Y. Dasthagiri	Deputy Executive Engineer, Construction Sub Division -II, A.P.Transco, Kadapa	19.04.2023	450
M.V.Ravi Kishore Reddy	Sri K.V.Ramesh, 6/399A, ABNR colony, Rs Road, Kadapa	30.03.2023	2000
Y. Dasthagiri	Deputy Executive Engineer, Construction Sub Division -II, A.P.Transco, Kadapa	21.04.2023	750
P. Suresh Praveen Kumar	The Deputy Executive Engineer,GKLI Sub Division No.-5,Kondapuram.	10.03.2023	7600
P. Rajendra Kumar	Sri L.V. Prasad Eye Institute,Opposite YSR Sports School,Kadapa.	28.04.2023	1500
M.C.Venkata Subbaiah	The Deputy Executive Engineer,GKLI Sub Division No.-5,Kondapuram.	03.05.2023	3000
K.Niveditha	Sri M.Narayana Swamy,Executive Engineer,Kadapa Municipal Corporation,YSR District.	09.05.2023	3000
P. Suresh Praveen Kumar	sri M. V. Udaya Kumar, B.Tech, Dy Zonal Manager, APIIC, Kadapa	01.05.2023	3800
Y. Dasthagiri	Deputy Executive Engieer, Construction Sub Division -III,AP	28.04.2023	600

	Transco, Kadapa		
P. Rajendra Kumar	M/s Ecoren Energy Pvt. Ltd.,20 MW Solar Project,Gandikovvuru village,Chakarayapeta Mandal,Kadapa	06.05.2023	1500
P. Suresh Praveen Kumar	Sri. P. Ravindranath Reddy, MLA,Ircon Circle,Alamkhanpalle,YSR Kadapa.	11.05.2023	1500
P. Suresh Praveen Kumar	M/s. Shahi Enterprises,Ramarajupalli,Opp. TMP,Kadapa.	11.05.2023	1500
M.V.Ravi Kishore Reddy	Sri K. Kakamani Subba Rao, #3/229,Sai Kuteer Road, Proddatur, Kadapa	13.05.2023	2000
G. Venkateswarlu	Sri. R. Rachaiah,SBI Colony,Mariyapuram,YSR Kadapa.	11.05.2023	1500
Y. Dasthagiri	Sri D. Bhuvaneswara Reddy, Special Class Contractor (Civil), #1/739, Dwarka Nagar, Kadapa	12.05.2023	450
P. Suresh Praveen Kumar	The Executive Engineer, R&B, National Highways Division, Kadapa	14.05.2023	2000
D.Viswanath	Dy. Ex. Engineer, Anantapur Sub Division, TTD, Anantapur	09.05.2023	450
D.Viswanath	Dy. Ex. Engineer, Anantapur Sub Division, TTD, Anantapur	12.05.2023	450
Y. Dasthagiri	L.V.Prasad Eye Institute, Putlampalli, Kadapa	01.05.2023	450
Y. Dasthagiri	L.V.Prasad Eye Institute, Putlampalli, Kadapa	01.05.2023	451
P. Suresh Praveen Kumar & P. Rajendra Kumar	The Deputy Executive Engineer,Agricultural Marketing,Market Yard, DC Road,Kadapa.	18.05.2023	3000
K.Niveditha	M/s Sreekar Constructions,5 6 / 1,9 - 3 -g. Akkayapalli,Near ITI Circle,Kadapa.	18.05.2023	5000
P. Suresh Praveen Kumar	The Executive Engineer,AP State Cooperative Rural Irrigation Corporation,Kadapa Division,Kadapa.	25.05.2023	4000
P. Rajendra Kumar	Sri M. Narayana Swamy,Executive Engineer,Kadapa Municipal Corporation,YSR District.	25.05.2023	3000
D.Viswanath	L.V.Prasad Eye Institute, Putlampalli, Kadapa	17.05.2023	450
D.Viswanath	L.V.Prasad Eye Institute, Putlampalli,	27.05.202	450



	Kadapa	3	
G. Chenna Kesava Reddy	B.Chandra obul Reddy,Kadapa.	27.05.2023	2500
G. Chenna Kesava Reddy	B.Chandra obul Reddy,Kadapa.	27.05.2023	1000
K.Hemanth Kumar Reddy	M/s Sri Basaveswara Infratech, Kadapa	27.05.2023	500
K.Hemanth Kumar Reddy	M/s Sri Basaveswara Infratech, Kadapa	27.05.2023	1000
G. Chenna Kesava Reddy	A Venkata Chalam,Deputy Executive Engineer,Proddatur Sub Division,Badvel.	05.06.2023	8000
D.Viswanath	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	06.06.2023	450
K.Niveditha	Sri Prudhvi Reddy,Varahi Infra Pvt Ltd,Proddutur,YSR District.	07.06.2023	3000
G. Sreenivasula Reddy	M/s Indrakshi Stone Crushers,D.No. 75/24, Road No. 5,Sri Vijaya Durga Colony,Kadapa -3	09.06.2023	4400
P. Rajendra Kumar	M/s Sri Sai Constructions,Door No. 76/228-1-3,Ramarajupalli,Kadapa.	10.06.2023	1000
Y. Dasthagiri	K.V. Manohar Babu, B.Tech., Dy. Executive Engineer, Anantapur Sub Division, T.T.D, Anantapur	10.06.2023	450
G. Venkateswarlu	Maartan Fine Chenmicals Pvt. Ltd., Kadapa	12.06.2023	1500
K.Niveditha	S.Sudhakar M.Tech,Deputy Executive Engineer (R&B),Badvel.	27.06.2023	1000
P. Suresh Praveen Kumar	Sri S.C. Ramu Naik,Executive Engineer,NTR TGP Division No. 1,Kadapa.	16.06.2023	3100
P. Suresh Praveen Kumar	Sri S.C. Ramu Naik,Executive Engineer,NTR TGP Division No. 1,Kadapa.	16.06.2023	6200
M.V.Ravi Kishore Reddy	The Executive Engineer (Housing),AP Housing Board,Nellore Divison,Nellore.	23.06.2023	6200
D.Viswanath & I. Srinivasa Reddy	Sri C. Venugopal , B.tech, Deputy Executive Engineer, R&B Sub Division, Kodur	24.06.2023	10800
P. Rajendra Kumar	Assistant Executive Engineer(R&B),Kadapa Rural Section,Kamalapuram Sub-Division,Kadapa.	10.05.2023	1000
P. Rajendra Kumar	Sri D.V. Narasimha Reddy,Deputy Executive	09.06.2023	1000

	Engineer(R&B),Jammalamadugu,Kadapa.		
P. Rajendra Kumar	M/s Durga Constructions,Gokul Towers,Rayachoty ring road,Iqbal Rice mill factory,Kadapa.	30.06.2023	3000
K.Niveditha	Prudhvi Reddy, Mandi Bazaar , Housing Board,Proddatur	30.06.2023	2000
P. Rajendra Kumar	The Head Master,MPPS NEDARPETA,Kondapuram (M),YSR Kadapa.	15.12.2022	3200
Y. Dasthagiri	Sri M. Raja Sekhar, B.Tech, Deputy Executive Engineer(kadapa), Tiupati	06.10.2022	900
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer,RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	25.08.2022	16200
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer,RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	03.09.2022	450
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer,RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	22.09.2022	450
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer, RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	26.09.2022	450
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer, RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	13.11.2022	450
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer, RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	13.10.2022	450
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer, RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	22.10.2022	450
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer, RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	09.12.2022	450
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer, RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	12.12.2022	450
V. Giridhar	Sri M.Maheswara B.Tech,Deputy Executive Engineer, RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	30.12.2022	450
D.Vsiwanath	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	20.10.2022	450
M.V.Ravi Kishore Reddy	Sri M A L Srinivas,Deputy Executive Engineer,GKLI Sub Division No.	06.01.2023	8400

	5,Kondapuram.		
G. Sreenivasula Reddy	Sri Laxmi Sai Constructions,H.No.5-4-1604, Sharada Nagar,Vanastalipuram,Hyderabad - 500070	17.07.2022	8000
G. Sreenivasula Reddy	Sri Laxmi Sai Constructions,H.No.5-4-1604, Sharada Nagar,Vanastalipuram,Hyderabad - 500071	13.07.2022	8000
M.V.Ravi Kishore Reddy	A Venkata Chalam,Deputy Executive Engineer,Proddatur Sub Division,Badvel.	15.04.2023	6000
K.Hemanth Kumar Reddy & P Rajendra Kumar	Sri T. Abdul Khadar, M.Tech,Deputy Executive Engineer,RWS &S, Subdivision,Badvel.	24.08.2022	17650
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M.Tech,Deputy Executive Engineer,RWS &S, Subdivision,Badvel.	15.10.2022	450
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M.Tech,Deputy Executive Engineer,RWS &S, Subdivision,Badvel.	15.11.2022	450
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M.Tech,Deputy Executive Engineer,RWS &S, Subdivision,Badvel.	30.11.2022	450
K.Niveditha	U. Nagaraju, Deputy Executive Engineer, DPAP(I), Sub Division, Pulivendula	25.02.2023	2000
K.Niveditha & K. Hemanth Kumar Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	08.08.2022	18000
K.Niveditha & G. Chenna Kesava Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	01.08.2022	18000
P. Rajendra Kumar	Sri M.Maheswara B.Tech,Deputy Executive Engineer, RWS&S Dept, Subdivision,Mydukur,Kadapa (Dt)	13.08.2022	1000
D.Vsiwanath	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	01.10.2022	450
D.Vsiwanath	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	18.11.2022	450
D.Vsiwanath	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	13.12.2022	450

Y. Dasthagiri	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	21.09.2022	450
Y. Dasthagiri	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	15.11.2022	450
Y. Dasthagiri	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	20.12.2022	450
V. Giridhar & I. Srinivasa Reddy	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	10.10.2022	15200
V.V. Prasad & P. Rajendra Kumar	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	25.07.2022	18000
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	09.07.2022	450
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	29.07.2022	450
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	17.07.2022	450
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	08.08.2022	450
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	25.07.2022	450
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	16.08.2022	450
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	07.08.2022	450
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	28.08.2022	450
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	16.08.2022	450
V.V. Prasad	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	06.09.2022	450
V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	04.10.2022	450

V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	25.10.2022	450
V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	18.10.2022	450
V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	08.11.2022	450
V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	07.11.2022	450
V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	07.11.2022	450
V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	07.11.2022	450
V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	28.11.2022	450
V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	31.12.2022	450
V. Giridhar	Sri. K. Murali, B.Tech,Deputy Executive Engineer,RWS & S Sub Division,Kamalapuram,Kadapa.	21.01.2023	450
V. Giridhar, P. Rajendra Kumar & I. Srinivasa Reddy	C.G.Gururaja Prasad B.Tech,Deputy Executive Engineer,RWS&S, Subdivision,Badvel.	28.04.2023	18000
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	10.11.2022	6800
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	05.03.2023	450
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	25.03.2023	450
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	25.03.2023	450
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	11.11.2022	450
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S	05.02.2023	450

	sub Division, Badvel.		
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	25.03.2023	450
K.Hemanth Kumar Reddy	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	25.03.2023	450
M.V.Ravi Kishore Reddy & M.C.Venkata Subbaiah	Sri D Venkateswara Rao,Deputy Executive Engineer,Irrigation Sub-Division,Rayachoty	10.10.2022	18000
G. Sreenivasula Reddy	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	28.11.2022	450
G. Sreenivasula Reddy	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	08.12.2022	450
G. Sreenivasula Reddy	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	20.12.2022	450
G. Sreenivasula Reddy	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	09.01.2023	450
G. Sreenivasula Reddy	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	25.01.2023	450
G. Sreenivasula Reddy	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	07.02.2023	450
G. Sreenivasula Reddy	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	28.01.2023	2800
G. Sreenivasula Reddy	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	31.12.2022	5100
G. Sreenivasula Reddy	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	28.01.2023	1600
D.Vsiwanath	Sri P. Srinivasa Reddy, Sur.no.139-1,Kummarapalli Road, Sydapuramu revenue village, Kadiri	25.03.2023	900
V.Giridhar	Smt. D Kalyani,Deputy Executive Engineer (R&B),R & B Sub-Division,Kamalapuram.	25.01.2023	8000
M.V. Ravi Kishore Reddy	Sri V Kasim Saheb,Deputy Executive Engineer,AP SubDivison No. 1,Damsite.	04.05.2022	8400
D.Vsiwanath	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	23.02.2023	900
V. Giridhar	Sri G. Reddi Govindu, M.Tech, Assistant Exective Engineer, R&B Secton, Badvel	16.09.2022	8000

V.V. Prasad & K. Niveditha	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	12.08.2022	18000
D.Vsiwanath	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	22.05.2022	450
D.Vsiwanath	Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S sub Division, Badvel.	22.05.2023	450
P. Rajendra Kumar	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport, Kadapa	15.01.2023	2800
G. Chenna Kesava Reddy	Si Vidya, M.Tech, Deputy Executive Engineer, RWS & S Sub Division, Kadapa	17.08.2022	8000
G. Sreenivasula Reddy, I. Srinivas Reddy, G. Chenna Kesava Reddy & K. Hemanth Kumar Reddy	Sri C. Venugopal, B.Tech,Deputy Executive Engineer,(R&B) Sub-Division,Kodur.	10.03.2023	50000
D.Vsiwanath	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	30.03.2023	450
D.Vsiwanath	The Sr. Manager (Engg- Civil),AAI, Kadapa Airport,Kadapa	30.03.2023	450
G. Sreenivasula Reddy	Senior Divisional Engineer/coordination,South Central Railways,Guntakal Division,Guntakal,Ananthapur (Dist.)	27.06.2023	2100
P. Rajendra Kumar	Sri A. Venkata Chalam, M.Tech,Dy. Executive Engineer,Irrigation Sub - Division,Badvel.	25.02.2023	1500
Y. Dasthagiri	Sri G.Malleswara Reddy, M.I.E,Deputy Executive Engineer,PIU Subdivision, Mydukur.	03.05.2023	600
Y. Dasthagiri	Sri G.Malleswara Reddy, M.I.E,Deputy Executive Engineer,PIU Subdivision, Mydukur.	03.05.2023	600
Y. Dasthagiri	Sri G.Malleswara Reddy, M.I.E,Deputy Executive Engineer,PIU Subdivision, Mydukur.	03.05.2023	600
Y. Dasthagiri	Sri G.Malleswara Reddy, M.I.E,Deputy Executive Engineer,PIU Subdivision, Mydukur.	03.05.2023	600
Y. Dasthagiri	Sri G.Malleswara Reddy, M.I.E,Deputy Executive Engineer,PIU Subdivision, Mydukur.	03.05.2023	600



Y. Dasthagiri	Sri G.Malleswara Reddy, M.I.E,Deputy Executive Engineer,PIU Subdivision, Mydukur.	03.05.2023	600
I. Sreenivas Reddy	Sri. S. Narasimha Reddy,Dy. Executive Engineer,APMSIDC Sub-Division,Kadapa.	08.05.2023	18800
M.V. Ravi Kishore Reddy & G. Venkateswarlu	Prof. Hari Krishna garu,Department of Civil Engineering, NIT Warangal,Telangana.	09.05.2023	8400
			2,052,251

IQAC
Co-ordinator
Internal Quality Assurance Cell (IQAC)
KSRM College of Engineering
Kadapa - 516 003

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/MIX DESIGN/23024 Date: 20/01/2023

Bill for Testing Charges

Name of Work: Design of M30 Mix Design requesting regarding.

Ref: Ref. Client Letter, M(E)/APIIC/KDP/Executive Center Building, Dated 09.01.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from The Vijay mining PVT. Ltd., Kadapa.., a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
rincipal@ksrmce.ac.in
Web : www.ksrmce.ac.in
office@ksrmce.ac.in
Email :
Email :

College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23023

Date: 30.01.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-25 - Reg.

Ref: Lr: DGG Exports Pvt Ltd , Kadapa, dt: 28-01-2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	06	150/-	900/-
	Total			**900/-**
	Rupees Nine Hundred only			

Received with thanks from Gina Engineering Company, (Pvt) Ltd, # 330 , Double Road , 1st stage, Next to Bank of Baroda, Indira Nagar, Banglore-38 a sum of **Rs. 900/- (Rupees Nine Hundred only**) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001:2004 & 9001:2015 Certified Institution

KSRM/CE/F301/Water /23021 Date: 27.01.2023

Bill for Testing Charges

Name of the work: Testing of aggregates and cement for ready mixed plant in Proddatur, Kadapa – Reg.

Ref: Lt. No. NIL, Dated 25.01.2023

-oo0oo-

Bill

S. No.	Name of the Test	Rate (Rupees)	No. Of Samples
1.	Water Testing - Construction	1500.00/-	01
	Total Amount		1500.00/-
	Rupees One Thousand Five Hundred only/-		

Received with thanks from M/s NRR Ready mix Concrete, Rameswaram Bypass Road, Beside HP Petrol Pump, Proddatur, Y.S.R. (Dt.), a sum of Rs. 1,500 /- (Rupees One Thousand and Five Hundreds only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K.DINNE (M), KADAPA-516005(A.P.)

Phone: 9000332294 Email: principal@ksrmce.ac.inEmail:

Web: www.ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001 : 2004 &9001 : 2015 Certified Institution

ESTD 1980

KSRM/CE/F301/ CC Cubes/23007

Date: 27.1.2023

Bill for Testing Charges

Sub: Testing of Concrete Cubes for M-25 – Civil Survey – Sub Division / Kadapa – Design, Engineering Manufacturing testing before loading supply for destination including augmentation of ICTS capacity dt from 3*315MVA to 4*500MVA and connected bay extension works and 6 no. additional 200 kv feeder bay extension works ta existing 400 KV SS Jamlamadugu , Kadapa Dt. – reg.

Ref: Lr. No. DEE/C/Survey/SD/KDP/F.N. 400 kv Solar/D. No: 39/23, dated 18.01.2023

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
2.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**900/-**

Rupees Nine Hundred only

Received with thanks from The Deputy Executive Engineer civil, Survey Sub Division, A.P. Transco, Transco Nilayam, Kadapa .**Rs. 900/-** (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Aggregates/23014

Date: 17.01.2023

Bill for Testing Charges

Name of Work: A. P. Transco-Construction SD-II, Kadapa-Erection of 132kV DC/SC lines from 132 kV SS Badvel to M/s. Century Panels Limited – Testing of line construction material like Sand, HBG Metal etc. – Requested - Reg.

Ref: Lr. No. DEE/CONST/SD-II/KDP/F.No.63/D.No. 9/22, Dt:12-01-2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sand	01	1000/-	1000/-
2.	20 mm HBS Metal	01	2100/-	2100/-
3.	40 mm HBS Metal	01	2100/-	2100/-
	Total			5,200/-
Rupees Five Thousand Two Hundred only				

Received with thanks from Deputy Executive Engineer, Construction Sub-Division-II, A.P. Transco, Kadapa, a sum of Rs. 5,200/- (Rupees Five Thousand Two Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 005 (A.P.)

PHC

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/23013 Date: 20.01.2023

Bill for Testing Charges

Name of the work: Testing of Soil Sample - Investigation, Design, and Construction of lift scheme comprising civil works, steel pressure mains, gravity mains, pump houses, and electro-mechanical works for lifting 350 cusecs from CBR to Giddangivaripalli village for a storage capacity of 1.2 TMC under EPC turnkey system – For Giddangivaripalli Reservoir– Reg.

Ref: Lr. No. EE/NTR TGP Divn.1/KDP/DB/AEE/YLIS/Soil test/33M Dt: 17-01-2022.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Specific gravity	3	300/-	Rs. 900/-
2	Particle size distribution	3	500/-	Rs. 1500/-
3	Liquid limit & plastic limit	3	800/-	Rs. 2400/-
4	Shear parameters	3	1000/-	Rs. 3000/-
	Total			**Rs. 7,800/-**

Rupees Seven thousand and eight hundred only

Received with thanks from Sri S C Ramu Naik, Executive Engineer, NTR TGP Division No. 1, Kadapa., a sum of **Rs. 7,800/-** (Rupees Seven thousand and eight hundred only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/23012

Date: 20.01.2023.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Construction of function hall and rooms Ground Complex in Darga – e- Gaffariya Compound at Survey no. 404/a1, near Old Busstand, Nagaraju palli Village, Kadapa District - Reg.

Ref: Lr. No. SBC/AEE/kamalapuram/2022-23, dated 18.01.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
2.	Site Visiting Charges	01	2000/-	2000/-
	Total			**4,000/-**
Rupees Four Thousand only				

Received with thanks from G.V. Ramanjaneyulu, Asst. Execurive Engineer, R&B Section, Kamalauram, YSR Kadapa, a sum of **Rs. 4,000/-** (Rupees Four Thousand only) towards the testing charges.

Yours faithfully,

HEAD

20/1/23

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

Date: 13.01.2023.

KSRM/CE/F301/SBC/23008

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Safe bearing capacity of soil – Construction of commercial Building (G+5), survey no. 175, Chinnachowk, Kondayapalli – Reg.

Ref: Lr. No. Nil. Dt: 10-01-2023.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Safe bearing capacity of soil	2	1,000/-	Rs. 2000/-
	Total			**Rs. 2,000/-**
	Rupees Two thousand only			

Received with thanks from S Nageswara Reddy, Chinnachowk, Kondayapalli, Kadapa., a sum of **Rs. 2,000/-** (Rupees Two thousand only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

KSRM/CE/F301/ CC Cubes/23007

Date: 11.1.2023

Bill for Testing Charges

Sub: Testing of Concrete Cubes for M-35 – Construction Of Commercial Building - Reg.

Ref: Concrete cube test-Dated 10-01-2023-reg

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty only				

Received with thanks from J L C Infra Pvt Ltd, Beside Paradise Hotel , Kadapa .**Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23005 Date: 07.01.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-25 concrete – Reg.

Ref: Lr. No. NIL, Dated: 30.12.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	06	150/-	900/-
	Total			**900/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Deputy Executive Engineer, A.P.Transco a sum of **Rs. 900/-** (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes/23004 Date: 07.01.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-30 concrete – Reg.

Ref: ROC.No 34/AE/DyEE(Ren)/TTD/TPT/2023, 4-1-2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Mr.P.Rama murthy, Deputy Executive Engineer., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC at UGC

ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23002 Date: 07.01.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-20 concrete – Reg.

Ref: Lr. No. NIL, Dated: 05.01.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Mr.Venkata subba reddy, Engineer., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-

KSRM/CE/E301/SBC/23003

Date: 06.01.2023

Bill for Testing Charges

Name of Work: Sub: Sub: Testing of Soil Sample – Bearing Capacity- Construction of G+4 Sree Veerabhadra Swamy Devasthanam which is located beside of Veerabhadra Swamy temple, Rayachoty – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 04.01.2023

-OOOOO-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from P.Vijaya, Executie officer, Sree Veerabhadra Swamy Devasthanam, Rayachoty. A sum of **Rs.1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email :principal@ksrmce.ac.in
Web :www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23001 Date: 06.01.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-40 concrete –Construction Of Hospital Building-Putlampalli- Reg.

Ref: Lr. No. Dated: 06.01.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	09	150/-	1350/-
	Total			**1350/-**
Rupees Thirteen Hundred and Fifty Rupees only				

Received with thanks from M/s Asia Engineering Company Pvt Ltd, Begum pet, Hyderabad-500003, a sum of **Rs. 1350/-** (Rupees Thirteen Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22406

Date: 03.01.2023.

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Safe bearing capacity of soil – Construction of residential Building (G+1), survey no. 545/B, Jandrapalli, Dappepalli, Lakkireddypalli (M), Annamayya District – Reg.

Ref: Lr. No. Nil. Dt: 30-12-2022.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Safe bearing capacity of soil	3	1,000/-	Rs. 3000/-
	Total			**Rs. 3,000/-**
Rupees Three thousand only				

Received with thanks from Dr. Y Prasad Babu, Jandrapalli, Dappepalli, Lakkireddypalli (M), Annamayya (D)., a sum of **Rs. 3,000/-** (Rupees Three thousand only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. COLLEGE OF ENGINEERING

UGC - AUTONOMOUS

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.
Kadapa, Andhra Pradesh, India - 516 003

KSNR

Date: 11.01.2023.

KSRM/CE/F301/SBC/2212B27

Bill for testing Charges

Name of the Work: Proddatur Municipality-Engineering Section –Special Grant-Remodeling of Municipal Market and Construction of Shopping Complex-Design Mix for M25-Requested-Regarding.

Ref: Agreement No 342/2022-23, Dated 02-12-2022.

******

S.No	Name of the test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Mix Design M25	01	8000/-	8000.00
		Total		**8000.00**

Rupees Eight thousands only

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

K.S.R.M. College of Engineering

(AUTONOMOUS)

pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23054 Date: 25.02.2022

Sub: Testing of Concrete Cubes for M-20 Construction Cement Roads - Reg.

Ref: Letter- Dated: 20-02-2023-reg

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**

Rupees four hundred and fifty only

Received with thanks from SVIST College Management , Road Krishnapuram , Tadigotla Panchayat, Kadapa. a sum of **Rs. 450/-** (Rupees four hundred and fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD- An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/23057 **Date: 28.02.2023**

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Duplex Building in Survey No: 766, Rayachoty Town & post – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 25.02.2023

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
2.	Site Visiting Charges	01	2000/-	2000/-
	Total			**3000/-**

Rupees Three Thousand only

Received with thanks from K.Sreedevi, W/O S.Venkatasivaiah, Rayachoty Town & post. A sum of **Rs.3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASI PALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web :www.ksrmce.ac.in

Email :principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/CC Cubes/23052 22.02.2023

Bill for Testing Charges

Sub: Civil Survey-Sub division/Kadapa-Design Engineering manufacturing testing before loading Supply for destination including of (1) Augmentation of ICTs capacity from 3x315 MVA to 4x500 MVA and connected bay extension works and (2) 6 No. additional 220 KV feeder bay extension works at existing 400 KVSS Jammalamadugu in Kadapa district-Testing of CC Cubes -Requesting-Regarding.

Ref: Lr. No. DEE/C/Survey/SD/KDP/F.No.400 kv Solar/D.No. 86/23, Dt: 20.02.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	06	150/-	900/-
	Total			**900/-**
Rupees Nine Hundred only				

Received with thanks from The DEE/civil, AP Transco nilayam, a sum of **Rs. 900/-** (Nine hundred only) towards the testing charges

Yours
faithfully

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in
Web : www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/CC Cubes/23051 20.02.2023

Bill for Testing Charges

Sub: Civil Survey-Sub division/Kadapa-Design Engineering manufacturing testing before loading Supply for destination including of (1) Augmentation of ICTs capacity from 3x315 MVA to 4x500 MVA and connected bay extension works and (2) 6 No. additional 220 KV feeder bay extension works at existing 400 KVSS Jammalamadugu in Kadapa district-Testing of CC Cubes -Requesting-Regarding.

Ref: Lr. No. DEE/C/Survey/SD/KDP/F.No.400 kv Solar/D.No. 82/23, Dt: 17.02.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from The DEE/civil, AP Transco nilayam, a sum of **Rs. 450/-** (Four hundred and Fifty rupees only) towards the testing charges

Yours
faithfully

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/23050 Date: 17.02.2023.

Bill for Testing Charges

Name of Work: Testing of Soil and Rock Samples – Bearing Capacity – R & B Section, Nandalur – Construction of of HLB across Mandvya River at km 28/8-10 of Rayachoty – Gadikota Road in Annamayya District – Reg.

Ref: Lr. No. Soil Investigation / HLB / Rayachoty – Gadikota Road / AEE / R&B / NDLR / 2022-23, Dt. 15.02.2023.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Rock	05	1000/-	5000/-
2.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**6000/-**
Rupees Six Thousand only				

Received with thanks from The Assistant Executive Engineer, R & B Section, Nandalur., a sum of **Rs. 6,000/-** (Rupees Six Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-

KSRM/CE/F301/SBC/23049

Date: 17.02.2023

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Ayyappa swamy Seva Samithi temple at Municipal High school Ground, Kadapa– Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 15.02.2023

-ooooo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from Sri. M.V Sesha Reddy, President, Ayyapa swamy seva samithi, Kadapa. A sum of **Rs.2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email :principal@ksrmce.ac.in

Web :www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/23040 Date: 14.02.2023.

Bill for Testing Charges

Sub: Testing of Soil Sample – Bearing Capacity- Construction of G+4 Residential Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated 13.02.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from Bathala Kiran Kumar, Door No 1/335-1-2-3, R.T.C Busstand Road, Maruthi Nagar, Kadapa sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/23038

Date: 14.02.2023.

Bill for Testing Charges

Sub: Testing of Soil Sample – Bearing Capacity- Construction of Residential Building, Pulivendula - YSR District– Reg.

Ref: Lr. No NIL, Dated 10.02.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
Rupees Three Thousand only				

Received with thanks from M.Vijay Kumar, Ayyappa Furniture, Pulivendula...a sum of **Rs. 3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in

Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Soil properties/23036 Date: 10-02-2023

Bill for Testing Charges

Name of Work: Testing of soil sample - Construction of Villa at survey no. 129, Chowtapalle Pachayat, Uppadu village, Proddatur, YSR District - Reg.

Ref: Lr. No. Nil, dated 08.02.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
2.	Compaction	02	1000/-	2000/-
3.	Visiting Charges	01	2000/-	2000/-
	Total			**6,000/-**
Rupees Six Thousand only				

Received with thanks from M/s Prudhvi Raj Infra Developers, Plot No. 90, Avasa Living, Opposite to Upadu village Pottipadu Road, Proddatur. , YSR Kadapa., a sum of **Rs. 6,000/-** (Rupees Six Thousand only) towardsthe testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

PH

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23035 Date: 07.02.2023

Bill for Testing Charges

Sub: Civil TLC Sub division/Kadapa-Design Engineering manufacturing testing before loading Supply for destination including of (1)Augmentation of ICTs capacity from 3*315 MVA to 4*500 MVA and connected bay extension works and (2) 6 No.additional 220 KV feeder bay extension works at existing 400 KVSS Jammalamadugu in Kadapa district- Testing of CC cubes-Requesting-regarding

Ref: Lr. No. DEE/C/Survey/SD/KDP/F.No.400 kv Solar/Dt:30-1-2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	06	150/-	900/-
	Total			**900/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from The DEE/civil, AP Transco nilayam, a sum of **Rs. 900/-** (Nine hundred rupees only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23034 Date: 04.02.2023

Bill for Testing Charges

Sub: Civil TLC Sub division/Kadapa-Design Engineering manufacturing testing before loading Supply for destination including of (1)Augmentation of ICTs capacity from 3*315 MVA to 4*500 MVA and connected bay extension works and (2) 6 No.additional 220 KV feeder bay extension works at existing 400 KVSS Jammalamadugu in Kadapa district- Testing of CC cubes-Requesting-regarding

Ref: Lr. No. DEE/C/Survey/SD/KDP/F.No.400 kv Solar/Dt:13-1-2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	15	150/-	2250/-
	Total			**2250/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from The DEE/civil, AP Transco nilayam, a sum of **Rs. 2250/-** (Two thousand two hundred fifty rupees only) towards the testing charges.

Yours faithfully,

C/HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23032 Date: 07.02.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-35 concrete – Reg.

Ref: Lr. No. NIL, Dated: 06.02.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from J.L.C infra, a sum of **Rs. 450/-** (Rupees four hundred fifty rupees only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in
Run by Sri KandulaObul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD 1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/23026

Date: 04.02.2023

Bill for Testing Charges

Sub: Testing of Soil Sample – Bearing Capacity- Construction of Church Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated 02.02.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from ST.Benedict Bhavan, Chota Palli Road, Kadapa., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/CORE TEST/23025 Date: 02.02.2023

Bill for Testing Charges

Name of Work: Construction CC Road and Drain from D.No.15/79 to D.No. 15/82, in Division No.25. (Road-Rs.6. Lakhs & Drain-Rs. 2. Laks)-Core Specimen Test- Reg.

Ref: Client Letter Date:27.01.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Concrete Core Strength	03	500/-	1500/-
	Total			**1,500/-**

Rupees One Thousand and Five hundred only

Received with thanks from Spectrum Engineer Consultancy, Kadapa, a sum of **Rs. 1,500/-** (Rupees One Thousand and Five hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Design/23020 Date: 29.01.2023.

Bill for Testing Charges

Sub: Design of reinforcement detailing for drain near Rajiv Park, Kadapa District- Reg.

Ref: Lr. No NIL, Dated: 24.01.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Reinforcement detailing to drain	01	10000/-	10000/-
	Total			**10000/-**
Rupees Ten Thousand only				

Received with thanks from The Commissioner, Kadapa Municipal Corporation, Kadapa, a sum of **Rs. 10,000/-** (Rupees Ten Thousand only) towards the Design charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 & 9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/WMM/2302B4 17.07.2022

Bill for Testing Charges

Name of Work: Construction of IOCL Petrol bunk near chagalamarri, Proddatur, Y.S.R District – Test of WMM Samples- Regarding.

Ref: Lr. No. NIL, Dated: 10.07.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	WMM Design	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from Sri Laxmi Sai Constructions, H.No.5-4-1604, Sharada Nagar, Vanastalipuram, Hyderabad. a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the testing charges.

Yours faithfully,

P. Rajendra Kumar

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/STEEL/2302B1 Date: 15/10/2022

Bill for Testing Charges

L. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23 Dt, 09.09.2022

Sub: - RWS&S- Jala Jeevan Mission (JJM) - Augmentation of existing Water Supply Scheme and providing FHHTCs to S. Venkatapuram H/o Khuumbhagiri of Atloor (M) - Est. Cost Rs44.00/116.83 Lakhs - Certain Samples- submitted Relevant Tests to be conducted- Reports-Requested-Regarding.

Ref: - GO RT No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department. Govt. of AP

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Fe500 STEEL of 8mm,10mm,12mm,16mm,20mm	05	1800/-	9000/-
	Total			**9,000/-**
Rupees Eight Thousand only				

Received with thanks from Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S, Badvel. A sum of **Rs. 9,000/-** (Rupees Nine Thousand only) towards the design and testing charges.

Yours faithfully,

HoD, CE.
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/2302B1

Date: 13.09.2022

Bill for Testing Charges

Sub: Testing of Soil Sample – Bearing Capacity- RWS&S - Jala Jeevan Mission (JJM) - Augumentation of existing water supply scheme and providing FHHTCS to venkatapuram H/o Khumbhagiri of Atloor (M) – Reg.

Ref: Lr. No JTO/JJM/BADVEL/TEST/OHSR/2022-23 Dt 09.09.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from Sri T.Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS & S, Subdivision, BADVEL, Kadapa., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email :
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/MIX DESIGN/2302B1 Date: 15/10/2022

Bill for Testing Charges

L. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23 Dt, 09.09.2022

Sub: - RWS&S- Jala Jeevan Mission (JJM) - Augmentation of existing Water Supply Scheme and providing FHHTCs to S. Venkatapuram H/o Khuumbhagiri of Atloor (M) - Est. Cost Rs44.00/116.83 Lakhs - Certain Samples- submitted Relevant Tests to be conducted- Reports-Requested-Regarding.

Ref: - GO RT No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department. Govt. of AP

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S, Badvel. a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HoD, CE.

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/2302B2 Date: 22.10.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for -Construction of 40 Kl Capacity Over Head Service Reservoir – Khumbagiri , Atloor Mandal- Reg.

Ref: Lr.No : JTO/JJM/Badvel/TEST/OHSR/2022-23:. Dt: 20-10-2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty only				

Received with thanks from Sri T. Abdul Khader , M.Tech, Deputy Executive Engineer, RWS& S, Subdivision, BADVEL. Kadapa (Dt), a sum of **Rs. 450/- (Rupees Four Hundred and Fifty only**) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

Run by Sri KandulaObul Reddy Charities, Regd. No.83/1980

KSRM/CE/F301/Water /23095

Date: 31.03.2023

Bill for Testing Charges

Name of the work: Testing of Bore water sample for construction Purpose – Requested – Reg.

Ref: Lr. No. NIL, Dated 27.03.2023

-oo0oo-

Bill

S. No.	Name of the Test	Rate (Rupees)	No. Of Samples
1.	Water Testing - Construction	1500.00/-	01
	Total Amount		1500.00/-
	Rupees One Thousand Five Hundred only/-		
Received with thanks from Sri B. Vinod Reddy, Mandi Bazaar, Y.S.R. (Dt.), a sum of Rs. 1,500 /- (Rupees One Thousand and Five Hundreds only) towards the testing charges.			

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/23067

Date: 04.03.2023.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+3 Building, Kadapa – Reg.

Ref:Lr. No NIL, Dated 01.03.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
	Rupees Five Thousand only			

Received with thanks from G.Ravi Kumar Reddy, Sagar Grand villas, Krishnapuram, Kadapa.,a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 005 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/CORE TEST/23091 Date: 28.03.2023

Bill for Testing Charges

Name of Work: Kadapa Municipal Corporation - Letter of Acceptance - Laying of CC Road from 3/1287 to 3/1437 at Police Petrol Bunk back side in Sionupuram in 24th division with an estimate cost of Rs. 4.90 lakhs - Concluding of Agreement - Submission of LoA- Core Specimen Test- Reg.

Ref: Client Letter Date:24.03.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Concrete Core Strength	02	500/-	1000/-
	Total			**1,000/-**
Rupees One Thousand only				

Received with thanks from M/s Nanditha Enterprises, APHB Colony, Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/CORE TEST/23092

Date: 28.03.2023

Bill for Testing Charges

Name of Work: Kadapa Municipal Corporation – Letter of Acceptance – Extension of 110 mm dia. UPVC pipeline from 3/176-1-A to 3/1766-30 at 2nd road in Sionupuram in 24th division with an estimate cost of Rs. 3.50 lakhs – Concluding of Agreement – Submission of LoA- Core Specimen Test-Reg.

Ref: Client Letter

Date:24.03.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Concrete Core Strength	01	500/-	500/-
	Total			**500/-**
Rupees Five Hundred only				

Received with thanks from M/s Nanditha Enterprises, APHB Colony, Kadapa a sum of **Rs. 500/-** (Rupees Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/CORE TEST/23093 Date: 28.03.2023

Bill for Testing Charges

Name of Work: Kadapa Municipal Corporation – Letter of Acceptance – Extension of 110 mm dia. UPVC pipeline from 3/1677-51 to 3/1766-31 at 2nd road in Sionupuram in 24th division with an estimate cost of Rs. 3.50 lakhs – Concluding of Agreement – Submission of LoA- Core Specimen Test- Reg.

Ref: Client Letter Date:24.03.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Concrete Core Strength	01	500/-	500/-
	Total			**500/-**

Rupees Five Hundred only

Received with thanks from M/s Nanditha Enterprises, APHB Colony, Kadapa a sum of **Rs. 500/-** (Rupees Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-

KSRM/CE/E301/SBC/23090

Date: 28.03.2023

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Duplex Building in Shankarapuram, Kadapa – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 27.03.2023

-ooooo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from A. Sunitha, Shankarapuram, and Kadapa. A sum of **Rs.1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web :www.ksrmce.ac.in

Email :principal *a* ksrmce.ac.in
Email : office *a* ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/MIX DESIGN/ 23089

Date: 28/03/2023

Bill for Testing Charges

Sub: Kadapa Municipal Corporation - Engineering Section - General Fund Construction - Laying CC Road from N.H.Main Road towards GTS at YSR Colony in 2nd Division of Kadapa Municipal Corporation - Conduct of materials standard tests of cement, Fine aggregates, and coarse aggregates along with M30 Design Mix of concrete as per relevant IS codes Test results - Requested - Regarding.

Ref: Instructions of Executive Authority, Kadapa Municipal Corporation Dt: 01.03.2023

oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
	Rupees Eight Thousand only			

Received with thanks from The Spectrum Engineering Consultancy Kadapa., a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23087 Date: 01.03.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-35 concrete – Reg.

Ref: Lr. No. NIL, Dated: 23.02.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
	Rupees Four Hundred and Fifty Rupees only			

Received with thanks from J.L.C infra, a sum of **Rs. 450/-** (Rupees four hundred fifty rupees only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in
Web : www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/MIX DESIGN/23083 Date: 20/03/2023

Bill for Testing Charges

Roc No: 3083/E1/KMC/2023, Dt: 07-03-2023

Sub: Kadapa Municipal Corporation - Engineering Section - General Fund Construction of CC Road from D. No: 8/750 to 8/756, D. No 8/1004 – 2 to 8/951 and Potholes at vakkalpet in 37th division of KadapaMunicipal Corporation Conduct of materials standard tests of cement, Fine aggregates, and coarse aggregates along with M30 Design Mix of concrete as per relevant IS codes Test results - Requested - Regarding.

Ref: - 1. Agreement No1.234 / 2022-2023, Dt: of Kadapa Municipal Corporation

2. Instructions of Executive Authority, Kadapa Municipal Corporation.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from Sri. Narayana Swamy, Executive Engineer, Kadapa Municipal Corporation, Kadapa. A sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HoD, CE.

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Bricks /23081

Date: 14.03.2023

Bill for Testing Charges

Sub: Testing of Red Bricks – Construction Purpose in YSR District – Reg.

Ref: nil

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Red Bricks	06	100/-	600/-
2.	Water absorption of Red Bricks	03	100/-	300/-
	Total			**900/-**
Rupees Nine Hun dreads only				

Received with thanks from NSL Textiles Limited,, Plot No 4:, Near JNTUCE, APIIC Park, Pulivendula - Y.S.R. (Dt.) a sum of Rs. **900/- (Rupees Nine Hundreds only)** towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/CORE TEST/23079

Date: 15.03.2023

Bill for Testing Charges

Name of Work: Municipal Corporation of Kadapa – GF – Laying of CC road from SBI park circle to D.No. 67/95-12-7 in SBI colony (Beside park transformation) in Mariyapuram 40th division - Core Specimen Test-Reg.

Date:14.03.2023

Ref: Client Letter

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Concrete Core Strength	02	500/-	1000/-
	Total			**1,000/-**
	Rupees One Thousand only			

Received with thanks from M/s Srivari Constructions, 59/136-1, Nabikota, Akkayapalli, Kadapa., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Paver Blocks/23075 08.03.2023

Bill for Testing Charges

Sub: T.T.D., Engg. Dept-Executive Engineer-XI Division, Tirupati-"Providing interlocking pavers for VIP open galleries and for pathway of Procession of deities at Kalyanavedika, Vontimitta, YSR Kadapa District- Compressive strength of precast concrete blocks(interlocking pavers)-Report Enclosed -Regarding.

Ref: Lr. No. Computer No: 1926402 File No: TTD-65022(31)/96/2022-EE-XI SEC-TTD, Dt. 06.03.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Paver Blocks	16	200/-	3200/-
	Total			**3200/-**
Rupees Three Thousand and Two Hundred only				

Received with thanks from Sri M. Narasimha Reddy,1/123, Jaya Nagar, Near Bairagipatteda, Tirupati., a sum of Rs. 3200/- (Three Thousand and Two Hundred rupees only) towards the testing charges

Yours faithfully,

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294 Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/23073

Date: 11.03.2023.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+3 Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated 09.03.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
	Rupees Five Thousand only			

Received with thanks from Y.Raja sekhar Reddy, 39/521-1, Aravinda Nagar, Kadapa...,a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
ESTD-1980 Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ Fly Ash Bricks/ 23072

Date: 01.03.2023

Bill for Testing Charges

Name of Work: Civil Survey Sub-Division/Kadapa-Civil works for erection of 1No. 132K V feeder bay & extension of Control room at 132K VSS Badvel for M/s Century Panels Limited, Gopavaram(V), Badvel(M) in YSR Kadapa and 1No.132KV metering bay at M/s Century Panel Limited-Testing of construction materials – Requested – Reg.

Ref: Lr.No. DEE/Civil/Survey/SD/KDP/F.N. Century Panels/D. No. 83/2023, Dated: 17.02.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Bricks (Compressive Strength and Water Absorption)	03	300/-	900/-
2.	Sand (Sieve analysis and silt content)	01	1000/-	1000/-
3.	20 mm Aggregates (Flakiness Index, Crushing Strength and Impact Value)	01	1100/-	1100/-
4.	40 mm Aggregates (Flakiness Index and Crushing Strength)	01	800/-	800/-
	Total			**3,800/-**
Rupees Three Thousand and Eight Hundred only				

Received with thanks from The Deputy Executive Engineer, Civil Survey Sub-division, A.P. Transco, Sankarapuram, Kadapa, a sum of **Rs. 3,800/-** (Rupees Three Thousand and Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/CORE TEST/23068 Date: 06.03.2023

Bill for Testing Charges

Name of Work: Construction of CC Road from D.No.42/521-8 to 42/522-4 at Sai Home opp. In 9th Division. - Core Specimen Test- Reg.

Ref: Client Letter Date:06.03.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Concrete Core Strength	01	500/-	500/-
	Total			**500/-**
	Rupees Five hundred only			

Received with thanks from Miss. Swarropa (AE) Municipal Corporation, Kadapa, a sum of **Rs. 500/-** (Rupees Five hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23065

Date: 01.03.2023

Bill for Testing Charges

Name of the Work : Testing of CC Cubes for M-20 –Construction of Commercial Building-- Reg.

Ref: Client Letter dt 01 -03-2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty only				

Received with thanks from Shree Builders and Developers. Pvt Ltd, Proddatur, Y.S.R. Kadapa (Dt).Contractor, a sum of **Rs. 450/-(Rupees Four Hundred and Fifty only)** towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/Steel/23055

Date: 25/02/2023

Bill for Testing Charges

Sub: - To Check the Tensile strength of steel rods-Requested-Regarding.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sarwottam TMT of 16mm,20mm,25mm	09	600/-	5400/-
	Total			**5400/-**
Rupees Five Thousand Four Hundred only				

Received with thanks from SVIST College Management a sum of **Rs. 5400/-** (Rupees Five Thousand Four Hundred only) towards the design and testing charges.

Yours faithfully,

HoD, CE.

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Design/23044

Date: 15.02.2023.

Bill for Testing Charges

Name of Work: Design of Structural elements for construction of Guest house in the premises of 33/11 KVSS, IIIT/ Idupulapaya in operation circle, Kadapa District– Reg.

Ref: Lr. No SE/O/KDP/T.Civil/F.Bldg/D.No.56/2023, Dated: 31.01.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Structural Design for Guest House	01	15000/-	15000/-
	Total			**15000/-**
Rupees Fifteen Thousand only				

Received with thanks from Superintending Engineer, Operation circle, APSPDC Ltd., Kadapa, a sum of **Rs. 15,000/-** (Rupees Fifteen Thousand only) towards the Design charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/23030 Date: 18.01.2023.

Bill for Testing Charges

Name of Work: Testing of Soils – Bearing Capacity – R & B Section, Vempalli – Conducting Subsoil Exploration, Soil Testing and Investigation for "Construction of Vented Causeway in Nuliveedu – Pandikinta – Korlakunta Road (KDMD – 313) at km 16 / 2 – 4 in YSR District (Across Local Vaagu)" – Reg.

Ref: Lr. No.: 022 / NPK Road / HLC / 2022, Dated: 07.01.2023.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	04	1000/-	4000/-
	Total			**4000/-**
Rupees Four Thousand Only				

Received with thanks from The Assistant Executive Engineer, R & B Section, Vempalli., a sum of **Rs. 4,000/-** (Rupees Four Thousand Only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Soil Properties/2303B53 26.12.2022

Bill for Testing Charges

Sub: Extesnion and Strengthening of Existing Runway, Taxiway and Apron along with Constructuon of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter road, Grading of Strips etc. at Kadapa Airport for the operation of code – C type of Aircraft (A-320) inclding Electrical works. SH: Constrcution of Paver Block Perimeter Raod inside Operational area at Kadapa Airport -Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg-C/Paver/Moorum Test/ 2022-23, Dt. 22.12.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Atterberg limits	01	800/-	800/-
2.	CBR (Soaked)	01	2000/-	2000/-
	Total			**2800/-**
Rupees Two Thousand and Eight Hundred only				

Received with thanks from M/s. JKG Infratech Private Limited, Kadapa, a sum of Rs. 2800/- (Two Thousand and Eight Hundred only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Soil Properties/2303B54 28.01.2023

Bill for Testing Charges

Sub: Extesnion and Strengthening of Existing Runway, Taxiway and Apron along with Constructuon of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter road, Grading of Strips etc. at Kadapa Airport for the operation of code – C type of Aircraft (A-320) inclding Electrical works. SH: Constrcution of Paver Block Perimeter Raod inside Operational area at Kadapa Airport -Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg-C/Paver/Moorum Test/ 2022-23, Dt. 25.01.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Atterberg limits	01	800/-	800/-
2.	CBR (Soaked)	01	2000/-	2000/-
	Total			**2800/-**
Rupees Two Thousand and Eight Hundred only				

Received with thanks from M/s. JKG Infratech Private Limited, Kadapa, a sum of Rs. 2800/- (Two Thousand and Eight Hundred only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294 Email: principal@ksrmce.ac.in

Web: www.ksrmce.ac.in Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 21001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/E301/Soil Properties/2303B55 25.02.2023

Bill for Testing Charges

Sub: Extesnion and Strengthening of Existing Runway, Taxiway and Apron along with Constructuon of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter road, Grading of Strips etc. at Kadapa Airport for the operation of code – C type of Aircraft (A-320) incldng Electrical works. SH: Constrcution of Paver Block Perimeter Raod inside Operational area at Kadapa Airport -Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg-C/Paver/Moorum Test/ 2022-23, Dt. 23.02.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Atterberg limits	01	800/-	800/-
2.	CBR (Soaked)	01	2000/-	2000/-
	Total			**2800/-**
Rupees Two Thousand and Eight Hundred only				

Received with thanks from M/s. JKG Infratech Private Limited, Kadapa, a sum of Rs. 2800/- (Two Thousand and Eight Hundred only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332291 Email: principal@ksrmce.ac.in

Web: www.ksrmce.ac.in Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 21001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Paver Blocks/2303B50 09.01.2023

Bill for Testing Charges

Sub: Extesnion and Strengthening of Existing Runway, Taxiway and Apron along with Constructuon of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter road, Grading of Strips etc. at Kadapa Airport for the operation of code – C type of Aircraft (A-320) incldng Electrical works. SH: Constrcution of Paver Block Perimeter Raod inside Operational area at Kadapa Airport -Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg-C/Paver/Compressive Strength Test/ 2022-23, Dt.09.01.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Paver Blocks	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty only				

Received with thanks from M/s. JKG Infratech Private Limited, Kadapa, a sum of Rs. 450/- (Four Hundred and Fifty rupees only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294 Email: principal@ksrmce.ac.in

Web: www.ksrmce.ac.in Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu
ESTD-1980 Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Paver Blocks/2303B51

25.01.2023

Bill for Testing Charges

Sub: Extesnion and Strengthening of Existing Runway, Taxiway and Apron along with Constructuon of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter road, Grading of Strips etc. at Kadapa Airport for the operation of code – C type of Aircraft (A-320) inclding Electrical works. SH: Constrcution of Paver Block Perimeter Raod inside Operational area at Kadapa Airport -Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg-C/Paver/Compressive Strength Test/ 2022-23, Dt.25.01.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Paver Blocks	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty only				

Received with thanks from M/s. JKG Infratech Private Limited, Kadapa, a sum of Rs. 450/- (Four Hundred and Fifty rupees only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 21001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Paver Blocks/2303B52 07.02.2023

Bill for Testing Charges

Sub: Extesnion and Strengthening of Existing Runway, Taxiway and Apron along with Constructuon of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter road, Grading of Strips etc. at Kadapa Airport for the operation of code – C type of Aircraft (A-320) inclding Electrical works. SH: Constrcution of Paver Block Perimeter Raod inside Operational area at Kadapa Airport -Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg-C/Paver/Compressive Strength Test/ 2022-23, Dt.07.02.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Paver Blocks	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty only				

Received with thanks from M/s. JKG Infratech Private Limited, Kadapa, a sum of Rs. 450/- (Four Hundred and Fifty rupees only) towards the testing charges

Yours faithfully,

HOD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Paver Blocks/2303B47 28.11.2022

Bill for Testing Charges

Sub: Extesnion and Strengthening of Existing Runway, Taxiway and Apron along with Constructuon of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter road, Grading of Strips etc. at Kadapa Airport for the operation of code – C type of Aircraft (A-320) inclding Electrical works. SH: Constrcution of Paver Block Perimeter Raod inside Operational area at Kadapa Airport -Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg-C/Paver/Compressive Strength Test/ 2022-23, Dt. 28.11.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Paver Blocks	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty only				

Received with thanks from M/s. JKG Infratech Private Limited, Kadapa, a sum of Rs. 450/- (Four Hundred and Fifty rupees only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/MIX DESIGN/2303B15

Date: 10.10.2022

Bill for Testing Charges

Sub: RWS & S Sub Division, Kamalapuram – Jala Jeevan Mission(JJM) 2021-22- Augmentation of existing Water Supply Scheme and providing FHTCs to Vallur HW H/o. Vallur GP of Vallur Mandal with an Estimated cost of Rs. 36.27 Lakhs - Material tests of cement, Fine aggregates, and coarse aggregates - Design Mix of RCC for M30 – Samples submitted - Examine Test values –Report - Requested - Regarding.

Ref - Lr. No. AE/JJM/VALLUR HW/OHSR/2022, Dated 09.09.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from Sri. K. Murali, B.Tech, Deputy Executive Engineer, RWS & S Sub Division, Kamalapuram, Kadapa. a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HoD, CE.

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu
Accredited by NAAC at UG
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Steel/2303B15

Date: 16.09.2022.

Bill for Testing Charges

Name of Work: RWS & S Sub Division, Kamalapuram – Jala Jeevan Mission (JJM) 2021-22- Augmentation of existing Water Supply Scheme and providing FHTCs to Vallur HW H/o. Vallur GP of Vallur Mandal with an Estimated cost of Rs. 36.27 Lakhs – SBC of soil, Material tests of aggregates, steel and cement - Design Mix of RCC for M30 – Samples submitted - Examine Test values –Report - Requested - Regarding.

Ref: Lr. No. AE/JJM/VALLUR HW/OHSR/2022, Dated 09.09.2022

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Tensile test (8 mm dia.)	03	600/-	1,800/-
2.	Tensile test (10 mm dia.)	03	600/-	1,800/-
3.	Tensile test (12 mm dia.)	03	600/-	1,800/-
4.	Tensile test (16 mm dia.)	03	600/-	1,800/-
	Total			**7,200/-**
	Rupees Seven Thousand Two Hundred only			

Received with thanks from Sri. K. Murali, B.Tech, Deputy Executive Engineer, RWS & S Sub Division, Kamalapuram, Kadapa, a sum of **Rs. 7,200/-** (Rupees Seven Thousand Two Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA 516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/CC Cubes/2303B12 Date: 21.09.2022.

Bill for Testing Charges

Sub: RWS & S – Jala Jeevan Mission (JJM) – Augmentation of existing water Supply Scheme and providing FHHTCs to Ganugapenta H/o Ganugapenta of porumamilla (M) – Est. Cost 29.36 Lakhs – Certain samples – submitted – Relevant tests to be conducted – Reports – Requested - Regarding.

Ref: Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23, dated 19.09.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Sri T. Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision, Badvel. , YSR Kadapa, a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

P. Rajesekhara Reddy
HEAD I/c
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri KandulaObul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/CC Cubes/2303B13 Date:15.11.2022.

Bill for Testing Charges

Sub: RWS & S – Jala Jeevan Mission (JJM) – Augmentation of existing water Supply Scheme and providing FHHTCs to Ganugapenta H/o Ganugapenta of porumamilla (M) – Est. Cost 29.36 Lakhs – Certain samples – submitted – Relevant tests to be conducted – Reports – Requested - Regarding.

Ref: Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23, dated 14.11.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Sri T. Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision, Badvel. , YSR Kadapa, a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

P. Rajendra Kumar
HEAD I/c

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri KandulaObul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/CC Cubes/2303B14

Date:20.12.2022.

Bill for Testing Charges

Sub: RWS & S – Jala Jeevan Mission (JJM) – Augmentation of existing water Supply Scheme and providing FHHTCs to Ganugapenta H/o Ganugapenta of porumamilla (M) – Est. Cost 29.36 Lakhs – Certain samples – submitted – Relevant tests to be conducted – Reports – Requested - Regarding.

Ref: Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23, dated 19.12.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
	Rupees Four Hundred and Fifty Rupees only			

Received with thanks from Sri T. Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision, Badvel. , YSR Kadapa, a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

P. Rajendra Prasad
HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/CC Cubes/2303B9 Date: 01.10.2022.

Bill for Testing Charges

Sub: RWS & S – Jala Jeevan Mission (JJM) – Augmentation of existing water Supply Scheme and providing FHHTCs to Ganugapenta H/o Ganugapenta of porumamilla (M) – Est. Cost 29.36 Lakhs – Certain samples – submitted – Relevant tests to be conducted – Reports – Requested - Regarding.

Ref: Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23, dated 27.09.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Sri T. Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision, Badvel. , YSR Kadapa, a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

P. Rajendra Reddy

HEAD I/c

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri KandulaObul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/CC Cubes/2303B10

Date: 18.11.2022.

Bill for Testing Charges

Sub: RWS & S – Jala Jeevan Mission (JJM) – Augmentation of existing water Supply Scheme and providing FHHTCs to Ganugapenta H/o Ganugapenta of porumamilla (M) – Est. Cost 29.36 Lakhs – Certain samples – submitted – Relevant tests to be conducted – Reports – Requested - Regarding.

Ref: Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23, dated 15.11.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Sri T. Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision, Badvel. , YSR Kadapa, a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

P. Rajesekhar Reddy
HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/CC Cubes/2303B10

Date: 13.12.2022.

Bill for Testing Charges

Sub: RWS & S – Jala Jeevan Mission (JJM) – Augmentation of existing water Supply Scheme and providing FHHTCs to Ganugapenta H/o Ganugapenta of porumamilla (M) – Est. Cost 29.36 Lakhs – Certain samples – submitted – Relevant tests to be conducted – Reports – Requested - Regarding.

Ref: Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23, dated 09.12.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
	Rupees Four Hundred and Fifty Rupees only			

Received with thanks from Sri T. Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision, Badvel. , YSR Kadapa, a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD I/c

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri KandulaObul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/2303B8 Date: 13.08.2022.

Bill for Testing Charges

Name of Work: RWS & S – Jala Jeevan Mission (JJM) – Augmentation of existing water Supply Scheme and providing FHHTCs to Onipenta habitation of Onipenta GP of Mydukur – Est. Cost 69.36 Lakhs – Certain samples – submitted – Relevant tests to be conducted – Reports – Requested - Regarding.

Ref: Lr. No. AEE/JJM/ONIPENTA/OHSR/22, dated 11.08.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1,000/-**
Rupees One Thousand only				

Received with thanks from Sri M. Maheswara, B.Tech, Deputy Executive Engineer, RWS &S, Subdivision, Mydukur, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

P. Rajasekhar

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/2303B2

Date: 15.10.2022

BILL For Testing

Lr.No.JTO/JJM/BADVEL/TEST/OHSR/2022-23 Dt. 03.10 .2022

Sub: - RWS&S- Jala Jeevan Mission (JJM) -Augmentation of existing Water Supply Scheme and providing FHHTCs to A.Kothapalli H/o Payalakuntla GP of B.Kodurr (M) - Est.Cost Rs 22.50 Lakhs - Certain Samples- submitted-Relevant Tests to be conducted- Reports- Requested - Regarding.

Ref:-1.GO RT No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			450/-
Rupees four hundred and fifty only				

Received with thanks from Sri T.Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision BADVEL. a sum of **Rs. 450/-** (Rupees four hundred and fifty only) towards the testing charges.

Yours faithfully,

HEAD Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/2303B3

Date: 15.11.2022

BILL For Testing

Lr.No.JTO/JJM/BADVEL/TEST/OHSR/2022-23 Dt. 05.11 .2022

Sub: - RWS&S- Jala Jeevan Mission (JJM) -Augmentation of existing Water Supply Scheme and providing FIIIITCs to A.Kothapalli H/o Payalakuntla GP of Atloor (M) Est.Cost Rs 22.50 Lakhs - Certain Samples- submitted- Relevant Tests to be conducted- Reports-Requested - Regarding.

Ref:-1.GO RT No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees four hundred and fifty only				

Received with thanks from Sri T.Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision BADVEL. a sum of **Rs. 450/-** (Rupees four hundred and fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes/2303B4 Date: 30.11.2022

BILL For Testing

Lr.N0.J'IO/JJM/BADVEL/TEST/OHSR/2022-23,Dt.19.11.2022

Sub: - RWS&S- Jala Jeevan Mission (JJM) -Augmentation of existing Water Supply Scheme and providing FHHTCs to A.Kothapalli H/o Payalakuntla GP of B.Kodur (M) - Est.Cost Rs 22.50 Lakhs - Certain Samples- submitted- . Relevant Tests to be conducted- Reports- Requested - Regarding.

Ref:-1.GO RT No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees four hundred and fifty only				

Received with thanks from Sri T.Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision BADVEL. a sum of **Rs. 450/-** (Rupees four hundred and fifty only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/2303B1

Date: 24.08.2022.

Bill for Testing Charges

Name of Work: RWS & S – Jala Jeevan Mission (JJM) – Augmentation of existing water Supply Scheme and providing FHHTCs to A. Kothapalli H/o Payalakunta GP of B.Kodur (M) was administratively sanctioned with an Est. Cost 22.50 Lakhs – Certain samples – submitted – Relevant tests to be conducted – Reports – Requested - Regarding.

Ref: Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23, dated 22.08.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1,000/-**
Rupees One Thousand only				

Received with thanks from Sri T. Abdul Khadar, M.Tech, Deputy Executive Engineer, RWS &S, Subdivision, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/MIX DESIGN/2303B1 Date: 01/10/2022

Bill for Testing Charges

Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23 Dt. 22.08.2022

Sub: - RWS&S- Jala Jeevan Mission (JJM) - Augmentation of existing Water Supply Scheme and providing FHHTCs to A.Kothapalli H/o Payalakuntla GP of B.Kodur (M) was administratively sanctioned with an Est. Cost Rs 22.50 Lakhs - Certain Samples-submitted Relevant Tests to be conducted- Reports-Requested-Regarding.

Ref: - GO RT No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department. Govt. of AP

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from Sri. Narayana Swamy, Executive Engineer, Kadapa Municipal Corporation, Kadapa Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S, Badvel. A sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HoD, CE.
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Steel/2303B1 Date: 25.08.2022

Bill for Testing Charges

Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23 Dt, 22.08.2022

Sub: - RWS&S- Jala Jeevan Mission (JJM) - Augmentation of existing Water Supply Scheme and providing FHHTCs to A.Kothapalli H/o Payalakuntla GP of B.Kodur (M) was administratively sanctioned with an Est. Cost Rs 22.50 Lakhs - Certain Samples-submitted Relevant Tests to be conducted- Reports-Requested-Regarding.

Ref: - GO RT No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department. Govt. of AP

-oo0oo-

S.No.	Name of the Test	No. of Sample sets	Rate (Rs.)	Amount (Rs.)
1.	RAJARAM STEEL FE550 8mm,10mm,12mm,16mm,20mm dia bars	05	1800/-	9000/-
	Total			**9000/-**
Rupees Nine Thousand only				

Received with thanks from Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S, Badvel a sum of **Rs. 9000/-** (Rupees Nine Thousand only) towards the design and testing charges.

Yours faithfully,

HoD, CE.
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

PHC

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Concrete Cube/2303B45 Date: 25/03/2023

Bill for Testing Charges

Sub:- RWS&S- DMF —Construction of Renovation of CC Drain along with covering slab At Porumamilla h/o Porumamilla GP of Porumamilla Mandal -- Est.Cost Rs 98.00 Lakhs Certain Samples- submitted -Relevant Tests to be conducted- Reports— Requested Regarding.

Ref:- Procds.N0.580/DMF/RWS/2021-327B De 10.01.2022 of the District Collector & Chairman,DMF Trust YSR District

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees FIVE Thousand FOUR Hundred only				

Received with thanks from Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer RWS&S, Subdivision, BADVEL. a sum of **Rs. 450/-** (Rupees four hundred and fifty only) towards the design and testing charges.

Yours faithfully,

P. Rajasekhar

HoD, CE.
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Concrete Cube/2303B44 Date: 25/03/2023

Bill for Testing Charges

Sub:- RWS&S- DMF —Construction of Renovation of CC Drain along with covering slab At Porumamilla h/o Porumamilla GP of Porumamilla Mandal -- Est.Cost Rs 98.00 Lakhs Certain Samples- submitted -Relevant Tests to be conducted- Reports— Requested Regarding.

Ref:- Procds.N0.580/DMF/RWS/2021-327B De 10.01.2022 of the District Collector & Chairman,DMF Trust YSR District

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees FIVE Thousand FOUR Hundred only				

Received with thanks from Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer RWS&S, Subdivision, BADVEL. a sum of **Rs. 450/-** (Rupees four hundred and fifty only) towards the design and testing charges.

Yours faithfully,

HoD, CE.
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Steel/2303B42 Date: 11/11/2022

Bill for Testing Charges

Lr.No.JTO/DMF/BADVEL/TEST/DRAIN/2022-23 Dt. 05.11 .2022

Sub:- RWS&S- DMF —Construction of Renovation of CC I)rain along with covering slab At Porumamilla h/o Porumamilla GP of Porumamilla Mandal -- Est.Cost Rs 98.00 Lakhs Certain Samples- submitted -Relevant Tests to be conducted- Reports— Requested Regarding.

Ref:- Procds.N0.580/DMF/RWS/2021-327B De 10.01.2022 of the District Collector & Chairman,DMF Trust YSR District

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	RAJARAM Fe 500 STEEL of 8mm, 10mm, 12mm.	03	1800/-	5400/-
	Total			**5400/-**
Rupees FIVE Thousand FOUR Hundred only				

Received with thanks from Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer RWS&S, Subdivision, BADVEL. a sum of **Rs. 5400/-** (Rupees Five Thousand Four Hundred only) towards the design and testing charges.

Yours faithfully,

HoD, CE.
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

KSRM/CE/F301/Impact strength/2303B42 Date: 11/11/2022

Bill for Testing Charges

Lr.No.JTO/DMF/BADVEL/TEST/DRAIN/2022-23 Dt. 05.11 .2022.

Sub:- RWS&S- DMF —Construction of Renovation of CC Drain along with covering slab At Porumamilla h/o Porumamilla GP of Porumamilla Mandal -- Est.Cost Rs 98.00 Lakhs Certain Samples- submitted -Relevant Tests to be conducted- Reports— Requested Regarding.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Impact Test	03	900/-	900/-
	Total			**900/-**
Rupees Nine Hundred only				

Received with thanks from Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer, RWS&S, Badvel. a sum of **Rs. 900/-** (Rupees Nine Hundred only) towards the design and testing charges.

Yours faithfully,

P. Rajendra Kumar
HoD, CE.
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Concrete Cube/2303B43 Date: 05/02/2023

Bill for Testing Charges

Sub:- RWS&S- DMF —Construction of Renovation of CC Drain along with covering slab At Porumamilla h/o Porumamilla GP of Porumamilla Mandal -- Est.Cost Rs 98.00 Lakhs Certain Samples- submitted -Relevant Tests to be conducted- Reports— Requested Regarding.

Ref:- Procds.N0.580/DMF/RWS/2021-327B De 10.01.2022 of the District Collector & Chairman,DMF Trust YSR District

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			450/-
Rupees FIVE Thousand FOUR Hundred only				

Received with thanks from Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer RWS&S, Subdivision, BADVEL. a sum of **Rs. 450/-** (Rupees four hundred and fifty only) towards the design and testing charges.

Yours faithfully,

HoD, CE.
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294 Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Mortar Cube/2303B42 Date: 11/11/2022

Bill for Testing Charges

Sub:- RWS&S- DMF —Construction of Renovation of CC Drain along with covering slab At Porumamilla h/o Porumamilla GP of Porumamilla Mandal -- Est.Cost Rs 98.00 Lakhs Certain Samples- submitted -Relevant Tests to be conducted- Reports— Requested Regarding.

Ref:- Procds.N0.580/DMF/RWS/2021-327B De 10.01.2022 of the District Collector & Chairman,DMF Trust YSR District

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Mortar Cube	01	500/-	500/-
	Total			**500/-**
Rupees FIVE Hundred only				

Received with thanks from Sri T. Abdul Khadar, M. Tech, Deputy Executive Engineer RWS&S, Subdivision, BADVEL. a sum of **Rs. 500/-** (Rupees Five Hundred only) towards the design and testing charges.

Yours faithfully,

HoD, CE.

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

AUTONOMOUS

[illegible]

[illegible]

[illegible] 2004 & [illegible] 2015 Certified Institution

ESTD-1980

KSRM CE F30 SBC 23094 Date: 18.07.2023

Bill for Testing Charges

Name of Work: Testing of Soil Samples - Bearing Capacity - R & B Sub Division, Kadapa - Conducting Investigation, Sub Soil Exploration and Soil Testing for Construction of HLB at km 0/4-6 of Bhakarapet - Sidhout Road in Kadapa, YSR District - Reg.

Ref: Letter No. 02 Soil Exploration Report DEE (R&B) HC Kdp 2022-23, Dated: 04.03.2023

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
	Rupees Three Thousand only			

Received with thanks from The Deputy Executive Engineer, R&B Sub Division, Kadapa, a sum of **Rs. 3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully

HEAD

Head

Department of Civil Engineering

K.S.R.M. College of Engineering

Autonomous

KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 A.P.

Phone: [illegible]

Web: www.ksrmce.ac.in

Email: [illegible]

Email: [illegible]

KSRM/CE/F301/SBC/23100

Date: 18.03.2023.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – Bearing Capacity – AEE/PR (PIU)/Porumamilla – Conducting Sub Soil Exploration, Soil Testing and Investigations of Construction of Bridge across Local Vaagu on the Road from KN Road at Y. Nagayapalli km 15/150 to Muddamvaripalli of Porumamilla Mandal, YSR District – Reg.

Ref: Letter. No. AEE / PR (PIU) / Y. Nagayapalli @ 15/150 km / 2023, Dated: 08.03.2023.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from The Assistant Executive Engineer, PR (PIU), Badvel, YSR District., a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/23097 Date: 18.03.2023.

Bill for Testing Charges

Name of Work: Testing of Rock and Soil Samples – Bearing Capacity – R & B Division, Kadapa – Conducting Sub Soil Exploration for Borewells and Soil Testing for Construction of HLB in km 20/8-10 of Kondugaripalle – Nakkalagandi Road in YSR District – Reg.

Ref: Letter. No. KN Road / Badvel / DEE / 2023, Dated: 28.02.2023.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Rock	02	1000/-	2000/-
2.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**4000/-**
Rupees Four Thousand only				

Received with thanks from The Deputy Executive Engineer, R&B Sub Division, Badvel., a sum of **Rs. 4,000/-** (Rupees Four Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/23098

Date: 18.03.2023.

Bill for Testing Charges

Name of Work: Testing of Rock and Soil Samples – Bearing Capacity – R & B Sub Division, Kadapa – Conducting Investigation, Sub Soil Exploration and Soil Testing for Construction of High Level Bridge at km 3/2-4 of Radio Station to Peddaputta Road in YSR District – Reg.

Ref: Letter. No. / Soil Exploration Report / DEE (R&B) / HC / Kdp 2022-23, Dated: 04.03.2023.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Rock	03	1000/-	3000/-
2.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**6000/-**
	Rupees Six Thousand only			

Received with thanks from The Deputy Executive Engineer, R&B Sub Division, Kadapa., a sum of **Rs. 6,000/-** (Rupees Six Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001:2004 & 9001:2015 Certified Institution

KSRM/CE/F301/Water /23119 Date: 28.04.2023.

Bill for Testing Charges

Name of the work: Testing of Bore Water sample for Drinking Purpose - Requested - Reg.

Ref: Lr. No. Nil, Dated 24.04.2023

-oo0oo-

Bill

S. No.	Name of the Test	Rate (Rupees)	No. Of Samples
1.	Water Testing - Construction	1500.00/-	01
	Total Amount		1500.00/-
Rupees One Thousand Five Hundred only/-			
Received with thanks from Sri L.V. Prasad Eye Institute, Opposite YSR Sports School, Kadapa., a sum of Rs. 1,500 /- (Rupees One Thousand and Five Hundreds only) towards the testing charges.			

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K.DINNE (M), KADAPA-516005(A.P.)

Phone: 9000332294 Email: principal@ksrmce.ac.in mail:

Web: www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes/23117

Date: 21.04.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-20 concrete – Reg.

Ref: Lr. No.DEE/CONST/SD-III/KDP/F/D.NO.112/2023. Dt:20-04-2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	05	150/-	750/-
	Total			**750/-**

Rupees Seven Hundred and Fifty Rupees only

Received with thanks from AP Transco, a sum of **Rs. 750/-** (Rupees Seven hundred fifty rupees only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMUKKAPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 08562-[illegible]
Web: [illegible]
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC of UGC

An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD 1980

KSRM/CE/F301/ CC Cubes/23113

Date: 19.04.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-20 concrete – Reg.

Ref: Lr. No.DEE/CONST/SD-III/KDP/F/D.NO.108/2023. Dt:15-04-2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	05	150/-	750/-
	Total			**750/-**
	Rupees Seven Hundred and Fifty Rupees only			

Received with thanks from AP Transco, a sum of **Rs. 750/-** (Rupees Seven hundred fifty rupees only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(A.P.)

PRY.

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA 516005 (A.P.)

Phone: 9000332291

Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in

Email: office@ksrmce.ac.in

Run by Sri KandulaObul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 & 9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/23116

Date: 24.04.2023.

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Safe bearing capacity of soil – Construction of Apartment (G+1), Masapet, Rayachoty – Reg.

Ref: Lr. No. Nil. Dt: 20-04-2023.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Safe bearing capacity	2	1,000/-	Rs. 2000/-
	Total			**Rs. 2,000/-**

Rupees Two thousand only

Received with thanks from Sri K V Ramesh, 6/399 A, ABNR Colony, RS Road, Rajampet - 516115, a sum of **Rs. 2,000/-** (Rupees Two thousand only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/CC Cubes/23115 Date: 29.03.2023.

Bill for Testing Charges

Sub: Testing of CC Cubes for M-20 Concrete-Construction of storm water drainage kamalapuram Panchayati.

Ref: Lr. No. NIL, Dated: 06.04.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	09	150/-	1350/-
	Total			**1350/-**
Rupees one thousand three hundred fifty Rupees only				

Received with thanks from A.V.Mohan reddy, a sum of **Rs. 1350/-** (Rupees one thousand three hundred fifty rupees only) towards the testing charges.

Yours faithfully,

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC with 'A' Grade

ESTD-1980 An ISO 14001:2004 & 9001:2015 Certified Institution

KSRM/CE/E301/SBC/23112 Date: 21.04.2023

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+5 Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated 17.04.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	1000/-
	Total			**2000/-**

Rupees Two Thousand only

Received with thanks from Siva Kumar Reddy Indireddy, Survey No 869/3, Door Num 39/443-4-13, Bapuji Road, Aravinda Nagar, Kadapa., a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/23111

Date: 21.04.2023.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated 11.04.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from Ramana Reddy, Triovision Composite Technology, Kadapa.., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu
Accredited by NAAC of UGC
ESTD- An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/23108

Date: 13.04.2023

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Kalyamandapam in Gorantlapalli, Annamayya District – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 06.0.2023

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**

Rupees Two Thousand only

Received with thanks from R.R.R Constructions, Gorantlapalli, Annamayya District. A sum of **Rs.2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web :www.ksrmce.ac.in
Email :principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 21001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/ETS/23109

Date: 14.04.2023

Bill for Testing Charges

Sub: Field Survey Mr. V. Ramesh Reddy, Near Shubham Kalyana Mantapam, Kadapa, for Calculating Area in the site for Layout of Plots in Kadapa – Reg.

Ref: Lr. No: Nil, Dated: 04.04.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Field Survey with Total Station		5,000/-	5,000/-
2.	Field Visit Charges		2,000/-	2,000/-
	Total			**7,000/-**

Rupees Ten Thousand only

Received with thanks from Mr. V. Ramesh Reddy, Near Shubham Kalyana Mantapam, Kadapa., a sum of **Rs. 7,000/-** (Rupees Seven Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : rincipal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/CORE TEST/23105 Date: 28.03.2023

Bill for Testing Charges

Name of Work: Kadapa Municipal Corporation – Letter of Acceptance – Construction of RCC Culvert from 3/1337 and 3/1342 Police Guest house back side in Sionupuram in 24th division with an estimate cost of Rs. 4.9 lakhs – Concluding of Agreement – Submission of LoA- Core Specimen Test- Reg.

Ref: Client Letter Date:24.03.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Concrete Core Strength	01	500/-	500/-
	Total			**500/-**
	Rupees Five Hundred only			

Received with thanks from M/s Nanditha Enterprises, APHB Colony, Kadapa a sum of **Rs. 500/-** (Rupees Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ISTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/23103 Date: 06.04.2023.

Bill for Testing Charges

Name of Work: Testing of Rock and Soil Samples – Bearing Capacity – R & B Sub Division, Tadipatri – Conducting Sub Soil Exploration, Soil Testing and Investigation for Construction of High Level Causeway across Chitravathi River at km 34/4-10 of Kondapuram to Danthalapalli Road in Ananthapuramu District – Reg.

Ref: Letter. No. 004 / HLB / DEE / Tadipatri / KD Road / 2023, Dated: 03.04.2023.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Rock	05	1000/-	5000/-
2.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**8000/-**
	Rupees Eight Thousand only			

Received with thanks from The Deputy Executive Engineer, R&B Sub Division, Tadipatri., a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes/23102

Date: 29.03.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-35 concrete – Reg.

Ref: Lr. No. NILL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
	Rupees Four Hundred and Fifty Rupees only			

Received with thanks from J.L.C infra, a sum of **Rs. 450/-** (Rupees four hundred fifty rupees only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/23101 Date: 03.04.2023

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+3 Residential Building , Kadapa – Reg.

Ref: Lr. No NIL Dated 29.03.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees Five Thousand only				

Received with thanks from D.Ravi Kumar Gupta, Brahmin Street, Kadapa a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. COLLEGE OF ENGINEERING

UGC - AUTONOMOUS

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.
Kadapa, Andhra Pradesh, India– 516 003



KSNR

KSRM/CE/F301/Mix Design/23088 Date: 06.04.2023

Testing Report

Name of the Work: Proddatur Municipality-Engineering Section –Special Grant-Remodeling of Municipal Market and Construction of Shopping Complex-Design Mix for M25-Requested-Regarding.

Ref: Lr. No. Roc. No. 494/2020-E1, Dated 14.03.2023

******

S.No	Name of the test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Mix Design M25	01	8000/-	8000.00
			Total	**8000.00**
	Rupees Eight thousands only			

Received with thanks from M/s KPC Projects Pvt. Ltd., Proddatur, Kadapa. a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HoD, CE.

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC with A++ Grade
ESTD 1980 An ISO 21001:2018 & 9001:2015 Certified Institution

KSRM/CE/E301 MIX DESIGN/2304B3 Date: 25.01.2023

Bill for Testing Charges

Sub: R&B Sub Division, Kamalapuram - Special repairs to the road from km 6/8 to 15/8 of kogatam Payasampalli road in YSR District- Mix Design for M35 - Requested Regarding.

Ref – Lr. No. Mix design/DEE R&B Kamalapuram/202223, Dated 26.12.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M35 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**

Rupees Eight Thousand only

Received with thanks from Smt. D. Kalyani, Dy. Executive Engineer, R&B Sub Division, Kamalapuram, Kadapa., a sum of Rs. 8,000/- (Rupees Eight Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

R&B.

Address: YERRAMUKKAPALLE (V), C.K. DINNE (M), KADAPA-516003, A.P.

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/2304B1

Date: 25.03.2023

Bill for Testing Charges

Sub: - Testing of CC Cubes of M35 Grade Concrete- Construction of Building slab- Regarding.

Ref: - Lr. No: Nil:

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	06	150/-	900/-
	Total			**900/-**

Rupees Nine Hundred only

Received with thanks from M/s Sri P. Srinivasa Reddy, Sur No:-139-1, Kumara Palli Road, Sydapuramu Revenue Village, Kadiri., a sum of Rs. 900/- (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

P. Rajendra Kumar

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/2303B37 Date: 02.01.2023.

Bill for Testing Charges

Name of Work: RWS & S – Jala Jeevan Mission (JJM) – Augmentation of existing water Supply Scheme and providing FHHTCs to Konasamudram H/o Konasamudram of Badvel (M) – Est. Cost 15.74 Lakhs – Certain samples – submitted – Relevant tests to be conducted – Reports – Requested - Regarding.

Ref: Lr. No. JTO/JJM/BADVEL/TEST/OHSR/2022-23, dated 30.12.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1,000/-**
Rupees One Thousand only				

Received with thanks from Sri Sri C.G. guru Raja Prasad, B.Tech, Deputy Executive Engineer(FAC), RWS &S, Subdivision, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Concrete Cubes/2303B28 Date: 25.10.2022

Bill for Testing Charges

Name of Work: RWS & S Sub Division, Kamalapuram – Jala Jeevan Mission(JJM) 2021-22- Augmentation of existing Water Supply Scheme and providing FHTCs to Vallur HW H/o. Vallur GP of Vallur Mandal with an Estimated cost of Rs. 36.27 Lakhs – Cube strength of Concrete – samples submitted – Examine test values – Report - Requested- Regarding.

Ref: Lr. No. AE/JJM/VALLUR HW/OHSR/2022, Dated 28.09.2022

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Concrete Cubes	3	150/-	450/-
	Total			**450/-**
	Rupees Four Hundred and Fifty only			

Received with thanks from The Deputy Executive Engineer, RWS&S Sub Division, Kamalapuram, a sum of **Rs.450/-** (Rupees Four Hundred and Fifty only) towards the designated testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/2303B16 Date: 25.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – RWS&S Sub Division, Kamalapuram – Jala Jeevan Mission (JJM) 2021-22 - Augmentation of existing Water Supply Scheme and Providing FHTCs to Moilacheruvu Village of Veerapunayuni Palli Mandal - Reg.

Ref: AE/JJM/Moilacheruvu/OHSR/2022, Dated: 25.06.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1,000/-**
Rupees One Thousand only				

Received with thanks from Sri T. Abdul Khadar, Deputy Executive Engineer, RWS & S Sub Division, Kamalapuram., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/2303B16

Date: 25.07.2022

Bill for testing Charges

Name of the Work: Testing of M30 Design Mix & Steel Samples – RWS&S Sub Division, Kamalapuram – Jala Jeevan Mission (JJM) 2021-22 - Augmentation of existing Water Supply Scheme and Providing FHTCs to Moilacheruvu Village of Veerapunayuni Palli Mandal - Reg.

Ref: AE/JJM/Moilacheruvu/OHSR/2022, Dated: 25.06.2022.

oo0oo

S.No	Name of the test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 design mix	01	8000/-	8,000=00
2.	Steel – 8mm, 10mm, 12mm, 16mm & 20mm	15	600/-	9,000=00
		Total		**17,000=00**
Rupees Seventeen Thousand only				

Received with thanks from The Deputy Executive Engineer, RWS & S Sub Division, Kamalapuram, a sum of **Rs.17,000=00** (Rupees Seventeen Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294

Email: principal@ksrmce.ac.in

Web: www.ksrmce.ac.in

Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Core Cutting /23149 Date: 27-05-2023

Bill for Testing Charges

Sub: Testing of Core Cutting Sample, **Concrete M20 Grade Core sample- Reg.**

Name of Work: - Providing of C.C Patch on both sides of existing road from D. No 8/799 to 8/886-1 at Vakkalapeta in 37 th Division of Kadapa Municipal Corporation.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Core Cutting Sample	02	700/-	1400/-
	Total			**1400/-**
Rupees One Thousand Four hundred only				

Received with thanks from M/S. SRI BASAVESWARA INFRATECH, Kadapa a sum of **Rs. 1400/-** (Rupees One Thousand Four Hundred rupees only) towards the testing charges.

Yours faithfully,

HoD, CE
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Core Cutting /23148 Date: 27-05-2023

Bill for Testing Charges

Sub: Testing of Core Cutting Sample, **Concrete M30 Grade Core sample- Reg.**

Name of Work: - Providing of C.C Road from D. No: 8/619-1 to 8/690 and culvert at vakkalpet in 37th Division of Kadapa Municipal Corporation.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Core Cutting Sample	01	700/-	700/-
	Total			**700/-**
Rupees Seven hundred only				

Received with thanks from M/S. SRI BASAVESWARA INFRATECH, Kadapa a sum of **Rs. 700/-** (Rupees Seven Hundred rupees only) towards the testing charges.

Yours faithfully,

HoD ,CE
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/23141 Date: 17.05.2023

Sub: Cellar Floor Slab Pour 2 - Testing of CC Cubes for M-35 concrete for slab – Reg.

Ref: Lr: NIL-

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from L V Prasad, Eye Institute, Putlampalli , YSR Kadapa Dist., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/23138

Date: 18.05.2023.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Residential Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated: 18.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	05	1000/-	5000/-
	Total			**5000/-**
Rupees Five Thousand only				

Received with thanks from Sreekar Constructions, 56/19-3-9, Akkayapalli, Near ITI Circle, Kadapa..,a sum of **Rs. 5,000/-** (Rupees Five Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu
Accredited by NAAC with 'A' Grade
ESTD: 1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/E301/ CC Cubes/23134 Date: 01.05.2023

Bill for Testing Charges

Sub: Testing of CC Cubes for M-35 concrete - Reg.

Ref: Lr. No.Nill

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**

Rupees Four Hundred and Fifty Rupees only

Received with thanks from L.V.Prasad, a sum of **Rs. 450/-** (Rupees four hundred fifty rupees only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22132 Date:09.05.2023

Bill for Testing Charges

Sub: TTD- Engg. Dept.- Dy. Executive Engineer- Anathapur- Construction of T T D Kalyanamandapam at S Gundala (V), Dhone (M,) in Kurnool Dist.- Testing of CC Cubes for M-25 – Reg.

Ref: Lr. No: CER No: 09/CE/2022-23, Dated: 09.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Dy. Exe. Engineer, Anathapur Sub-division, T.T. Devastanams, Anathapur., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

PHC

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes/23133 Date:12.05.2023

Bill for Testing Charges

Sub: TTD- Engg. Dept.- Dy. Executive Engineer- Anathapur- Construction of Kalyanamandapam at S Gundala (V), Dhone (M,) in Kurnool Dist.- Testing of CC Cubes for M-25 – Reg.

Ref: Lr. No: CER No: 09/CE/2022-23, Dated: 12.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Dy. Exe. Engineer, Anathapur Sub-division, T.T. Devastanams, Anathapur., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/23131 Date: 14.05.2023.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – Bearing Capacity – (R & B) Section II, NH Kadapa – Reconstruction of Damaged Narrow Culverts at km 73/2, 73/4 and km 121/2 on NH440 of Rayachoty – Chagalamarri Road in the State of Andhra Pradesh – Reg.

Ref: Lr. No: / Rayachoty to Chagalamarri Road / NH 440 / 2023, Dated: 12.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from M/s. MSR Projects, Kadapa, YSR District., a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD 1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/E301/CC Cubes/23130 Date: 12.05.2023.

Bill for Testing Charges

Name of Work: Testing of Solid Block Bricks – Construction of Compound Wall at 33/11 kV Sub Station at Veeraballi, YSR District – Reg.

Ref: Lr. No. Nil, Dated: 12.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Solid Block Bricks	03	150/-	450/-
	Total			**450/-**

Rupees Four Hundred and Fifty only

Received with thanks from Sri. D. Bhuvaneswara Reddy, Special Class Contractor (Civil), # 1 / 739, Dwaraka Nagar, Kadapa., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332291 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/ Water/23129 Date: 11.05.2023.

Bill for Testing Charges

Name of Work: Testing of Water Sample – Construction Purpose – Reg.

Ref: Lr. No. Nil, Dated: 10.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Water Sample	01	1500/-	1500/-
	Total			**1500/-**

Rupees One Thousand Five Hundred only

Received with thanks from Sri.R. Rachaiah,SBI Colony,Mariyapuram YSR Kadapa., a sum of **Rs. 1,500/-** (Rupees One Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/23128 Date: 13.05.2023

Bill for Testing Charges

Name of Work: Testing of Soil Samples – Bearing Capacity – Construction of Commercial Building (Cellar+G+1) in Sy. No.168 of Modameedipalle Grama Polam, Mydukur Road, Proddatur, YSR District – Reg.

Ref: Lr. No: NIL, Dated: 08.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**

Rupees Two Thousand only

Received with thanks from Sri. K. Kakumani Subba Rao, # 3 / 229, Sai Kuteer Road, Proddatur, YSR District., a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

...ege of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
ESTD-1980 Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/ Water/23126

Date: 11.05.2023.

Bill for Testing Charges

Name of Work: Testing of Water Sample – Construction Purpose – Reg.

Ref: Lr. No. Nil, Dated: 04.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Water Sample	01	1500/-	1500/-
	Total			**1500/-**
	Rupees One Thousand Five Hundred only			

Received with thanks from Sri. P. Ravindranath Reddy, MLA, Ircon Circle, Alamkhanpalle, YSR Kadapa., a sum of **Rs. 1,500/-** (Rupees One Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in
Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/ Water/23126 Date: 11.05.2023.

Bill for Testing Charges

Name of Work: Testing of Water Sample – Drinking Purpose – Reg.

Ref: Lr. No. Nil, Dated: 05.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Water Sample	01	1500/-	1500/-
	Total			**1500/-**
Rupees One Thousand Five Hundred only				

Received with thanks from M/s. Shahi Enterprises, Ramarajupalli, Opp. TMP, Kadapa., a sum of **Rs. 1,500/-** (Rupees One Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineeri
K.S.R.M. College of Engineeri
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Solid Concrete Blocks/23124 Date: 05.05.2022.

Bill for Testing Charges

Sub: Testing of Solid Concrete Blocks, Stone dust & 6 mm aggregate – requested- Reg.

Ref: Lr.No.Nil, Dt: 01.-05-2023.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive strength of solid concrete Blocks	03	450/-	1350/-
2.	Water absorption of solid concrete Blocks	03	300/-	900/-
3.	Sieve analysis – Stone Dust	01	500/-	500/-
4.	Specific Gravity – Stone Dust	01	300/-	300/-
5.	Sieve analysis – Stone Dust	01	500/-	500/-
6.	Specific Gravity – Stone Dust	01	300/-	300/-
	Total			**3,850/-**

Rupees Three Thousand and Eight Hundred and Fifty only

Received with thanks from Sri Durga Constrcutions, Near Maha Lakshmi Kalyana Manadapam, Ramaraju Palli, Kadapa., a sum of Rs. **3,850 /- (Rupees Three Thousand and Eight Hundred and Fifty only**) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-

KSRM/CE/F301/SBC/23120 **Date: 09.05.2023**

Bill for Testing Charges

Name of Work: Sub: Testing of Soil Sample – Bearing Capacity- Construction of park near akkayapalli area, renovation of municipal stadium and development of food street in Kadapa Municipal Corporation limits – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. Roc.No: 124/MCK/E1/2019.Dated 02.05.2023

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
	Rupees Three Thousand only			

Received with thanks from Sri M.Narayana Swamy, Executive Engineer, Kadapa Municipality, and Y.S.R District. A sum of **Rs.3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMANUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22272 Date: 26.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Kadapa Municipal Corporation- Engineering section - Developmental works - Renovation of Municipal stadium in kadapa Municipal Corporation - YSR District– Reg.

Ref: Lr. Roc.No. 124/MCK/E1/2019, Dated 02.05.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
Rupees Three Thousand only				

Received with thanks from Sri M.Narayana Swamy, Executive Engineer, Kadapa Municipal Corporation, YSR District...a sum of **Rs. 3,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantharamu

Accredited by NAAC with 'A' Grade

An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD 1980

KSRM/CE/F 401/ Fly Ash Bricks/ 2022 Date: 01.04.2023

Bill for Testing Charges

Name of Work: Civil Survey Sub Division/Kadapa Civil works for erection of 1No. 132K V feeder bay & extension of Control room at 132K V55 Badvel for M/s Century Panels Limited, Gopavaram(V), Badvel(M) in YSR Kadapa and 1No.132KV metering bay at M/s Century Panel Limited Testing of construction materials - Requested - Reg.

Ref: Lr.No. DEE/Civil/Survey/SD/KDP/F.B. Century Panels/D. No. 83/2023, Dated 17.02.2023.

ooOoo

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Bricks (Compressive Strength and Water Absorption)	03	300/-	900/-
2.	Sand (Sieve analysis and silt content)	01	1000/-	1000/-
3.	20 mm Aggregates (Sieve Analysis, Flakiness & Elongation Index, Crushing Strength and Impact Value, Abrasion)	01	2100/-	2100/-
4.	40 mm Aggregates (Sieve Analysis, Flakiness & Elongation Index and Crushing Strength, Abrasion Value)	01	2100/-	2100/-
	Total			**6,100/-**

Rupees Six Thousand and One Hundred only

Received with thanks from The Deputy Executive Engineer, Civil Survey Sub-division, A.P. Transco, Sankarapuram, Kadapa, a sum of **Rs. 6,100/-** (Rupees Six Thousand and One Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Civil Engineering
K.S.R.M. College of Engineering
(AUTONOMOUS)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001:2004 & 9001:2015 Certified Institution

KSRM/CE/F301/Water /2303B56 Date: 31.12.2022

Bill for Testing Charges

Sub: Construction of Emergency Access road from both ends of Runway to respective crash gates including construction of RCC box culvert at 11 end of Runway at Kadapa Airport - Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg(C)/Emerg. Access Road/TEST/ 2022-23, Dt. 25.01.2023

-oo0oo-

Bill

S. No.	Name of the Test	Rate (Rupees)	No. Of Samples
1.	Water Testing - Construction	1500.00/-	01
	Total Amount		1500.00/-
Rupees One Thousand Five Hundred only/-			

Received with thanks from M/s. KPM Civil Contractor, Kadapa Airport(Site), Kadapa, a sum of Rs. 1,500 /- (Rupees One Thousand and Five Hundreds only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/GSBC/2305B7

03.02.2023

Bill for Testing Charges

Sub: Construction of Emergency Access road from both ends of Runway to respective crash gates including construction of RCC box culvert at 11 end of Runway at Kadapa Airport -Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg(C)/Emerg. Access Road/TEST/ 2022-23, Dt. 25.01.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Atterberg limits	01	800/-	800/-
2.	Gradation Test	01	500/-	500/-
3.	Aggregate Impact Value	01	300/-	300/-
4.	CBR	01	2000/-	2000/-
	Total			**3,600/-**
Rupees Three Thousand and Six Hundred only				

Received with thanks from M/s. KPM Civil Contractor, Kadapa Airport(Site), Kadapa., a sum of Rs. 3,600/- (Three Thousand and Six Hundred only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294 Email: principal@ksrmce.ac.in

Web: www.ksrmce.ac.in Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM CE/F301/Soil Properties/2305B6 Date: 15.01.2023

Bill for Testing Charges

Sub: Construction of Emergency Access road from both ends of Runway to respective crash gates including construction of RCC box culvert at 11 end of Runway at Kadapa Airport Regarding

Ref: Lr. No. AAI/Kadapa/ Engg C/Emerg. Access Road/Moorum Test/ 2022-23, Dt 08.12.2022

oo0oo

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Atterberg limits	01	800/-	800/-
2	CBR	01	2000/-	2000/-
	Total			**2800/-**

Rupees Two Thousand and Eight Hundred only

Received with thanks from M/s. KRM Civil Contractor, Kadapa Airport(Site), Kadapa, a sum of Rs. 2800/- (Two Thousand and Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
Kadapa

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Paver Blocks/2305B8 04.05.2023

Bill for Testing Charges

Sub: Construction of Emergency Access road from both ends of Runway to respective crash gates including construction of RCC box culvert at 11 end of Runway at Kadapa Airport -Regarding.

Ref: Lr. No. AAI/Kadapa/ Engg-C/Emergency Access Road/Tests/ 2022-23/472, Dt. 24.04.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Paver Blocks	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty only				

Received with thanks from M/s. KPM Civil Contractor, Kadapa Airport(Site), Kadapa, a sum of Rs. 450/- (Four Hundred and Fifty rupees only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294 Email: principal@ksrmce.ac.in

Web: www.ksrmce.ac.in Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/Soil Properties/2304B7

Date: 07.03.2023

Bill for Testing Charges

Name of Work: PIU Sub Division – Pulivendula –Thondur Mandal – APRRP- AIIB Grant – Package No. 60 – Providing BT to the Road from Sydapuram to Yadavaripalii – Soil Sample for Embankment is collected – Certain test results requested – reg.

Ref: Lr. No.: 03/Package No. 60/AIIB/Soil Test Report, Dated:02.03.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Free Swell Index	01	300/-	300/-
2.	Grain Size Analysis	01	1000/-	1000/-
3.	Consistency Limits	01	800/-	800/-
4.	CBR	01	2000/-	2000/-
	Total			**4,100/-**
Rupees Four Thousand and One Hundred only				

Received with thanks from The Deputy Executive Engineer, PIU Sub Division, Kadapa, a sum of **Rs. 4,100/-** (Rupees Four Thousand and One Hundred only) towards the design and testing charges.

Yours faithfully,

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : rincipal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/2304B4

Date: 04.05.2023.

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Soil classification, consistency limits, OMC, MDD – Modernization of tanks – Reg.

Ref: Lr. No. Camp. Dt: 10-01-2023.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Soil classification	3	1,000/-	Rs. 3000/-
2	Consistency limits (LL, PL, PI)	3	800/-	Rs. 2400/-
3	Compaction characteristics (OMC, MDD)	3	1,000/-	Rs. 3000/-
	Total			**Rs. 8,400/-**
	Rupees Eight thousand Four Hundred only			

Received with thanks from Sri V Kasimsaheb, Deputy Executive Engineer, AP SubDivison No. 1, Damsite., a sum of **Rs. 8,400/-** (Rupees Eight thousand Four Hundred only) towards the testing charges.

Yours truly,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in
Web: www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/MIX DESIGN/2304B2 Date: 01/03/2023.

Bill for Testing Charges

Name of Work: Design of M25 Mix Design requesting regarding.

Ref: 1. MIXDESIGN/AEE KADPA RURAL/2023-24 Dt-01-02-2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M25 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from The Sri Sreehari,B.tech Assistant Executive Engineer a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC with 'A' Grade

ESTD-1980 An ISO 21001:2018 & 9001:2015 Certified Institution

KSRM/CE/F301/SBC/23163

Date: 23.06.2023

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Grain size distribution, Atterberg's limits, compaction characteristics, shear strength, permeability – APSRCL – Providing developmental works to 72 MIG plot at Putampalli STM Township at Kadapa – Reg.

Ref: Agreement No. 04/APHB/SE/VJA/2022-23, dt:06.02.2023

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Safe Bearing Capacity	1	1,000/-	Rs. 1,000/-
2	Liquid limit & plastic limit	1	800/-	Rs. 800/-
3	Shrinkage limit	1	400/-	Rs. 400/-
4	Compaction Characteristics	1	1000/-	Rs. 1000/-
5	Shear strength	2	1000/-	Rs. 2000/-
6	Permeability	1	1000/-	Rs. 1000/-
7	Visiting charges	-	2000/-	Rs. 2000/-
			Total	**Rs. 8,200/-**

Rupees Eight thousand and Two Hundred only

Received with thanks from The Executive Engineer (Housing), AP Housing Board, Nellore Divison, Nellore, a sum of **Rs. 8,200/-** (Rupees Eight thousand Two Hundred only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), CK. DINNE (M), KADAPA 516005 (A.P.)

Phone: 9000332291
Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Soil Properties/23162

Date: 17.05.2023.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – APRSCL – Providing Balance BT Roads (partly) to Anandanilaya Township, at Rayachoty, Annamayya District – Under Rajiv Swagruha Scheme – Reg.

Ref: Lr. No. 9 / Infrastructure / Rayachoty / Kadapa / 2022, Dated: 10.05.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	01	1000/-	1000/-
2.	Consistency Limits	01	800/-	800/-
3.	Shrinkage Limit	01	400/-	400/-
4.	Proctor Compaction	01	1000/-	1000/-
5.	Shear Strength Parameters	02	1000/-	2000/-
6.	Permeability	01	1000/-	1000/-
	Total			**6200/-**
	Rupees Six Thousand Two Hundred only			

Received with thanks from M/s Blossom Infraventures India Private Limited, Hyderabad., a sum of **Rs. 6,200/-** (Rupees Three Thousand One Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Soil Properties/23160 15.06.2023

Bill for Testing Charges

Name of Work: Sub: Testing of Soil Sample –Construction of Road work - Soil Classification, OMC & MDD, CBR Value at Vemula, Kadapa District– Reg.

Ref: Nil, Dated: 08.06.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	02	1000/-	2000/-
2.	Attergerg's Limits	02	800/-	1600/-
3.	California Bearing Ratio (CBR)	02	2000/-	4000/-
	Total			**7,600/-**
	Rupees Seven Thousand six Hundred only			

Received with thanks from A.Gandadhar, Vemula and Kadapa. A sum of **Rs. 7,600/-** (Rupees Seven Thousand Six Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ Water/23158

Date: 12.06.2023.

Bill for Testing Charges

Name of Work: Testing of Water Sample – Drinking Purpose – Reg.

Ref: Lr. No. Nil, Dated: 07.06.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Water Sample	01	1500/-	1500/-
	Total			**1500/-**
Rupees One Thousand Five Hundred only				

Received with thanks from Maartan Fine Chem Pvt ltd, Kopparthi Industrial Area Plat No 10, Kadapa., a sum of **Rs. 1,500/-** (Rupees One Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

P. Rajendra Prasad
HEAD I/C

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/23156 Date: 10.06.2023

Bill for Testing Charges

Name of Work: Testing of Soil Sample - Bearing Capacity - Construction of Residential Building (stilt+G+4) at SY. No. 106/6 106/6A, D.No. 76/228-1-3, Ramarajupalli , YSR District - Reg.

Ref: Lr. No. NIL, Dated: 08.06.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1,000/-**
	Rupees One Thousand only			

Received with thanks from Sri Sai Constructions, Door No. 76/228-1-3, Ramarajupalli, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/23156

Date: 10.06.2023

Bill for Testing Charges

Name of Work: Testing of Soil Sample - Bearing Capacity - Construction of Residential Building (stilt+G+4) at SY. No. 106/6 106/6A, D.No. 76/228-1-3, Ramarajupalli , YSR District - Reg.

Ref: Lr. No. NIL, Dated: 08.06.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1,000/-**
	Rupees One Thousand only			

Received with thanks from Sri Sai Constructions, Door No. 76/228-1-3, Ramarajupalli, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Aggregate/23155 09.06.2023

Bill for Testing Charges

Sub: Material testing – GSB- 0 to 40mm aggregate for Crushing plant -Regarding.

Ref: Lr. No Nil, Dt. 05.06.2023-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Aggregate Abrassion Test - 40mm,20mm & 10mm	03	500/-	1500/-
2.	Gradation Test	01	500/-	500/-
3.	Aggregate Impact Value – 40mm,20mm & 10mm	03	300/-	900/-
4.	Water Absorption - 40mm,20mm & 10mm	03	500/-	1500/-
	Total			**4,400/-**
Rupees Four Thousand and Four Hundred only				

Received with thanks from M/s Indrakshi Stone Crushers, D.No. 75/24, Road No. 5, Sri Vijaya Durga Colony, Kadapa, a sum of Rs. 4,400/- (Four Thousand and Four Hundred only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/23153

Date: 07.06.2023.

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Safe Bearing Capacity of Soil – Construction of 50 Bedded Critical Care Block (CCBs) under PM ABHIM in RIMS/GGH, Kadapa – Reg.

Ref: CE's Agt.No.36/APSMIDC/2022-23/dt:24.03.2023.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Safe Bearing Capacity	1	1,000/-	Rs. 1000/-
	Total			**Rs. 1,000/-**
	Rupees One thousand only			

Received with thanks from Sri A B Surendranath Reddy, Executive Engineer, APMISDC Divison, Kadapa, a sum of **Rs. 1,000/-** (Rupees One thousand only) towards the testing charges.

Yours truly,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Bricks /22152 Date: 06.06.2023.

Bill for Testing Charges

Name of Work: Testing of Red Bricks – Compressive Strength and Water Absorption – Reg
Ref: Nil

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Red Bricks	06	100/-	600/-
2.	Water absorption of Red Bricks	03	100/-	300/-
	Total			**900/-**
Rupees Nine Hundred only				

Received with thanks from D R.K. Rajendran, Near Gangamma Temple , Kadiri Road, Pulivendula, Y.S.R. Kadapa(Dt.) a sum of Rs. **900/-** (RupeesNine Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : Email :

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/MIX DESIGN/ 23151 Date: 29/05/2023.

Bill for Testing Charges

Name of Work: Medium Irrigation -YSR District - L.S.P Left canal Widening, Investigation, Design and Earthwork Excavation for Widening the left Main Canal of Lower Sagileru Project to carry from 200 cusecs to 500 cusecs from km 0.000 to km 23.000 including construction of CM&CD works in B. Koduru & Badvel Mandals of YSR K Design of CCM-15 for Lining -Report-Request Reg.

Ref: 1. SE, IC, Kadapa Agreement No.34SE/2021-22 Dated: 31-12-2021

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M15 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from The Sn A Venkata Chalam, M. Tech Dy Executive Engineer Proddutur Sub-Division Kadapa., a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : rincipal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution
ESTD-1980

Staff In-Charge HEAD

KSRM/CE/F301/Soil Properties/23039 Date: 15.02.2023

Bill for Testing Charges

Sub: Testing of soil sample - Formation of approach Roads with Gravel surface under MGNRES in convergence with PRED at location Gollalaguduru to Nalla Cheruvupalli in N.CHERUVUPALLE (H) of N.CHERUVUPALLE (V&GP) of vemula(M),YSR Dist .-Reg.-

Ref: Lr. No. NIL Dated:11.02.2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	01	1000/-	1000/-
2.	Consistency Limits	01	800/-	800/-
	Proctor Compaction	01	1000/-	1000/-
	Total			**2,800/-**

Rupees Two Thousand Eight Hundred Ruppes only

Received with thanks from Sri V.M Ravi chandra Reddy, Deputy Executive Engineer, PRI Sub Division, Vempalli, YSR Kadapa, a sum of **Rs. 2,800/-** (Rupees Two Thousand Eight Hundred Ruppes only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 005. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/2306B6

Date: 25.02.2023.

Bill for Testing Charges

Name of Work: Medium Irrigation - YSR District– LSP Left Canal Widening Work- "Investigation, Design and Earthwork Excavation for Widening the Left Main Canal of Lower Sagileru Project to carry from 200 cusecs to 500 cusecs from km 0.000 to km 23.000 including construction of CM & CD works in B. Koduru & Badvel Mandals of YSR Kadapa District – Physical Properties for suitability of rock for aggregates for Lining & CM/CD – Requested- Reg.

Ref: Lr. No. DEE/Badvel/SDL/SP Section/Camp-1, Dated 13.02.2023

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Rock – Crushing strength	03	500/-	1500/-
	Total			**1500/-**

Rupees One Thousand and Five Hundred only

Received with thanks from Sri A. Venkata Chalam, M.Tech, Dy. Executive Engineer, Irrigation Sub -Division, Badvel, YSR District., a sum of **Rs. 1,500/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA (DT)-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/2306B2 22.03.2023

Bill for Testing Charges

Sub: (R&B) Sub-Division, Kodur- "Construction of **High Level Bridge** at Km 0/4 of Kodur to C. Kammapalli (via) Reddivaripalli and Chiyyavaram road in YSR District"-Job Mix formula for Granular Sub Base-Grade-V-Report Enclosed-Regarding.

Ref: Lr. No: Mix Design/Plan Work/ Kodur/2021-22, Dated:22-02-2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Tensile test 8mm dia.bars	03	600/-	1,800/-
2.	Tensile test 10mm dia.bars	03	600/-	1,800/-
3.	Tensile test 12mm dia.bars	03	600/-	1,800/-
4.	Tensile test 20mm dia.bars	03	600/-	1,800/-
	Total			**7,200/-**
Rupees Seven Thousand and Two Hundred only				

Received with thanks from M/s Sri Venkateswara Sai Baba Constructions,37-1-4/14, Near Surya Public School, Annavarapadu 2nd Lane, Ongole, Prakasam, AP., a sum of **Rs. 7,200/-** (Rupees Seven Thousand and Two Hundred only) towards the testing charges

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294 Email: principal@ksrmce.ac.in

Web: www.ksrmce.ac.in Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC with 'A' Grade

ESTD-1980 An ISO 9001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/GSB, WMM&BC/2306B2

10.03.2023

Bill for Testing Charges

Sub: (R&B) Sub-Division, Kodur- "Construction of **High Level Bridge** at Km 0/4 of Kodur to C. Kammapalli (via) Reddivaripalli and Chiyyavaram road in YSR District"-Job Mix formula for Granular Sub Base-Grade-V-Report Enclosed-Regarding.

Ref: Lr. No: Mix Design/Plan Work/ Kodur/2021-22, Dated:22-02-2023.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	GSB Grade – V- Design Mix	01	8000/-	8000/-
2.	WMM- Design Mix	01	8000/-	8000/-
3.	Bituminous Concrete (BC) - Design Mix	01	8000/-	8000/-
	Total			**24,000/-**
	Rupees Twenty Four Thousand only			

Received with thanks from M/s Sri Venkateswara Sai Baba Constructions,37-1-4/14, Near Surya Public School, Annavarapadu 2nd Lane, Ongole, Prakasam, AP., a sum of **Rs. 24,000/-** (Rupees Twenty-Four Thousand only) towards the testing charges

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution
ESTD-1980

(Civil Engineering)

KSRM/CE/F301/MIX DESIGN/2306B1 Date: 17/08/2022.

Bill for Testing Charges

Name of Work: RWS&S Stub Division, Kadapa- Jala Jeevan Mission (JJM) 2021-22 **Augmentation of existing Water Supply Scheme and providing FHTCS to Kothapabbapuran H/o Pabbapuram GP of C.K Dinne Mandal with an Estimated Cost of R.17.28 Lakhs** - SBC of Soil, Material Testing of Aggregates, steel and Cement-Design Mix of RCC For M30-Samples submitted -Examinates Values-Report-Request Reg.

Ref: 1. GO RT No.56 dt 16.02.2022 of the PR &RD (RWS-11) Department, Gov. of AP
2. Agreement DR No. 2022-23, Di: 20.06.2022 of the Executive Engineer, RWS&S Division, Kadapa.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from The Sr Vidya, M. Tech, Deputy Executive Engineer, RWS&S Sub Division, Kadapa., a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : rincipal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/NDT/22397

Date: 21.12.2022

Bill for Testing Charges

Name of Work: New Model High School located in CSI Compound, Kadapa, Structural Soundness Test Report – Requested – Regarding.

Ref: Client Letter, Dated: 19.12.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of New Model High School	1	5000/-	5000/-
2.	Site Visiting Charges	1	2000/-	2000/-
	Total			**7,000/-**
	Rupees Seven Thousand only			

Received with thanks from The Correspondent, New Model High School located in CSI Compound, Kadapa a sum of **Rs. 7,000/-** (Rupees Seven Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22395 Date: 16.12.2022.

Bill for Testing Charges

Name of Work: Testing of Soil & Rock Sample – Bearing Capacity – AEE / R & B Department / Kadapa Rural – Conducting Sub Soil Exploration for Bore Wells and Soil Testing for Construction of High-Level Bridge (HLB) across Buggavanka River at km 11 / 8 – 10 of Gandi – Obulampalli – Ramanapalli Road in YSR District under the Main Work Widening and Strengthening of the Road from km 1 / 0 to 16 / 0 of Kadapa – Gandi – Obulampalli Road Connecting NH18 in YSR District – Reg.

Ref: Lr. No. AEE / R & B / Kadapa Rural / CRF 2022-23, Dated: 08.12.2022.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
Rupees Three Thousand only				

Received with thanks from The Assistant Executive Engineer, R & B Kadapa Rural, Kadapa., a sum of **Rs. 3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22394

Date: 15.12.2022.

Bill for Testing Charges

Sub: Testing of Soil Sample – Bearing Capacity- Construction of G+2 Structure Kadapa – Reg.

Ref: Lr. No NIL, Dated: 13.12.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from Smart Constructions, Kadapa..,a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
principal@ksrmce.ac.in
Email :
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22389 Date: 09.12.2022

Bill for Testing Charges

Name of the Work : Testing of CC Cubes for M20 –Construction of storm water Drains – kamalapuram panchayat-- Reg.

Ref: Client Letter dt 28-11-2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**

Rupees Four Hundred and Fifty only

Received with thanks from Sri A. V. Mohan Reddy, Contractor, Y.S.R. Kadapa (Dt), a sum of **Rs. 450/- (Rupees Four Hundred and Fifty only)** towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22385

Date: 07.12.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+3 Building, kadapa– Reg.

Ref: Lr. No NIL, Dated: 04.12.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from V.Rama linga Reddy, Akkaya palli, Kadapa.,a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in
Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22383

Date: 06.12.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+1 TTD kalyanamandapam in S gundala (v), Dhone (M), Kurnool, District– Reg.

Ref: Lr. No NIL , Dated 05.12.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
	Rupees Five Thousand only			

Received with thanks from P.Manohar Babu DE, TTD Ananatapuram Sub Division, Anantapuram. A sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Soil Properties/22382 Date: 24.11.2022

Bill for Testing Charges

Name of Work: Testing of soil sample - Construction of CC Protection wall cum road along local vanka near Thallapalli Village and G.P. of Vempalli mandal, YSR Kadapa District – Reg.

Ref: Lr. No.: Nil Dated:02.2.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	01	1000/-	1000/-
2.	Proctor Compaction	0	1000/-	1000/-
	Total			**2,000/-**
Rupees Two Thousand only				

Received with thanks from Executive Engineer, PR Division, Jammalamadugu, YSR Kadapa, a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantharamu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Fly Ash Bricks/22381 Date: 3.12.2022

Bill for Testing Charges

Name of Work: AP State Housing Corporation Kadapa- Testing of Fly Ash Bricks – Nirmithi Kendra, Kadapa, YSR District – Reg.

Ref: Lr: Rc No:2/NK/Testing/Fly Ash Blocks/2022-23

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Fly ash Bricks	06	100/-	600/-
	Total			**600/-**
Rupees Six Hundred only				

Received with thanks from Sri. M. Krishnaiah, District Head, AP State Housing Corporation, Kadapa, Y.S.R. (Dt.) a sum of Rs. **600 /-** (Rupees Six Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

AnISO14001:2004& 9001:2015CertifiedInstitution

ESTD-1980

KSRM/CE/F301/Water/22380

Date:05.12.2022.

Bill for Testing Charges

Name of the work: Testing of Water samples for Construction purpose - Submission of Test Reports - Reg.

-oo0oo-

Bill

S. No.	Name of the Test	Rate (Rupees)	No. Of Samples
1.	Water Testing - Drinking	1500.00/-	01
	Total Amount		1500.00/-
Rupees One Thousand Five Hundred only/-			
Received with thanks from Sri. M. Sai Krishna, Municipal Engineer, Proddatur Municipality, Proddatur, Kadapa Division, a sum of Rs. 1,500 /- (Rupees One Thousand and Five Hundreds only) towards the testing charges.			

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K.DINNE (M), KADAPA-516005(A.P.)

Phone: 9000332294

Email: principal@ksrmce.ac.inEmail:

Web: www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22376 Date: 11.11.2022

Bill for Testing Charges

Sub: Testing of Concrete Cubes for M-20 – Construction Of Plinth Beam- Reg.

Ref: Concrete cube test- Dated: 9-11-2022-reg

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	06	150/-	900/-
	Total			**900/-**
Rupees Nine Hundred only				

Received with thanks from K. Nagaraj. DGM, NSL Textiles Ltd, Pulivendula. a sum of **Rs. 900/-** (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Email :
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes/22377

Date: 30.11.2022

Bill for Testing Charges

Sub: -Testing of CC Cubes for M-20 - Reg..
Ref::NIL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty only				

Received with thanks from R K Infratel Pvt Ltd, AP/KU/AT/25435,Kottala, Erragudi Kurnool, a sum of **Rs. 450/-(Rupees Four Hundred and Fifty only)** towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

PK.

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Email :
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22378 Date: 1.12.2022

Bill for Testing Charges

Sub: -Testing of CC Cubes for M-20 - Reg..
Ref::NIL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**

Rupees Four Hundred and Fifty only

Received with thanks from R K Infratel Pvt Ltd, AP/KU/AT/25435,Kottala, Erragudi Kurnool, a sum of **Rs. 450/-(Rupees Four Hundred and Fifty only)** towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in

Email :

Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD 1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/2212B22 Date: 29.11.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-30 concrete – Reg.

Ref: Lr. No. NIL, Dated: 26.11.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from M.Maheswara, Deputy Executive Engineer, a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

P. Rajinikanth

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD 1980

An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/2212B22 Date: 29.11.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-30 concrete – Reg.

Ref: Lr. No. NIL, Dated: 26.11.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from M.Maheswara, Deputy Execuitive Engineer, a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

P. Rajinder Kumar

HEAD I/C

Head

Department of Civil Engineering

K.S.R.M. College of Engineering

(Autonomous)

KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294

Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in

Email : office@ksrmce.ac.in

Run by Sri KandulaObul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/2212B20 Date: 28.12.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-30 concrete – Reg.

Ref: Lr. No. NIL, Dated:31.10.2022.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (R s.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
	Rupees Four Hundred and Fifty Rupees only			

Received with thanks from M. Maheswara , Deputy Executive Engineer, a sum of **R s. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

P. Rajasekhar Reddy

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Steel/2212B18

Date: 28.10.2022

Bill for Testing Charges

Name of Work: RWS&S-Jala Jeevan Mission (JJM)-Augmentation of existing Watrer Supply Scheme and Providing FTCs to Pedda Settypalli, H/o Nandyalampeta GP of Mydukur-Est. Cost Rs. 28.86 Lakhs-SBC of Soil, Material Testing of Aggregates, steel and cement - Design Mix of RCC for M30 - Samples submitted-Examine test values - Report - Requested - Regarding.

Ref: Lr. No. AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 Dated:21.09.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Mix Design	1	8,000/-	8,000/-
2.	Yield Strength of Steel	3	600/-	1,800/-
3.	Bend and Rebend	3	600/-	1,800/-
	Total			**11,600/-**

Rupees Eleven Thousand Six Hundred only

Received with thanks from Sri M. Maheswara, Deputy Executive Engineer, RWS&S, Subdivision, Mydukur, a sum of **Rs. 11,600/-** (Rupees Eleven Thousand Six Hundred only) towards the testing charges.

Yours faithfully,

P. Rajendra Prasad
HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Soil Properties/2212B9

13.05.2022

Bill for Testing Charges

Name of Work: Testing of Soil Samples – Water Resources Department – GKLI Division – Pulivendula – Formation of CC Road, Canal excavation and drainage of Filed water in Lavanur village from Patha Cheruvu in Y.S.R District – Req. – Reg

Ref: Lr. No. DEE/GKLI/ SD5/ KDPM/ Camp, Dated: 06-05-2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	02	1000/-	2000/-
2.	Compaction	02	1000/-	2000/-
3.				
	Total			4,000/-
	Rupees Four Thousand only			

Received with thanks from Sri M.A.L. Srinivas, Deputy Executive Engineer, GKLI Sub Division 5, Kondapuram, , YSR Kadapa a sum of Rs. 4,000/- (Rupees Four Thousand only) towards the testing charges.

Yours faithfully,

P. Rajasekhar Reddy

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE. New Delhi & Affiliated to JNTUA. Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes/2212B7

Date: 23.08.2022

Bill for Testing Charges

Name of the Work : Testing of CC Cubes for M-20 –side wall Concrete for Trench- Reg.

Ref: AEE/DMF/CCDRAIN/ B MATTAM/2022 dt 22-08-2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
	Rupees Four Hundred and Fifty only			

Received with thanks from Sri M. Maheswar , B.Tech, Deputy executive Engineer, R W S & S , Sub Division, Mydukur ,Y.S.R.Kadapa (Dt). ., a sum of **Rs. 450/- (Rupees Four Hundred and Fifty only**) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engg
K.S.R.M. College of Engg
(Autonomous)
KADAPA 516 003. (

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/E301/SBC/22375

Date: 25.11.2022

Bill for Testing Charges

Name of the work: Testing of Soil Sample - Grain size distribution, Compaction characteristics of soil - Restoration of Thippaluru tank near Thippaluru (V) in Yerraguntla (M) of YSR District - Reg.

Ref: Lr. No. 55M. Dt: 11-11-2022.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Soil classification	2	1,000/-	Rs. 2,000/-
2	Compaction characteristics of soil	2	1,000/-	Rs. 2,000/-
	Total			**Rs. 4,000/-**
	Rupees Four thousand only			

Received with thanks from M V Raja Kumar, Deputy Executive Engineer, M.I Sub Division, Proddatur, a sum of **Rs. 4,000/-** (Rupees four thousand only) towards the testing charges.

Yours truly,

P. Rajasekhar

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-

KSRM/CE/F301/SBC/22374

Date: 23.11.2022

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Anganwadi School at Narayanareddy mattam under Nadu Nedu Scheme – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 21.11.2022

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			1000/-
Rupees One Thousand only				

Received with thanks from Head Master, Anganwadi School, Narayana Reddy Mattam and YSR Kadapa District. A sum of **Rs.1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering (Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email :principal@ksrmce.ac.in Email :
Web :www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-

KSRM/CE/F301/SBC/22374

Date: 23.11.2022

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Anganwadi School at Narayanareddy mattam under Nadu Nedu Scheme – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 21.11.2022

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			1000/-
Rupees One Thousand only				

Received with thanks from Head Master, Anganwadi School, Narayana Reddy Mattam and YSR Kadapa District. A sum of **Rs.1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email :principal@ksrmce.ac.in
Web :www.ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-

KSRM/CE/F301/SBC/22373

Date: 23.11.2022

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of New Building at Angadiveedi, Z.P.H.S Urdu school under Nadu Nedu Scheme – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 21.11.2022

-ooooo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from Head Master, Z.P.H.S Urdu, Angadiveedi and YSR Kadapa District. A sum of **Rs.1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

P. Rajesh Janar

HEAD I/c

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294

Email :principal@ksrmce.ac.in

Web :www.ksrmce.ac.in

Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD- An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22371 Date: 19.11.2022

Bill for Testing Charges

Sub: Testing of Soil Sample – Bearing Capacity- Construction of Building – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 17.11.2022

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from Mr. Azhar Phatan, Affinity Engineering Consultant and YSR Kadapa District. A sum of **Rs.2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

PMG.

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email :principal@ksrmce.ac.in

Web :www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Rock SBC/22366 Date: 17.112022.

Bill for Testing Charges

Name of Work: Testing of Rock and Sand Samples – Bearing Capacity – R & B Section, Vempalli – Construction of Vented Causeways (2 nos) at km 4 / 4 – 10 of K. Raju Palli of RV Road (via) Addalamarri in YSR District – Reg.

Ref: Lr. No. 020 / K. Raju Palli RV Road / HCL / 2022, Dated: 08.11.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Rock	02	1000/-	2000/-
2.	Safe Bearing Capacity of Sand	06	1000/-	6000/-
	Total			**8000/-**
Rupees Eight Thousand only				

Received with thanks from The Assistant Executive Engineer, R&B Section, Vempalli., a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the testing charges.

Yours faithfully,

P. Rajesh Kumar
HEAD I/C

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22361

Date: 15.11.2022

Bill for Testing Charges

Sub:-Testing of CC Cubes for M-20 - Reg..
Ref:: NIL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
	Rupees Four Hundred and Fifty only			

Received with thanks from R K Infratel Pvt Ltd, AP/KU/AT/25433,Kottala, Markapuram, Kurnool, a sum of **Rs. 450/-(Rupees Four Hundred and Fifty only)** towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516003

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/NDT/22360

Date: 16.11.2022

Bill for Testing Charges

Name of Work: Estt-Mpl.Corp.-MCUG High School, Kadapa-Engineering works-Construction of Additional Classrooms on the existing rooms of MCUG High School, Kadapa-Structural Soundness Test Report-Requested– Regarding.

Ref: Client Letter, Dated: 01.11.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of MPL-High School Modampalli	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			**6,500/-**
Rupees Six Thousand Five Hundred only				

Received with thanks from the Headmistress, MCUG High School, Madras Road, Kadapa, a sum of **Rs. 6,500/-** (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 & 9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22353

Date: 07.11.2022.

Bill for Testing Charges

Name of the work: Testing of Soil Sample – *Safe bearing capacity of soil* – Construction of the G+4 residential building, survey no. *606-1B, Afzal khan colony,* Devuni cuddapah road, Kadapa – Reg.

Ref: Nil. Dt: 28-10-2022.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Safe bearing capacity of soil	3	1,000/-	Rs. 3,000/-
	Total			**Rs. 3,000/-**
Rupees Three thousand only				

Received with thanks from Dr. R Sreedhar Reddy, Kadapa., a sum of **Rs. 3,000/-** (Rupees Three thousand only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Cement, Sand & Stone/22352 Date: 07.11.2022

Bill for Testing Charges

Name of Work: Testing of Cement, Sand & Stone – Construction of Five storey Rajagopuram at Sri Malleshwara swami temple, Polathala, Pendlimarri (M), in YSR District – Reg.
Ref: Nil

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Bulk density of sand and 20mm aggregate	2	300/-	600/-
2.	Bulking of sand	1	300/-	300/-
3.	Water Absorption and Specific Gravity of 20mm aggregate	1	500/-	500/-
4.	Sieve analysis of sand and 20mm aggregate	2	500/-	1000/-
5.	Flakiness Index & Elongation	1	300/-	300/-
6.	Index Impact Test	1	300/-	300/-
7.	Crushing Test	1	500/-	500/-
8.	Fineness of cement	1	300/-	300/-
9.	Specific Gravity of cement	1	500/-	500/-
10.	Normal Consistency & Setting Time of cement	1	500/-	500/-
11.	Compressive Strength of stone	1	500/-	500/-
12.	SBC of soil	1	1000/-	1000/-
				6,300/-
Rupees Six Thousand Three Hundred only				

Received with thanks from K. Maheswar Reddy, Executive Officer, Endowment Department, Sri Malleshwara swami temple, Polathala, Pendlimarri (M), in YSR District ., a sum of **Rs. 6,300 /-** (Rupees Six Thousand Three Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516 005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22223

Date: 29.07.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample – Construction of Function Hall Opposite AP Tourism, Ircon Circle, Alamkhanpalle, YSR District – Reg.

Ref: L Lr. No. NIL, dated 03.11.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
Rupees Three Thousand only				

Received with thanks from P. Ravindranath Reddy (MLA), Ircon Circle, Alamkhanpalle, YSR Kadapa., a sum of Rs. 3,000/- (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22223 Date: 29.07.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample – Construction of Function Hall Opposite AP Tourism, Ircon Circle, Alamkhanpalle, YSR District – Reg.

Ref: L Lr. No. NIL, dated 03.11.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
Rupees Three Thousand only				

Received with thanks from P. Ravindranath Reddy (MLA), Ircon Circle, Alamkhanpalle, YSR Kadapa., a sum of Rs. 3,000/- (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu
Accredited by NAAC of UGC
ESTD 1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22343 Date: 29.10.2022

Bill for Testing Charges

Name of Work: Testing of Soil Samples - Soil classification, OMC, MDD value of soil for "Construction of Lift Irrigation Schemes and Supply Channels to feed MI tanks in Lakkireddypally and Ramapuram Mandals in YSR District from GNSS Canal to HNSS Canal through Kaletivagu Reservoir -Reg.

Ref: Lr. No. WRD/DEE/ISD/RCT/No. 115M Nil. Dt: 01-10-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	2000/-	6000/-
	Total			**6000/-**
Rupees Six Thousand only				

Received with thanks from Sri D Venkateswara Rao, Deputy Executive Engineer, Irrigation Sub-Division, Rayachoty, a sum of Rs. 6,000/- (Rupees Two thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA 516005 (A.P.)
Phone : 9000332291 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Soil Properties/2211B13

Date: 10.03.2022

Bill for Testing Charges

Sub: Testing of soil sample for formation and gravelling the road from Krishnamgaripalli to sydapuram via Ragitenka bridge in Krishnamgaripalli village, Sudapuram G.P in Thondur Mandal, Pulivendula, YSR District.-Reg.-

Ref: Lr. No.Nil, Dated:04.03.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	01	1000/-	1000/-
2.	Atterberg limits	01	800/-	800/-
3.	Compaction	01	1000/-	1000/-
	Total			**2,800/-**
Rupees Two Thousand Eight Hundred Rupees only				

Received with thanks from Deputy Executive Engineer, PRI Subdivision, Pulivendula., YSR Kadapa, a sum of **Rs. 2,800/-** (Rupees Two Thousand Eight Hundred Rupees only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Soil Properties/2211B12 Date: 21.05.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – WR Department- Irrigation Sub Division – Badvel- Investigation, Design and Earthwork Excavation for Widening the Left Main Canal of Lower Sagileru Project to carry from 200 cusecs to 500 cusecs from km 0.000 to km 23.000 inculding Construction of CM & CD Works in B. Kodur & Badvel Mandals of YSR Kadapa –Reg.

Ref: Lr. No. DEE/ISD/BDL/Camp N0.1, Dt: 16.05.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	03	1000/-	3000/-
2.	Atterberg limits	03	800/-	2400/-
3.	Compaction	03	1000/-	3000/-
	Total			**8,400/-**
Rupees Eight Thousand and Four Hundred only				

Received with thanks from The Deputy Executive Engineer, Irrigation Sub-Division, Badvel. a sum of Rs. 8,400/- (Rupees Eight Thousand and Four Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/Soil Properties/2211B7

Date: 10.03.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample for formation and gravelling the road from Krishnamgaripalli to Sydapuram via Ragitenka bridge in Krishnamgaripalli village, Sudapuram G.P. in Thondur Mandal, Pulivendula, YSR District– Reg.

Ref: Lr. No.NIL, Dated:17.05.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	01	1000/-	1000/-
2.	Atterberg limits	01	800/-	800/-
3.	Compaction	01	1000/-	1000/-
	Total			**2,800/-**
	Rupees Two Thousand and Eight Hundred only			

Received with thanks from Deputy Executive Engineer, V&QC Sub Division, Panchayat Raj Department, Pulivendula, YSR Kadapa. a sum of **Rs. 2,800/-** (Rupees Two Thousand and Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/2211B10

Date: 06.10.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Major Bridge Rayachoty to Sunduapalli – Pincha Road from KM 0.000 to 20.180 SH 387 at chainage 4+220 – Reg

Ref: Lr. No LEKCON – NSC (JV)/KADAPA WORK/NDB/2021-22 Dated: 03.10.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/2211B10

Date: 02.11.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Major Bridge Rayachoty to Sunduapalli – Pincha Road from KM 0.000 to 20.180 SH 387 at chainage 4+220 – Reg

Ref: Lr. No LEKCON – NSC (JV)/KADAPA WORK/NDB/2021-22 Dated: 30.10.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
	Rupees One Thousand only			

Received with thanks from M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/2211B9 Date: 11.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Major Bridge Rayachoty to Sunduapalli – Pincha Road from KM 0.000 to 20.180 SH 387 at chainage 4+220 – Reg

Ref: Lr. No LEKCON – NSC (JV)/KADAPA WORK/NDB/2021-22 Dated: 08.08.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

KSRM/CE/F301/SBC/2211B8

Date: 29.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Major Bridge Rayachoty to Sunduapalli – Pincha Road from KM 0.000 to 20.180 SH 387 at chainage 4+220 – Reg

Ref: Lr. No LEKCON – NSC (JV)/KADAPA WORK/NDB/2021-22 Dated: 27.08.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to INTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22287 Date: 20.09.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Major Bridge Rayachoty to Sunduapalli – Pincha Road from KM 0.000 to 20.180 SH 387 at chainage 4+220 – Reg

Ref: Lr. No LEKCON – NSC (JV)/KADAPA WORK/NDB/2021-22 Dated: 18.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from M/S LEKCON – NSC (JV), Chennamukkapalli, Rayachoty., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Mix Design/2211B6

Date: 11.08.2022

Bill for Testing Charges

Name of Work: APIIC Ltd-Kadapa Zone-Construction of Internal Road MR-4, MR-5, MR-6, MR -3A, MR- 3B, CR- 6, CR-7, CR -12, CR- 13 and CR-14 at YSRJMIH, Kopparthy, Y.S.R District – M20 Mix Design - Regarding.

Ref: Lr. No. NIL, Dated: 07-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M20 Mix Design	01	8000/-	8,000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from The Manager (E), APIIC LTD, KADAPA. a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/GSB/2211B5

27.10.2022

Bill for Testing Charges

Name of Work: APIIC Ltd-Kadapa Zone-Construction of Internal Road MR-4, MR-5, MR-6, MR -3A, MR- 3B, CR -12, CR- 13 and CR-14 at YSRJMIH, Kopparthy, Y.S.R District (New MR-15) – Test of GSB Samples- Regarding.

Ref: Lr. No. NIL, Dated: 15-10-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	GSB Design	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from The Manager (E), APIIC LTD, KADAPA. a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/WMM/2211B4

10.11.2022

Bill for Testing Charges

Name of Work: APIIC Ltd-Kadapa Zone-Construction of Internal Road MR-4, MR-5, MR-6, MR -3A, MR- 3B, CR- 6, CR-7, CR -12, CR- 13 and CR-14 at YSRJMIH, Koppartly, Y.S.R District – Test of WMM Samples- Regarding.

Ref: Lr. No. NIL, Dated: 01-11-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	WMM Design	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from The Manager (E), APIIC LTD, KADAPA. a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/Soil Properties/2211B3

Date: 15.04.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – WR Department- Irrigation Sub Division – Badvel- Investigation, Design and Earthwork Excavation for Widening the Left Main Canal of Lower Sagileru Project to carry from 200 cusecs to 500 cusecs from km 0.000 to km 23.000 inculding Construction of CM & CD Works in B. Kodur & Badvel Mandals of YSR Kadapa –Reg.

Ref: Lr. No. DEE/ISD/BDL/Camp N0.1, Dt: 11-04-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	03	1000/-	3000/-
2.	Atterberg limits	03	800/-	2400/-
3.	Compaction	03	1000/-	3000/-
	Total			**8,400/-**
Rupees Eight Thousand and Four Hundred only				

Received with thanks from The Deputy Executive Engineer, Irrigation Sub-Division, Badvel. a sum of Rs. 8,400/- (Rupees Eight Thousand and Four Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

PK

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Soil Properties/2211B1

Date: 05.04.2022

Bill for Testing Charges

Name of Work: AEE (R&B) Kadapa- Testing of soil sample - Requirement of gradation and density at OMC of specified soil for the work "Construction of CC drains, Toilet Blocks, Athletic track and Filling the Arts College ground in the college premises in Kadapa, YSR Kadapa District – Reg.

Ref: Lr. No.: Gradation and Density/AEE III/2022-23 Dated:28.03.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	01	1000/-	1000/-
2.	Proctor Compaction	01	1000/-	1000/-
	Total			**2,000/-**
Rupees Two Thousand only				

Received with thanks from Assistant Executive Engineer (R&B), Section – III, Kadapa, YSR Kadapa, a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/2211B2 Date: 05.04.2022.

Bill for Testing Charges

Name of Work: AEE (R&B) Kadapa- Testing of soil sample - Requirement of SBC for the work "Construction of CC drains, Toilet Blocks, Athletic track and Filling the Arts College ground in the college premises in Kadapa, YSR Kadapa District – Reg.

Ref: Lr. No.: SBC/AEE III/2022-23 Dated:28.03.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks Assistant Executive Engineer (R&B), Section – III, Kadapa, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/MIX DESIGN/2209B3

Date: 09.03.2022

Bill for M15 & M25 Design Mix Charges

Name of Work: (R&B) Section-III, Kadapa-Construction of CC drains, Toilet Blocks, Athletic track and Filling the Arts College ground in the college premises in Kadapa-Mix Design for M25 and M15-Regarding.

Ref: Lr No. Mixdesign/AEE III/2021-22 Dated:02.02.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M15 Design Mix	01	8000/-	8000/-
2.	M25 Design Mix	01	8000/-	8000/-
	Total			**16,000/-**
Rupees Sixteen Thousand Rupees only				

Received with thanks from C. Sree Hari, B. Tech., Assistant Executive Engineer, (R&B) Section-III, Kadapa., a sum of **Rs. 16,000/-** (Rupees Sixteen Thousand Rupees only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22372

Date: 23.11.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+2 Residential Building, Proddutur – Reg.

Ref: Lr. No NIL, Dated: 19.11.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from P.Vijay Bhaskar Reddy, GEETHAM INFRA PVT LTD, Meenapuram (V), Proddutur.,a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Soil Properties/2208B18 Date: 23.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – WRD – DEE – ISD – Rayachoty – Homogeneous Embankment Compacting to Density Control of Work not less than 95% to Ganganeru Project near Ganganeru (V) in Ramapuram (M) of Annamayya District – Reg.

Ref: Lr. No. WRD / DEE / ISD / RAT / No. 71M, Dated: 21.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	01	1000/-	1000/-
2.	Proctor Compaction	01	1000/-	1000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from The Deputy Executive Engineer, Irrigation Sub Division, Rayachoty., a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD 1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22370 Date: 19.11.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Grain size distribution, Compaction characteristics of soil – Homogeneous embankment compacting to density control of work not less than 95% to Hasanapuram big tank, Maddela Cheruvu and Obulareddygari palli Diguva cheruvu – Reg.

Ref: Lr. No. DyEE/ISD/RCTY/144M. Dt: 10-11-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	2000/-	6000/-
	Total			**6000/-**
Rupees Six Thousand only				

Received with thanks from Sri D Venkateswara Rao, Deputy Executive Engineer, Irrigation Sub-Division, Rayachoty, a sum of Rs. 6,000/- (Rupees Two thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22350

Date: 01.11.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Construction of G+5 Building at survey no. 568/1, near RTO office Back side, Chintakommadinne, Kadapa District - Reg.

Ref: Lr. No. NIL dated 27.10.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from Kaluva Neelesh Kumar, Chintakommadinne, YSR Kadapa, a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22347 Date: 01.11.2022.

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Safe bearing capacity of soil – R&B Division, Kadapa - Construction of the HLB across Sagileru river at KM 0/0 – 6 of PG road to Bramhanapalli in Kadapa District – Reg.

Ref: Lr. No. PGB/Badvel/DEE/2022. Dt: 25-10-2022.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Safe bearing capacity of soil	2	1,000/-	Rs. 2,000/-
	Total			**Rs. 2,000/-**
Rupees Two thousand only				

Received with thanks from Sri G Sudhakar, Deputy Executive Engineer, R&B Sub Division, Badvel, a sum of **Rs. 2,000/-** (Rupees Two thousand only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution

ESTD 1980

KSRM/CE/F301/ CC Cubes/22346

Date: 31.10.2022

Bill for Testing Charges

Sub: Sub:- Testing of CC Cubes for M-20 –Concrete for Raft- Reg..
Ref: : NIL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundread and Fifty only				

Received with thanks from R K Infratel Pvt Ltd,AP/AN/AT/25432,Budidapadu,Kurrnool, a sum of **Rs. 450/-** (**Rupees Four Hundread and Fifty only**) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes/22345

Date: 31.10.2022

Bill for Testing Charges

Sub: Sub:- Testing of CC Cubes for M-20 –Concrete for Raft - Reg..
Ref: : NIL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundread and Fifty only				

Received with thanks from R.K.Infratel Projects, K. Markapuram, Kurnool., a sum of **Rs. 450/- (Rupees Four Hundread and Fifty only)** towards the testing charges.

Yours faithfully,

HEAD

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC with 'A' Grade

ESTD- An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22344 **Date: 29.10.2022**

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Building in the Survey No: 159-2, 159-3 Beside NAC Building, Rangapuram Thota, Short course Area at Pulivendula– Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 27.10.2022

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	04	1000/-	4000/-
	Total			**4000/-**
Rupees Four Thousand only				

Received with thanks from Mr. Dhamma Anurakhi, Short course area, Pulivendula and YSR Kadapa District. A sum of **Rs.4,000/-** (Rupees Four Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email :principal@ksrmce.ac.in

Web :www.ksrmce.ac.in Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22340 Date: 28.10.2022

Bill for Testing Charges

Sub: Sub:- Testing of CC Cubes for M-20 –Concrete for Raft- Reg..
Ref: : NIL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundread and Fifty only				

Received with thanks from R K Infratel Pvt Ltd,AP/AN/AT/25580, Agraharam, Bukkapatnam, Kadapa., a sum of **Rs. 450/-** (**Rupees Four Hundread and Fifty only**) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22338

Date: 27.10.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Cellar Two Floor Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated: 20.10.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	04	1000/-	4000/-
2	Subgrade Modulus	01	2000/-	2000/-
3	Visiting Charges		2000/-	2000/-
	Total			**8000/-**
Rupees One Thousand only				

Received with thanks from, Shaik Mohammed Tahrez, Door No 13/201, Bombay Marraiage Hall, Trunk Road, Kadapa.,a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/NDT/22337 Date: 26.10.2022

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Requesting for Structural Soundness Certificate for Water Tank,Chemmumiya peta, Kadapa – Conduct Soundness test - Requested - Regarding.

Ref: Client Letter No.-Nil, Dated: 10.08.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	6500/-	6500/-
2.	Site Visiting Charges	1	2000/-	2000/-
	Total			**8,500/-**
Rupees Eight Thousand Five Hundred only				

Received with thanks from The Municipal Commissioner, Kadapa Municipality, a sum of Rs. 8,500/- (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22335

Date: 25.10.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity – Construction of Farm House at SY. No. 1615, Chintakommadinne, YSR District – Reg.

Ref: Lr. No. NIL, Dated: 22.10.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
2.	Site Visiting Charges	01	2000/-	2000/-
	Total			**5000/-**
Rupees Five Thousand only				

Received with thanks from M M/s R. R. Stones Pvt. Ltd., Road No. 2, Banjara Hills, Hyderabad, a sum of **Rs. 5,000/-** (Rupees Five Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22336 Date: 26.10.2022

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Safe bearing capacity of soil – Construction of the building, Survey No. 484, Madanapalli Road, Rayachoty Municipality, Annamayya (D)– Reg.

Ref: Lr. No. Nil. Dt: 18-10-2022.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Safe bearing capacity of soil	2	1,000/-	Rs. 2,000/-
	Total			**Rs. 2,000/-**
Rupees Two thousand only				

Received with thanks from Sri B Jasvanth Kumar Reddy, Survey No. 484, Madanapalli Road, Rayachoty Municipality, Annamayya (D), a sum of **Rs. 2,000/-** (Rupees Two thousand only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22334 Date: 25.10.2022

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity – Construction of Kalayana Mandapam at Field No. 725, Chennur (M), YSR District – Reg.

Ref: Lr. No. NIL, Dated: 16.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	09	1000/-	9000/-
2.	Site Visiting Charges	01	2000/-	2000/-
	Total			**11000/-**
Rupees Eleven Thousand only				

Received with thanks from M/s ASM Associates, Plot: 171, Flat No.102, First Floor, RS Towers, Kavuri Hills, Phase-2, Madhapur, Hyderabad., a sum of **Rs. 11,000/-** (Rupees Eleven Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001:2004 & 9001:2015 Certified Institution

KSRM/CE/F301/Water/22333 Date:25.10.2022.

Bill for Testing Charges

Name of the work: Testing of Water samples for Drinking & Construction purpose - Submission of Test Reports - Reg.

-oo0oo-

Bill

S. No.	Name of the Test	Rate (Rupees)	No. Of Samples
1.	Water Testing – Construction	1500.00/-	02
	Total Amount		3000.00/-
Rupees Three Thousand only/-			
Received with thanks from Syed Jameel Ahamed, Ganjikunta Colony, Machupalli Road, Kadapa Division, a sum of Rs.3000 /- (Rupees Three Thousand Rupees only) towards the testing charges.			

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K.DINNE (M), KADAPA-516005(A.P.)
Phone: 9000332294 Email:
Web: www.ksrmce.ac.in principal@ksrmce.ac.inEmail:

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD- An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22332 **Date: 25.10.2022**

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+4 building at Madanapalli bypass road Rayachoty – Conduct SBC and furnish the accurate results - Requested - Regarding.

Ref: Lr. No: Nil, Dated 20.10.2022

-ooooo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from Mr. Mohammad Sharif, Rayachoty and YSR Kadapa District. A sum of **Rs.2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email :principal@ksrmce.ac.in

Web :www.ksrmce.ac.in Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Paver/22330 Date: 20.10.2022.

Bill for Testing Charges

Name of the Work: Extension and Strengthening of Existing Runway, Taxiway and Apron along with Construction of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter Road, Grading of Strips etc. at Kadapa Airport for the operation of code - C Type of Aircraft (A-320) including Electrical works. Regarding.

SH: Construction of Paver Block Perimeter Road inside Operational area at Kadapa Airport

Ref: AAI/Kadapa/Engg-C/Paver/Tests/2022-23/435.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate per sample (Rs.)	Total Amount (Rs.)
1.	Interlocking paver's Compressive strength for 7 days	3	150/-	450/-
	Total			450/-
Rupees Four hundred fifty only				

Received with thanks from the M/s. JKG Infra Private Limited, Kadapa Airport (Site), Kadapa, a sum of Rs. 900/- (Rupees nine Hundred only) towards the testing charges.

Yours faithfully,

P. Rajendra Reddy
HoD,CE

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Paver/22331 Date: 20.10.2022.

Bill for Testing Charges

Name of the Work: Extension and Strengthening of Existing Runway, Taxiway and Apron along with Construction of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter Road, Grading of Strips etc. at Kadapa Airport for the operation of code - C Type of Aircraft (A-320) including Electrical works. Regarding.

SH: Construction of Paver Block Perimeter Road inside Operational area at Kadapa Airport

Ref: AAI/Kadapa/Engg-C/Paver/Tests/2022-23/436.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate per sample (Rs.)	Total Amount (Rs.)
1.	Interlocking paver's Compressive strength for 28 days	3	150/-	450/-
	Total			450/-
Rupees Four hundred fifty only				

Received with thanks from the M/s. JKG Infra Private Limited, Kadapa Airport (Site), Kadapa, a sum of Rs. 900/- (Rupees nine Hundred only) towards the testing charges.

Yours faithfully,

P. Rajasekhar Reddy
HoD CE

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Testing/22327 Date: 17.10.2022

Bill for Testing Charges

Name of Work: AP Shilparamam- "Providing parking zone on Hill top at Shilparamam, Pulivendula" and "Face-lift/upgrade of existing infrastructure/facilities and development of additional facilities at Shilparamam, Pulivendula, conduct quality test for MS pipes and interlocking pavers-Submitted-Regarding.

Ref: Lr.No.38/SACCS/PDL/2022-23, Dt: 14-10-2022.

-ooOoo-

S.No.	Name of the Test	No. of Samples	Rate per sample (Rs.)	Total Amount (Rs.)
1.	Test for MS square pipes weight and thickness	6	150/-	900/-
2.	Interlocking paver's Compressive strength for 28 days	6	150/-	900/-
	Total			1800/-
Rupees Eighteen Hundred only				

Received with thanks from the Superintendent Engineer, Shilparamam, a sum of Rs. 1800/- (Rupees Eighteen Hundred only) towards the testing charges.

Yours faithfully,

HoD CE

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Sand Properties/22326 Date: 14.10.2022.

Bill for Testing Charges

Name of Work: Testing of Sand Samples – RWS & S – Operation and Maintenance of CPWS Scheme to B. Mattam and other Habitations for the year 2022-23 – Rapid Sand Filter – Filter Media – Reg.

Ref: Lr. No. AEE / O & M / B. Mattam / RSF / Sand / 2022, Dated: 12.10.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Grain Size Analysis	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from The Deputy Executive Engineer, RWS & S, Sub Division, Mydukur, YSR District., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

P. Rajasekhar
HEAD I/c

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22324

Date: 14.10.2022

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Safe bearing capacity of soil – Construction of building (G+4), Kadapa, YSR District – Reg.

Ref: Lr. No. Nil. Dt: 12-10-2022

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Safe bearing capacity of soil	2	1,000/-	Rs. 2,000/-
	Total			**Rs. 2,000/-**

Rupees Two thousand only

Received with thanks from Sri Venkateswara Swami Constructions, 35/104, Nagarajupet, Kadapa, YSR Kadapa. a sum of **Rs. 2,000/-** (Rupees Two thousand only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22320

Date: 06.10.2022

Bill for Testing Charges

Name of Work: Testing of CC Cubes for M-20 concrete for Raft– Reg.

Ref: Lr. No. NIL, Dated: 18.04.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	06	150/-	900/-
	Total			**900/-**
Rupees Nine Hundred Rupees only				

Received with thanks from R.K Infratel Projects, AP/CU/AT/25425, Eguvakunta, Kadapa, Y.S.R. (Dt.)., a sum of **Rs. 900/-** (Rupees Nine Hundred Rupees only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/Sand,HBG metal & Flyash bricks /22316 Date: 30.09.2022.

Bill for Testing Charges

Name of Work: A. P. Transco- survey/civil Sub Division/ kdp:- Supply ,erection, testing and Commissioning of Augmentation Works at existing 400kv SS , Jammalamadugu for evacuation of 750 MW solar power from Kadapa Ultra Mega solar park in Kadapa Dt of Andhra Pradesh. – Testing of construction materials like sand , HBG Metal and Flyash Bricks etc, - Requested - Reg.

Ref: Lr.No.DEE/Civil Survey SD/ F.No: Aug. 400 KV JMD/ D.No: 104/22, Dt:21-09-2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis Of Sand	1	500/-	500/-
	Silt Content	1	500/-	500/-
2.	Sieve Analysis of Aggregates- 20mm & 40mm	2	500/-	1000/-
	Flakiness Index & Elongation Index	2	300/-	600/-
	Impact Test	2	300/-	600/-
	Crushing Test	2	500/-	1000/-
3.	Compressive Strength of Fly ash Bricks	6	100/-	600/-
4.	Water absorption of Fly ash Bricks	3	100/-	300/-
	Total			**5,100/-**
Rupees Five Thousand One Hundred only				

Received with thanks from Dy. Executive Engineer/ Civil, Survey –Sub Division, A.P. Transco, Trancso Nilayam, Sankarapuram, Kadapa., a sum of **Rs. 5,100/-**(Rupees Five Thousand One Hundred only) towards the testing charges.

Yours faithfully,

P. Rajendra Kumar

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA-516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516003 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

[illegible] of Engineering
[illegible]
[illegible] Dr. [illegible] Ananthapuramu
[illegible]
[illegible] Institution
ESTD-1980

KSRM/CE/F[illegible] Fly ash Bricks/Solid Concrete Blocks/2209B5 Date: 29.03.2022

Bill for Testing Charges

Name of Work: [illegible] of Fly Ash Bricks [illegible] Concrete Blocks- Reg.

Ref:AEE/PHC[illegible]apuram/ORVAKAL [illegible]-Date - Nil

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Comp[illegible] Strength of Fly ash Bricks	03	150/-	450/-
2.	Comp[illegible] strength of solid concrete Blocks	03	300/-	900/-
2.	Water [illegible]orption of Fly ash Bricks and solid [illegible]ete Blocks	06	100/-	600/-
	Total			1,950/-

Rupees One Thousand and Nine Fifty only

Received with [illegible] from Managing [illegible] Kandula Group of Institutions, Kadapa, Y.S.R. (Dt.) a [illegible] 1,950/- (Rupees [illegible]housand and Nine Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address [illegible] NE (M), KADAPA 516005 (A.P.)
Phone [illegible]
Web [illegible]

Scanned by CamScanner

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Steel/22312

Date: 26.08.2022.

Bill for Testing Charges

Name of Work: Testing of Steel Samples –Telugu ganga project- Balance Estimate in SPVBR Right canal from Km 30.00 to 45.500 Km under Package- III– conduct of standard tests for steel – Reg.

Ref: EE/NTR TGP/BDL/ATO/318 m Dated: 28-07-2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Yield Strength of Steel	18	600/-	10800/-
	Total			**10,800/-**
Rupees Thirty Nine Thousand Nine Hundred only				

Received with thanks from K.V. Siva Reddy, Executive Engineer, NTR TGP Division, Badvel, YSR Dt., a sum of **Rs. 10,800/-** (Rupees Ten Thousand Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/Mix Design/22312

Date: 26.08.2022.

Bill for testing Charges

Name of the Work: Testing of M15, M20, M25, M30&M35 Mix Design Samples – Telugu GANGA Project-Balance Estimate in SPVBR Right Canal from Km 30.00 to 45.500 Km Under Package-III-Requested -Reg

Ref: Your Lr.No. EE /NTR TGP/ BDL/DB/ATO 318 Dated 28-07-2022.

oo0oo

S.No	Name of the test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Mix Designs M15, M20, M25, M30&M35	05	8000/-	40,000/-
		Total		**40,000/-**
Rupees Forty Thousands only				

Received with thanks Sri K.Siva Reddy, Executive Engineer, NTR TGP Division, Badvel YSR Kadapa. a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA-516005 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : rincipal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/NDT/22223

Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Kadapa Municipality Construction of additional class rooms for ZPHS ALAMKHAN PALLE in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness test - Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The Headmistress, ZPHS Alamkhan Palle, a sum of Rs. 6,500/- (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HoD,CE
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516003 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22223

Date: 29.07.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample - PESHI – Kadapa Municiapal Corporation – Manabadi – Naadu Nedu Phase – II -Construction of Additional Class rooms for ZPHS School, Alamkhanpalle, YSR District – Reg.

Ref: Lr. No. Roc No. 06/PESHI/2022/KM, dated 22.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
2.	Visiting Chargers	01	1500/-	1500/-
	Total			**2500/-**
	Rupees Two Thousand and Five Hundred only			

Received with thanks from The Head Mistress, ZPHS School, Alamkhanpalle, , YSR Kadapa., a sum of Rs. 2,500/- (Rupees Two Thousand and Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22192 Date: 02.07.2022

Bill for Testing Charges

Name of Work: Testing of soil sample - Construction of Additional Class rooms under MBNN –II at Z P G H School Rajampet, Rajampet Mandal, Annamaiah District – Reg.

Ref: Lr. No.: Nil Dated:25.06.2022..

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity	01	1000/-	1000/-
2.	Visiting Charges	01	2000/-	2000/-
	Total			**3,000/-**
Rupees Three Thousand only				

Received with thanks from The Chairman, Parents Committee, SJSM Z P H School, K. Boyanapalli, Rajampet Mandal, Annamaiah Dt., a sum of **Rs. 3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Web: www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/MIX DESIGN/ 2210B10 Date: 02/05/2022

Bill for Testing Charges

Name of Work: JSW Fe 550 STEEL Test Report.

Ref: Lr No. Client Letter, Dated: 26.04.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	JSW Fe 550 STEEL Test Report	02	1800/-	3600/-
	Total			**3600/-**
Rupees Three thousand six hundred only				

Received with thanks from The Spectrum Engineering Consultancy Kadapa., a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email :
rincipal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email :
office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/2210B8 Date: 22.09.2022

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Construction of 40KL & 60 KL OHSR tank at Kamalapuram, Kadapa Dist.- Reg.

Ref: Lr. No. AEE/Vallur/Testing/ SBC, dated 20.09.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from K. Murali, Deputy Executive Engineer, RWS &S Sub Division, Kamalapuram, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Soil Properties/2210B2 Date: 02.08.2021

Bill for Testing Charges

Name of Work: Testing of soil sample - Formation and Gravelling the road from Nallacheruvupalli to Paluru of Nallacheruvupalli V& GP of Vemula Mandal, YSR Kadapa District – Reg.

Ref: Lr. No.: Nil Dated:28.07.2021.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	01	1000/-	1000/-
2.	Proctor Compaction	01	1000/-	1000/-
	Total			**2,000/-**
Rupees Two Thousand only				

Received with thanks from Sri K. R. Ganesh Reddy, Deputy Executive Engineer, PRI Sub Division, Vempalli (M), YSR Kadapa, a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Web: www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M.CollegeofEngineering
(AUTONOMOUS)
ApprovedbyAICTE,NewDelhi&AffiliatedtoJNTUA,Ananthapuramu
AccreditedbyNAACofUGC
AnISO14001:2004&9001:2015CertifiedInstitution
ESTD-1980

KSRM/CE/F301/Bricks/2210B1 Date:11.09.2022.

BillforTestingCharges

NameofWork: TestingofBricks–TTD Engg. D ept.-Construction of compound wall at TTD Kalyanamandapam at balapnur(V) , Simhadripuram (M) in YSR District– Test Report-Reg.

Ref: Nil

-oo0oo-

S.No.	Name ofthe Test	No.of Samples	Rate (Rs.)	Amount (Rs.)
1.	CompressiveStrengthofRedBricks	06	100/-	600/-
2.	WaterabsorptionofRedBricks	03	100/-	300/-
	Total			**900/-**
RupeesNine Hundredonly				

Received with thanks from Deputy Executive Engineer (Kadapa), Endowment Department,Room No.14, T.T.D. Admin Bldg., K.T. Road, Tirupati, Y.S.R. (Dt.) a sum of Rs. **900/-** (RupeesNineHundredonly) towardsthetestingcharges.

Yoursfaithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address:YERRAMASUPALLI(V),C.K.DINNE(M),KADAPA-516005(A.P.)

Phone:9000332294 Email
Web:www.ksrmce.ac.in :principal@ksrmce.ac.inEmail:office@

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/Mix Design/2209B13

Date: 03.05.2021

Bill for Testing Charges

Name of the Work: Testing of M15 and M35 Design Mix samples – Urgent Repairs to Road from Km0/6-8 by Construction Protection wall and Reconstruction of causeway in Km 2/9 to 3/1 of Kadapa - Pulivendula Road to Mopuridevalalu Road (via) Pernapadu, Konreddypalli in YSR District - Reg.

Ref: Your Lr.No.AEE/R&B/Vemula/Mopuridevalalu road/2021, Dt: 03.02.2021.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M35, M15 Mix Design	02	8000/-	16,000/-
	Total			**16,000/-**
	Rupees Sixteen thousand only			

Received with thanks from The Assistant Executive Engineer, R&B Section, Vemula, Kadapa, a sum of **Rs.16,000/-** (Rupees Sixteen Thousand only) towards the designated testing charges.

Yours faithfully,

P. Rajasekhar Reddy
HEAD I/C

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Soil Properties/22308 Date: 21.09.2022

Bill for Testing Charges

Name of Work: Testing of soil sample - Formation & Gravelling the road from PAV road to Ammagaripalli via Gangamma Temple of Ammagaripalli(V) of of Pamuluru G.P. of Vempalli Mandal, YSR Kadapa District – Reg.

Ref: Lr. No.: Nil Dated:19.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	01	1000/-	1000/-
2.	Proctor Compaction	01	1000/-	1000/-
	Total			2,000/-
Rupees Two Thousand only				

Received with thanks from L. Niranjan Reddy, MEO, Vemula (M), YSR Kadapa, a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Web: www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Soil Properties/22309 Date: 21.09.2022

Bill for Testing Charges

Name of Work: Testing of soil sample - Formation & Gravelling the road from Urdu school to T.Velamavaripalli road in Vempalli (V) G.P. and Vempalli Mandal, YSR Kadapa District – Reg.

Ref: Lr. No.: Nil Dated:19.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	01	1000/-	1000/-
2.	Proctor Compaction	01	1000/-	1000/-
	Total			**2,000/-**
Rupees Two Thousand only				

Received with thanks from L. Niranjan Reddy, MEO, Vemula (M), YSR Kadapa, a sum of Rs. **2,000/-** (Rupees Two Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution
ESTD-1980

K.S.R.M/CE/F301/Soil Properties/22310 Date: 21.09.2022

Bill for Testing Charges

Name of Work: Testing of soil sample - Formation & Gravelling the road from T.V.Palli – Chintalamadupalli road to Chalamareddy fileds in Vempalli (V) G.P. and Vempalli Mandal, YSR Kadapa District – Reg.

Ref: Lr. No.: Nil Dated:19.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	01	1000/-	1000/-
2.	Proctor Compaction	01	1000/-	1000/-
	Total			**2,000/-**
Rupees Two Thousand only				

Received with thanks from L. Niranjan Reddy, MEO, Vemula (M), YSR Kadapa, a sum of Rs. **2,000/-** (Rupees Two Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294 Email : principal@ksrmce.ac.in
Web: www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22305 Date: 21.08.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-20 concrete – Reg.

Ref: Lr. No. NIL, Dated: 261.08.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Mr.Raja sri reddy, Consultant Engineer., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil E[illegible]
K.S.R.M. College of Engg.
(Autonomous)
KADAPA 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/21214

Date: 04.08.2021.

Bill for Testing Charges

Name of Work: Testing of Soil & Rock Sample – Bearing Capacity – R & B Department – R & B Sub Division, R & B Rayachoty Section – Conducting Sub Soil Exploration, Soil Testing and Investigation for Construction of High Level Bridge (HLB) at km 52 / 800 – 53 / 0 of Rajampeta – Kadiri – Tumkur Road (SH – 59) in YSR District – Reg.

Ref: Lr. No. AEE / R & B / Rayachoty Section / RKT Road / HLB / Saddi Kulla Vanka, Dated: 15.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
2.	Safe Bearing Capacity of Rock	03	1000/-	3000/-
	Total			**6000/-**
	Rupees Six Thousand only			

Received with thanks from The Assistant Executive Engineer, R&B Section, Rayachoty., a sum of **Rs. 6,000/-** (Rupees Six Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

KSRM/CE/F301/ CC Cubes/22303 Date: 20.09.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-25 concrete for slab –Construction of Commercial Building- Reg.

Ref: Lr. No. NIL, Dated: 16.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			450/-

Rupees Four Hundred and Fifty Rupees only

Received with thanks from K Nagendra Kalyan, Devuni Kadapa, YSR Kadapa., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(AUTONOMOUS)
KADAPA-516005 (A.P.)

KSRM/CE/F301/SBC /22302

Date: 20.09.2022

Bill for Testing Charges

Sub: Testing of Soil Sample – Bearing Capacity- Providing Road safety interventions from KM: 86/4 to 86/8 of Renigunta - Kadapa Road NH-716 in the state of A.P SBC Value for Construction of Retaining wall, Nandalur–Reg.

Ref: Lr.No. AEE/R&B/NHKDP/2022-23. Dt: 19.09.2022

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	04	1000/-	4000/-
	Total			**4,000/-**
	Rupees Four Thousand only			

Received with thanks from Sri.M.Narayana Naik, Assistant Executive Engineer, R&B NH, Kadapa. A sum of **Rs.4,000/-** (Rupees Four Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-

KSRM/CE/F301/Soil Properties/22301 **Date: 20.09.2022.**

Bill for Testing Charges

Name of Work: Testing of Soil Samples – Reconstruction of percolation pond near Thummulapalli (V) in Yerraguntla (M) of Y.S.R District require Classification of soil, Optimum moisture content(OMC), Maximum dry density (MDD) – **Reg.**

Ref: SE, Irrigation circle, Kadapa Agt.No.17 SE/2022-23 Dated 25.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	03	1000/-	3000/-
2.	Proctor Compaction	03	1000/-	3000/-
	Total			**6000/-**
Rupees Six Thousand rupees only				

Received with thanks from Sri. M.V. Raja Kumar, Deputy Executive Engineer, M.I Division, Proddatur, YSR District., a sum of **Rs. 6,000/-** (Rupees Six Thousand rupees only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294 **Email:principal@ksrmce.ac.inE**

Web:www.ksrmce.ac.in **mail:office@ksrmce.ac.in**

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantharamu

Accredited by NAAC of UGC

An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/ CC Cubes/22296 Date: 17.09.2022

Bill for Testing Charges

Name of Work: Testing of CC Cubes for M-20 concrete for Raft– Reg.

Ref: Lr. No. NIL, Dated: 18.04.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from R.K Infratel Projects, AP/CU/AT/25425, Eguvakunta, Kadapa. Y.S.R. (Dt.)., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty Rupees only) towards the testing charges.

Yours faithfully,

P. Rajesekhara Reddy

HEAD I/C

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22295 Date: 17.09.2022

Bill for Testing Charges

Name of Work: Testing of CC Cubes for M-20 concrete for Raft– Reg.

Ref: Lr. No. NIL, Dated: 18.04.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from R.K Infratel Projects, AP/CU/AT/25425, Eguvakunta, Kadapa, Y.S.R. (Dt.)., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty Rupees only) towards the testing charges.

Yours faithfully,

P. Rajasekhara Reddy

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22286 Date: 07.09.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity – APEWIDC Kadapa Sub Division – Construction of Skill Development Center (Digital Laboratory and class room) under MPLADS in the premsies of Govt. Arts College Kadapa, YSR District – Reg

Ref: Lr. No. 02/AE/MP LADS –College - Kadapa/2022-23, dated 01.09.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from Sri D. Gurivi Reddy, Deputy Exe. Engineer, APEWIDC, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22274 Date: 26.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity – Construction of Residential Apartment Building (G + 5) at SY. No. 28/3, Sivananda Puram, YSR Kadapa District – Reg.

Ref: Lr. No. NIL, Dated: 13.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
Rupees Three Thousand only				

Received with thanks from Sri V.M. Madhukar Reddy, S/o V.M. Rama Subba Reddy, 39/622-69, Aravind Nagar YSR Kadapa, a sum of **Rs. 3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC with A+ Grade

ESTD: 1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22291

Date: 15.09.2022.

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Soil classification, Liquid limit, plastic limit, Compaction characteristics of soil – PRI Sub-Division. Vempalli Gravel road works in Vempalli Mandal of Vempalli sub-division, Vempalli, YSR District – Reg.

Ref: Lt. No: JTO/Soils samples/Test Reports/Vempalli/Kadapa. Dt: 01-09-2022.

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Soil classification	1	1,000/-	Rs. 1000/-
2	Liquid limit and plastic limit	1	8,00/-	Rs. 800/-
3	Compaction characteristics	1	1,000/-	Rs. 1000/-
	Total			**Rs. 2,800/-**
Rupees Two thousand Eight hundred rupees only				

Received with thanks from Sri M V Ramachandra Reddy, Deputy Executive Engineer, PRI Sub-Division a sum of **Rs. 2,800/-** (Rupees Two thousand Eight hundred rupees only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: VEERAMAKPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 08562-245291 Email: principal.ksrmce.ac.in

Web: www.ksrmce.ac.in Email: office.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22290 Date: 13.09.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-30 concrete for slab – at Truck Tippler and Coal Crusher unit-Reg.

Ref: Lr. No. NIL, Dated: 13.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	06	150/-	900/-
	Total			**900/-**
Rupees Nine Hundred only				

Received with thanks from Shanum Projects , C/O. Dalmia Cement (p) Ltd, Chinna Komerla – Village, Near Jammalamadugu, Kadapa., a sum of **Rs. 900/-** (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in

Email :

Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22286 Date: 07.09.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity – APEWIDC Kadapa Sub Division – Upgradation of Govt. Degree College at Kadapa under NIRF Pilot Project, YSR District – Reg.

Ref: Lr. No. 02/AE/Pilot Project-GDC-Kadapa/2022-23, dated 01.09.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from Sri D. Gurivi Reddy, Deputy Exe. Engineer, APEWIDC, YSR Kadapa, a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Steel/22282

Date: 02.09.2022.

Bill for Testing Charges

Name of Work: Testing of Steel Samples – Properties of SHREE TMT 550 Steel for construction of Commercial Complex at kotireddy Circle – in Kadapa (Dt.) -conduct of standard tests for steel – Reg.

Ref: Lr. Rc No. NIL Dated: 29.08.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Yield Strength of Steel-8,10 dia.	02	600/-	1200/-
	Total			**1200/-**
Rupees One Thousand and Two Hundreds only				

Received with thanks from K. Sudheer Kumar, Koti Reddy Circle, R.S. Road, Kadapa -516001 a sum of **Rs. 1200/-(Rupees One Thousand and Two Hundreds only)** towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in

Email: principal@ksrmce.ac.in
Email: offices@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 AnISO14001:2004& 9001:2015CertifiedInstitution

KSRM/CE/F301/Water/22275 Date:05.09.2022.

Bill for Testing Charges

Name of the work: Testing of Water samples for Construction purpose - Submission of Test Reports - Reg.

-oo0oo-

Bill

S. No.	Name of the Test	Rate (Rupees)	No. Of Samples
1.	Water Testing – Drinking	1500.00/-	01
	Total Amount		1500.00/-
Rupees One Thousand Five Hundred only/-			
Received with thanks from S.Khaja Khizar, Bismillah Water Plant, YSR Colony, Kadapa Division, a sum of Rs. 1,500 /- (Rupees One Thousand and Five Hundreds only) towards the testing charges.			

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K.DINNE (M), KADAPA-516005(A.P.)

Phone: 9000332294

Email: principal@ksrmce.ac.inEmail:

Web: www.ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 AnISO14001:2004& 9001:2015CertifiedInstitution

KSRM/CE/F301/Water/22273 Date:10.09.2022.

Bill for Testing Charges

Name of the work: Testing of Water samples for Construction purpose - Submission of Test Reports - Reg.

-oo0oo-

Bill

S. No.	Name of the Test	Rate (Rupees)	No. Of Samples
1.	Water Testing – Construction	1500.00/-	01
	Total Amount		1500.00/-
Rupees One Thousand Five Hundred only/-			
Received with thanks from Busetty Rajasekhar, Mydukur Road, Proddaturu, Kadapa Division, a sum of Rs. 1,500 /- (Rupees One Thousand and Five Hundreds only) towards the testing charges.			

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Ph

Address: YERRAMASUPALLI (V), C.K.DINNE (M), KADAPA-516005(A.P.)

Phone: 9000332294
Email:
Web: www.ksrmce.ac.in
principal@ksrmce.ac.inEmail:

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22288 Date: 10.09.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+5 Commercial Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated: 09.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from, B.Damodar Reddy, Survey No 310/B & 307/C, Door No 75/9-1-2, Vijaya Durga Officers Colony, Kadapa.,a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
pproved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/ CC Cubes/22321

Date: 07.10.2022

Bill for Testing Charges

Name of Work: Testing of CC Cubes for M-20 concrete for Template– Reg.

Ref: Lr. No. NIL, Dated: 18.04.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from R.K Infratel Projects, AP/CU/AT/25425, Eguvakunta, Kadapa, Y.S.R. (Dt.), a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty Rupees only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22239 Date: 27.07.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample - Construction of Urban health Center at Ramarajupalli of Guduru Revenue Village, YSR District – Reg

Ref: Lr. No. Nil dated 24.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from The Assistant Engineer, Ramarajupalli, YSR Kadapa., a sum of Rs. 1,000/- (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Soil Properties/22315

Date: 30.09.2022

Bill for Testing Charges

Sub: Testing of soil sample - Soil classification, OMC, MDD value of soil for " Construction of Lift Irrigation schemes and supply channels to feed MI Tanks in Lakkireddypalli and Ramapuram mandals in Y.S.R Kadapa district from GNSS Canal to HNSS Canal through Kaletivagu Reseroir.-Reg.-

Ref: Lr. No.WRD/DEE/ISD/RCT/No 109 Dated: 08.09.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	03	1000/-	3000/-
2.	Proctor Compaction	03	1000/-	3000/-
	Total			**6,000/-**
	Rupees Six Thousand only			

Received with thanks from Sri D.Venkateswara Rao, B.Tech, Deputy Executive Engineer, Irrigation Subdivision, Rayachoty, YSR Kadapa, a sum of **Rs. 6,000/-** (Rupees Six Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA-516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/NDT/22225 Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Kadapa Municipality Construction of additional class rooms for ZPHS Chinnamachupalli in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness test - Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The HeadMaster, ZPHS Chinnamachupalli, a sum of Rs. 6,500/- (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA-516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Soil Properties/2209B1

Date: 24.06.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – APRSCL – Providing Balance BT Roads (Partly) to Anandanilaya Township at Rayachoty Annamayya District, under Rajiv Swagruha Scheme – Reg.

Ref: Lr. No. 9 / Infrastructure / Rayachoty / Kadapa / 2022, Dated: 17.06.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	02	1000/-	2000/-
2.	Consistency Limits	02	800/-	1600/-
3.	California Bearing Ratio	02	2000/-	4000/-
4.	Shear Strength Parameters	04	1000/-	4000/-
5.	Permeability	02	1000/-	2000/-
	Total			**13600/-**
Rupees Thirteen Thousand Six Hundred only				

Received with thanks from The General Manager (Projects), AP Rajiv Swagruha Corporation. Ltd., Sankarapuram, Kadapa., a sum of **Rs. 13,600/-** (Rupees Thirteen Thousand Six Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Mix Design s/2208B14 Date: 12.05.2022

Bill for Testing Charges

Name of Work: Conduct of material testing for M25, M30 & M40 Mix Design, Winding and strengthening of Single lane to double lane from Km 0/0 to 3/450 of Chinnamachupalli – Pushpagiri Road in YSR District – High Level bridge at Km 5/2-4- Bride foundations - Reg.

Ref: LrNo. NIL, Dated: NIL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M15,M20, M25, M30 & M40 Mix Design	05	8000/-	40,000/-
	Total			**40,000/-**
	Rupees Forty thousand only			

Received with thanks from The Assistant Executive Engineer, (R&B) Section – II, Kadapa, a sum of **Rs.40,000/-** (Rupees Forty Thousand only) towards the designated testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22272

Date: 26.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Commercial G+3 Building, Proddutur - YSR District– Reg.

Ref: Lr. No NIL, Dated 22.08.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
Rupees Three Thousand only				

Received with thanks from Busetty Rajasekhar, Mydukur Road, Proddatur..a sum of **Rs. 3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-

KSRM/CE/F301/SBC/22218 **Date: 11.08.2022**

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of additional class rooms for APSWRS Girls Chinnachowk in kadapa under Manabadi Nadu Nedu of phase-II –Conduct Bearing Capacity test –Reg.

Ref: Roc.No.06/PESHI/2022/KMC, Dated: 22.07.2022

-ooooo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
2.	Site Visiting Charges	01	1500/-	1500/-
	Total			**2,500/-**
	Rupees Two Thousand Five hundered rupees only			

Received with thanks from the principal, APSWRS Girls Chinnachowk, Kadapa Municipality and YSR Kadapa District. A sum of **Rs.2,500/- (Rupees Two Thousand Five hundered rupees only)** towards the testing & site visiting charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email :principal@ksrmce.ac.in

Web :www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/ Bricks & Sand/22210 Date: 19.07.2022.

Bill for Testing Charges

Name of Work: Testing of Bricks &Sand – Construction of Sri Kodanda Rama Swamy temple, Malur Kothapalli (V), Chinnamandem (M), Annamayya District – Reg.

Ref: Nil

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Red Bricks	06	100/-	600/-
2.	Water absorption of Red Bricks	03	100/-	300/-
3.	Bulk density of sand	-	300/-	300/-
4.	Bulking of sand	-	300/-	300/-
	Total			**1,500/-**
Rupees OneThousand and Five Hundredonly				

Received with thanks fromDeputy Executive Engineer, Endowment Department, Sri Kodanda Rama Swamy temple, Malur Kothapalli (V), Chinnamandem (M), Annamayya (Dt.) a sum ofRs. **1,500 /-** (Rupees OneThousand Five Hundredonly) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Swell Pressure/2208B7 Date: 11.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – CNS Soil Treatment – Water Resources Department – GNSS Division No. 6, Pulivendula – Improvements and Providing Lining to GNSS Main Canal from km 0.000 to km 32.640 / 34.092 in YSR District – Reg.

Ref: Lr. No. EE / GNSS DVN – 6 / PLVD / Camp No. 1, Dated: 01.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Swell Pressure	06	2000/-	12000/-
	Total			**12000/-**
Rupees Twelve Thousand only				

Received with thanks from The Executive Engineer, GNSS Division No. 6, NAC Hostel Building, Pulivendula – 516390, YSR District., a sum of **Rs. 12,000/-** (Rupees Twelve Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/E301/Soil Properties/2208B6 Date: 27.06.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – Formation of Canal Embankment – Water Resources Department – GNSS Division No. 6, Pulivendula – Improvements and Providing Lining to GNSS Main Canal from km 0.000 to km 32.640 / 34.092 in YSR District – Reg.

Ref: Lr. No. EE / GNSS DVN – 6 / PLVD / Camp No. 1, Dated: 21.06.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	03	1000/-	3000/-
2.	Consistency Limits	03	800/-	2400/-
3.	California Bearing Ratio	03	2000/-	6000/-
	Total			**11400/-**
Rupees Eleven Thousand Four Hundred only				

Received with thanks from The Executive Engineer, GNSS Division No. 6, NAC Hostel Building, Pulivendula – 516390, YSR District., a sum of **Rs. 11,400/-** (Rupees Eleven Thousand Four Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Soil Properties/22207

Date: 18.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – WR Department – Formation if Nagaradona Reservoir near Nagaradona (V), Chippagiri (M), Kurnool Dt. – Reg.

Ref: Lr. No. EE / HLC (Loc) / ATP / DB / TO / ATO / NDR / No. 447M, Dated: 13.06.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	16	1000/-	16000/-
2.	Consistency Limits	16	800/-	12800/-
3.	Proctor Compaction	16	1000/-	16000/-
4.	Permeability	16	1000/-	16000/-
5.	Shear Strength Parameters	16	1000/-	16000/-
	Total			**76,800/-**
Rupees Seventy Six Thousand Eight Hundred only				

Received with thanks from The Executive Engineer, HLC (Loc) Davison, Ananthapuramu., a sum of **Rs. 76,800/-** (Rupees Seventy Six Thousand Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Bricks /22169

Date: 18.06.2022.

Bill for Testing Charges

Name of Work: Testing of Bricks – TTD Engg. Dept. - Construction of TTD Kalyanamandapam at Akepadu (V), Rajampeta (M) in YSR District – Reg.

Ref: Nil

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Red Bricks	06	100/-	600/-
2.	Water absorption of Red Bricks	03	100/-	300/-
	Total			**900/-**
Rupees Nine Hundred only				

Received with thanks from Deputy Executive Engineer (Kadapa), Endowment Department, Room No.14, T.T.D. Admin Bldg., K.T. Road, Tirupati, Y.S.R. (Dt.) a sum of Rs. 900/- (RupeesNine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD- An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/2208B17 **Date:02.07.2022**

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+2 structure Markaz (Fathima) Masjid Pulivendula Town –Conduct Bearing Capacity test –Reg.

Ref: Roc. No. A1/129/2020 Dated: 13.02.2021 of the District Collector, Chairman PADA Pulivendula

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2,000/-**
Rupees Two Thousand rupees only				

Received with thanks fromthe Sri Prabhakar Reddy, Executive Engineer, APSCRIC, Pulivendula Town.Asumof**Rs.2,000/-** (**Rupees Two Thousand rupees only**) towards the testing.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email :principal@ksrmce.ac.in
Web :www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Proctor Compaction/2208B16 Date: 13.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples - WR Department - Irrigation Sub Division - Badvel - Rehabilitation of Boyanapalli Cheruvu to Chinthamani Cheruvu, Uppu Cheruvu to Thummapalli Tank, Angamapalli Cheruvu to Mudumala Cheruvu, Kammavaripalli Cheruvu, Nagisettipalli Tank, Goderu Tank, Duvvur Tank, Tallapalli Tank in Kadapa District- Reg.

Ref: Lr. No. DEE / ISD / BDL / Camp. 1, Dated: 11.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Proctor Compaction	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from The Deputy Executive Engineer, Proddatur Sub Division, Badvel, YSR District., a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : rincipal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu
Accredited by NAAC of UGC
An ISO 21001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/2208B13

Date: 04.08.2022.

Bill for Testing Charges

Sub: Testing of Soil Sample – Soil Classification, OMC, MDD value of soil – 1. Formation of canal from SKD canal to Lomada Tank in Simhadripuram Mandal, YSR Kadapa (D), 2. Constrcution of site Office & Rest House at Paidipalem reservoir site in Simhadripuram Mandal & improvements to Chief Engineer's office , YSR Kadapa (D) – Reg.

Ref: DEE/GKLI/SD/3/KP/26M, Date: 01-08-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil classification	1	1,000/-	Rs. 1,000/-
2.	Compaction characteristics (OMC, MDD)	1	1,000/-	Rs. 1,000/-
	Total			**Rs. 2,000/-**
Rupees Two thousand rupees only				

Received with thanks from M A L Srinivas, DEE, GKLI Sub-division 5, Kondapuram, Kadapa district, a sum of **Rs. 2,000/-** (Rupees Two thousand rupees only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email:principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. COLLEGE OF ENGINEERING

UGC - AUTONOMOUS

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.
Kadapa, Andhra Pradesh, India– 516 003

KSNR

KSRM/CE/F301/2208B12

Date: 02.01.22

Bill for testing Charges

Name of the Work: Testing of M15, M 20, M25 and M30 Mix Design Samples – For R&B Section –III, Kadapa-Reconstruction of Minor Bridge@ Km 1/740 of Venkateswara Theatre to the Industrial Estate Via New Collector Office at Kadapa Town in YSR Dist.

Ref: Your Lr.No : Mixed Design/ AEEIII/2021-22 dt 02-02-2021.

oo0oo

S.No	Name of the test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Mix Designs M15, M 20, M25 and M30	04	8000/-	32,000=00
		Total		**32000.00**
Rupees Thirty Two Thousands only				

Received with thanks from C.Sree Hari, Assistant Executive Engineer, R&B Section-III, YSR Kadapa, a sum of **Rs. 32,000/-** (Rupees Thirty Two Thousand only) towards the testing charges

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/BC/2208B11

29.04.2022

Bill for Testing Charges

Name of Work: Formation of internal roads & CD works for IP-MSME-Tallapaka(V), Rajampeta(M),YSR District- Test of BC samples- Regarding

Ref: Lr. No. Nil, Dated:19-04-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Bitumen Extraction – BC	01	500/-	500/-
2.	Gradation Test – BC	01	1000/-	1000/-
	Total			**1500/-**
Rupees One Thousand and Five Hundred only				

Received with thanks from The Manager (E), APIIC LTD, KADAPA. a sum of **Rs. 1,500/-** (Rupees One Thousand and Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution

ESTD-1980

KSRM CE/F301/BM/2208B10

20.04.2022

Bill for Testing Charges

Name of Work: Formation of internal roads & CD works for IP-MSME-Tallapaka(V), Rajampeta(M), YSR District- Test of BM samples- Regarding

Ref: Lr. No. Nil, Dated:10-04-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Bitumen Extraction – BM	01	500/-	500/-
2.	Gradation Test – BM	01	1000/-	1000/-
	Total			**1500/-**
	Rupees One Thousand and Five Hundred only			

Received with thanks from The Manager (E), APIIC LTD, KADAPA. a sum of **Rs. 1,500/-** (Rupees One Thousand and Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu

Accredited by NAAC of UGC

An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/FBU/ Water/ 2208SS

Date: 11.07.2022

Bill for Testing Charges

Name of Work: Testing of Water Sample - Water Resources Department - GNSS Division No. 6, Pulivendula - Improvements and Providing Lining to GNSS Main Canal from km 0.000 to km 52.640 - 34.092 in YSR District - Reg.

Ref: Lr. No. 55 - GNSS DVN - 6 - PLVD - Camp No. 1, Dated: 01.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Water Sample	01	1500/-	1500/-
	Total			1500/-
	Rupees One Thousand Five Hundred only			

Received with thanks from The Executive Engineer, GNSS Division No. 6, NAC Hostel Building, Pulivendula - 516390, YSR District, a sum of Rs. 1,500/- (Rupees One Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.837/981

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/MIX DESIGN/22256

Date: 06.08.2022.

Bill for Testing Charges

Name of Work: Mix design for M15 - grade concrete, 40 MSA for Lining– Water Resources Department – GNSS Division No. 6, Pulivendula – Improvements and Providing Lining to GNSS Main Canal from km 0.000 to km 32.640 / 34.092 in YSR District – Reg.

Ref: Lr. No. EE / GNSS DVN – 6 / PLVD / Camp No. 1, Dated: 01.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Mix design for M15 grade concrete	1	8000/-	8000/-
	Total			**8,000/-**
	Rupees Eight Thousand only			

Received with thanks from The Executive Engineer, GNSS Division No. 6, NAC Hostel Building, Pulivendula., a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. COLLEGE OF ENGINEERING

UGC - AUTONOMOUS

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.
Kadapa, Andhra Pradesh, India– 516 003



KSRM/CE/F301/Mix Design & Steel/2208B5 Date: 26.03.2022

Bill for testing Charges

Name of the Work: Testing of M15, M 20 and M30 Mix Design Samples – For R&B Section of Orvakal, Reconstruction of Bridge @ Km 0/6 of Nannur –Chinnatekur-Nagalapuram-Gudur-C.Belagal-Yemmiganur Road in Kurnool dt.-Reg

Ref: Your Lr.No AEE/Mix Design/Orvakal/2020-21 Dated 07-03-2022.

-oo0oo-

S.No	Name of the test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Mix Designs M15, M 20 and M30	03	8000/-	24,000/-
2.	Steel – 8mm, 10mm, 12mm & 25mm dia	12	600/-	7,200/-
3.	Steel – Bend and Rebend	01	600/-	1,800/-
		Total		**33,000/-**
Rupees Thirty Three Thousand only				

Received with thanks from Sri K. Bhaskar, Assistant Executive Engineer, R&B Section, Orvakal, Kurnool Dist., a sum of **Rs. 33,000/-** (Rupees Thirty three thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22253

Date: 04.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Commercial Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated: 02.08.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	04	1000/-	4000/-
	Total			**4000/-**
	Rupees Four Thousand only			

Received with thanks from K.Nagendra Prasad, Survey No 582, 581/3 & 581/2, Devuni Kadapa.,a sum of **Rs. 4,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332291
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in
Run by Sri Bandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Bricks/2208B3

Date: 24.04.2022.

Bill for Testing Charges

Name of Work: Testing of Bricks-APMSIDC Division-Strength of 50-100 bedded CHC at Rajampeta , YSR District – Reg.

Ref: Lr No.-Nil, dated 23.04.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Bricks	06	100/-	600/-
2.	Water absorption of Bricks	03	100/-	300/-
	Total			**9,00/-**
	Rupees Nine Hundred only			

Received with thanks from Deputy Executive Engineer, APMSIDC Division, Rajampeta, Y.S.R. (Dt.) a sum of Rs. **9,00** /- (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332293 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantharamapuram

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Bricks/2208B4 Date: 24.04.2022.

Bill for Testing Charges

Name of Work: Testing of Bricks-APMSIDC Division-Strength of 30 bedded CHC at Siddavatam (M) , YSR District – Reg.

Ref: Lr No.-Nil, dated 23.04.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of Bricks	06	100/-	600/-
2.	Water absorption of Bricks	03	100/-	300/-
	Total			**9,00/-**
	Rupees Nine Hundred only			

Received with thanks from Deputy Executive Engineer, APMSIDC Division, Siddavatam (M) , Y.S.R. (Dt.) a sum of Rs. **9,00** /- (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332291 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved By AICTE New Delhi & Affiliated to JNTUA Anantapuramu

Accredited by NAAC of UGC

ESTD 1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22195 Date: 18.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Safe bearing capacity of soil – Construction of More Hyper. Survey no: 767/4, 767/5, Old Sairam Junior College, Near Y-junction, Kadapa –Reg.

Ref: xxxxxxx.

-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe bearing capacity	4	1,000/-	Rs. 4,000/-
	Total			**Rs. 4,000/-**
	Rupees Four thousand rupees only			

Received with thanks from K Sreenivasulu, Simhapuri Colony, Kadapa, a sum of **Rs. 4,000/-** (Rupees Four thousand rupees only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332291 Email : principal@ksrmce.ac.in

Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22250

Date: 01.08.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample - PESHI – Kadapa Municiapal Corporation – Manabadi – Naadu Nedu Phase – II -Construction of Additional Class rooms for MPL Primary School Madras Road (U) Girls, YSR District – Reg.

Ref: Lr. No. Roc No. 06/PESHI/2022/KM, dated 22.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
2.	Visiting Chargers	01	1500/-	1500/-
	Total			**2500/-**
Rupees Two Thousand and Five Hundred only				

Received with thanks from The Parents committee MPL Primary School (U) Girls, Madras Road, YSR Kadapa., a sum of Rs. 2,500/- (Rupees Two Thousand and Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

Scanned by PDF Scanner

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22249

Date: 02.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+3 Structure, Kadapa – Reg.

Ref: Lr. No NIL, Dated: 30.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from Smart Constructions, D.No 21/607-1, Near Old Rims Circle, Kadapa.,a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Email :
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in
Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

Scanned by PDF Scanner

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22246 Date: 30.07.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample - PESHI – Kadapa Municipal Corporation – Manabadi – Nandu Nedu Phase – II -Construction of Additional Class rooms for MPL High School SALENAGAIAH, Near Chilakala Bavi, YSR District – Reg.

Ref: Lr. No. Roc No. 06/PESHI/2022/KM, dated 22.07.2022

-ooOoo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
2.	Visiting Chargers	01	1500/-	1500/-
	Total			2500/-
Rupees Two Thousand and Five Hundred only				

Received with thanks from The Parents committee, MPL High school, SALENAGAIAH, Near Chilakala Bavi, YSR Kadapa., a sum of Rs. 2,500/- (Rupees Two Thousand and Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

Scanned by PDF Scanner

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes/22242

Date: 29.07.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-30 concrete for slab – Reg.

Ref: Lr. No. NIL, Dated: 25.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Dalmia Cement (B) Ltd, Chinna Komerla – Village, Near Jammalamadugu, YSR Kadapa., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Regd. Sri KandulaObul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 &9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/ CC Cubes & Bricks/22241

Date: 24.07.2022

Bill for Testing Charges

Sub: Testing of CC Cubes – Reg.

Ref: Lr. No. NIL, Dated: 23.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred fifty rupees only				

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in
Web : www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 &9001 : 2015 Certified Institution

KSRM/CE/F301/ CC Cubes & Bricks/22240 Date: 22.07.2022

Bill for Testing Charges

Sub: Testing of CC Cubes – Reg.

Ref: Lr. No. NIL, Dated: 21.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred fifty rupees only				

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

STD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/NDT/22231

Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Kadapa Municipality- Construction of additional class rooms for MCPS 17TH WARD HB STREET in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness tests and furnish the accurate results - Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The Headmistress, MCPS 17TH WARD HB STREET, Kadapa Municipality, a sum of Rs. 6,500/- (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in

Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/NDT/22230

Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Kadapa Municipality Construction of additional class rooms for MPL PS INDRA NAGAR in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness Test - Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The Head Master, MPL PS INDRA NAGAR, Kadapa Municipality, a sum of **Rs. 6,500/-** (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/Mix Design, steel& SBC/2208B9

Date: 10.05.2022

Bill for Testing Charges

Name of Work: Conduct of material testing for M30 Mix Design – Construction of 20KL OHSR tank near Gramasachivalyam at Velpula village in Vemula Mandal, Pulivendula in YSR District - Reg.

Ref: LrNo. NIL, Dated: NIL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Mix Design	01	8000/-	8,000/-
2.	Steel – 8mm,10mm, 12mm & 16mm	04	600/-	7,200/-
3.	SBC	01	1000/-	1,000/-
	Total			**16,200/-**
Rupees Fifteen Thousand and Two hundred only				

Received with thanks from The Deputy Executive Engineer, RWS & S Division, Pulivendula, a sum of **Rs. 16,200/-** (Rupees Sixteen Thousand and Two Hundred only) towards the designated testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-

KSRM/CE/F301/SBC/22271

Date: 25.08.2022

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of Production block in Plot No: 10, YSRJMIP, APIIC, Ambavaram (V), Vallur (M) and YSR District–Reg.

Ref: Lr. No: Nil, Dated 22.08.2022

-00000-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	05	1000/-	5000/-
	Total			**5000/-**
Rupees Five Thousand only				

Received with thanks from Mr. Maartan Fine Chem Pvt. LTD, Plot No: 10, YSRJMIP, APIIC, Kopparthy, Ambavaram (v), Vallur (M) and YSR Kadapa District. A sum of **Rs.5,000/-** (Rupees Five Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Email :principal@ksrmce.ac.in
Web :www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001:2004 & 9001:2015 Certified Institution

KSRM/CE/F301/Bill/22267

Date:16.08.2022.

Bill for Testing Charges

Name of the work: M20 Mix Design – Construction of Community Health Centre – Porumamilla Govt. Hospital, Porumamilla in YSR District - Reg.

Ref: LrNo. NIL, Dated NIL.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M20 Mix Design	01	8000/-	8,000/-
2.	Steel Samples (Kamadhenu)	05	1800/-	9,000/-
3.	Water Sample (Construction)	01	1500/-	1,500/-
	Total			**18,500/-**
Rupees Seventeen Thousand only				

Received with thanks from The Executive Engineer, APMSIDC, Porumamilla, a sum of **Rs.18,500/-** (Rupees Eighteen Thousand Five Hundred Rupees only) towards the designated testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K.DINNE (M), KADAPA-516005(A.P.)
Phone: 9000332294
Email: principal@ksrmce.ac.in
Email:
Web: www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22264 Date: 18.08.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample –Construction of Additional Class Rooms under Nadu Nedu Scheme (Phase -2) at Municipal HighSchool at Proddatur Municipality, Proddatur– Reg.

Ref: Lr. No.Nil, dated 08.08.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from The Head Master, Municipal High School, Nadimpalli, Proddatur Municipality, Proddatur., a sum of Rs. 2,000/- (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/MIX DESIGN/ 22260 Date: 12/08/2022

Bill for Testing Charges

Name of Work: Design of M30 Mix requesting regarding.

Ref: Lr No. Client Letter, Dated: 23.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M30 Design Mix	01	8000/-	8000/-
	Total			**8,000/-**
Rupees Eight Thousand only				

Received with thanks from The Spectrum Engineering Consultancy Kadapa., a sum of **Rs. 8,000/-** (Rupees Eight Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M.CollegeofEngineering
(AUTONOMOUS)
ApprovedbyAICTE,NewDelhi&AffiliatedtoJNTUA,Ananthapuramu
AccreditedbyNAACofUGC
AnISO14001:2004& 9001:2015CertifiedInstitution
ESTD-1980

Date:12.08.2022.

KSRM/CE/F301/SBC/22259

Bill for Testing Charges

Name of the work: Testing of Soil Sample– Safe bearing capacity of soil –Construction of two class rooms, MPP Santhinagar Kadapa, YSR District– Reg.

Ref: ----. Dt: 09-08-2022

S.No.	NameoftheTest	No. of Samples	Rate(Rs.)	Amount(Rs.)
1	Safe bearing capacity of soil	1	1,000/-	Rs. 1000/-
2	Field visit charges	1	1,500/-	Rs. 1,500/-
	Total			**Rs. 2,500/-**
	Rupees Two thousand five hundred rupees only			

Received with thanks from Principal, MPP school, Santhi nagar, Kadapa a sum of **Rs. 2,500/-** (Rupees Two thousand five hundred rupees only) towards the testingcharges.

Yourstruly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22258 Date: 10.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+3 Building, Kadapa – Reg.

Ref: Lr. No NIL, Dated: 04.08.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from D.Madhavi, D.S.R Oil Mills, Nabikota Sivalayam, Kadapa.,a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 &9001: 2015 Certified Institution
ESTD-

KSRM/CE/F301/SBC/22257

Date: 10.08.2022

Bill for Testing Charges

Sub: Testing of Soil Sample – Bearing Capacity- Construction of New Additional class room at Bayanapalli Z.P.HS H/O Obanapalli of kodur Mandal in Annamayya District under Manabadi Nadu Nedu Programme, Annamayya District–Reg.

Ref: Work sanctioned under Manabadi Nadu Nedu Programme phase II by Govt. of Andhra Pradesh. Lr.No.JTO/Kodur/MBNN/2022 Dated.01-08-2022.

-ooooo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from Sri A.Sivarudra Goud, Deputy Executive Engineer, R.W.S. & S Kodur and Annamayya District. A sum of **Rs.1,000/-** (Rupees one Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22254 Date: 04.08.2022.

Testing Report

Name of Work: Testing of Soil Samples – Bearing Capacity – Proddatur Municipality – Construction of Municipal Primary School Building in Zinna Road, Dastagiripeta, 18th Election Ward under Nadu Nedu Scheme (Phase-2), in Proddatur Municipality, Proddatur, YSR District – Reg.

Ref: Lr. No. NIL, Dated: 29.07.2022.

-oo0oo-

Result: Soil Sample

S. No	Description	Result			Reference
		Sample 1	Sample 2	Sample 3	
01	Depth (D_f)	5.00 Feet	3.00 Feet	5.00 Feet	IS: 6403 - 1981
02	Unit Weight of the Soil (γ)	1.72 t/m^3	2.00 t/m^3	2.07 t/m^3	
03	Cohesion (c)	0.20 t/m^2	5.40 t/m^2	5.80 t/m^2	
04	Angle of Internal Friction (φ)	31°	10°	10°	
05	Safe Bearing Capacity (SBC)	13 t/m^2	11 t/m^2	15 t/m^2	

Note: Water table effect is considered. **Failure criterion**: **Local shear failure case** is considered. Safe Bearing Capacity values shown are only computed based on c and φ values which are determined for the core samples supplied by the party concerned. However, Safe Bearing Capacity of soil depends on boundary conditions, occurrence and extent of soil strata, foundation geometry and loading conditions. The depth of the foundations is taken as per the depth specified by the party concerned.

Staff In-Charge

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA-516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22255 Date: 04.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity – Construction of Residential Building (G + 3) in bearing D. No: D. No: 3 / 357, Sunnapuvaari Veedhi, YMR Colony, Proddatur. in YSR District – Reg.

Ref: Lr. No. NIL, Dated: 01.08.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from Singamreddy Krishna Kishore Reddy, D. No: 3 / 357, Sunnapuvaari Veedhi, YMR Colony, Proddatur, YSR District., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22254

Date: 04.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – Bearing Capacity – Proddatur Municipality – Construction of Municipal Primary School Building in Zinna Road, Dastagiripeta, 18th Election Ward under Nadu Nedu Scheme (Phase-2), in Proddatur Municipality, Proddatur, YSR District – Reg.

Ref: Lr. No. NIL, Dated: 29.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
Rupees Three Thousand only				

Received with thanks from The Head Master, Municipal Primary School, Dasthagiripet, Proddatur Municipality, Proddatur. YSR District., a sum of **Rs. 3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22238 Date: 30.07.2022.

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Soil classification, Liquid limit, plastic limit, Compaction characteristics of soil –APIIC Road works (Startup roads), Kopparthy, Kadapa, YSR District – Reg.

Ref: ----. Dt: 26-07-2022

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Soil classification	1	1,000/-	Rs. 1000/-
2	Liquid limit and plastic limit	1	8,00/-	Rs. 800/-
3	CBR	1	2,000/-	Rs. 2000/-
	Total			**Rs. 3,800/-**
Rupees Three thousand Eight hundred rupees only				

Received with thanks from M/s Sri Venkateswara Constructions, Kadapa a sum of **Rs. 3,800/-** (Rupees Three thousand Eight hundred rupees only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Email: principal@ksrmce.ac.in
Web: www.ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/NDT/22232

Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Kadapa Municipality Construction of additional class rooms for GOVT PS GGHS CAMPUS in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness test - Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The Headmistress, GOVT PS GGHS CAMPUS, Kadapa Municipality, a sum of Rs. 6,500/- (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA-516003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22274 Date: 26.08.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity – Construction of Residential Apartment Building (G + 5) at Plot No 66, SY. No. 675/1, Reddy Colony, Chinna Chowk (v), YSR District – Reg.

Ref: Lr. No. NIL, Dated: 23.08.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
Rupees Three Thousand only				

Received with thanks from M/s M K Reddy Infra Projects Limited, Plot No. 66, Reddy Colony, YSR Kadapa, a sum of **Rs. 3,000/-** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22227

Date: 26.08.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample - PESHI – Kadapa Municiapal Corporation – Manabadi – Naadu Nedu Phase – II -Construction of Additional Class rooms for MPL PS 1st Ward APHB Colony, YSR District – Reg.

Ref: Lr. No. Roc No. 06/PESHI/2022/KM, dated 22.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand and Five Hundred only				

Received with thanks from The Head Teacher, MPL PS 1st Ward APHB Colony, Kadapa Municipality, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/NDT/22220

Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Kadapa Municipality Construction of additional class rooms for Municipal High School Main in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness test - Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The HeadMaster, Municipal High School Main (MADRAS ROAD), Kadapa Municipality, a sum of Rs. 6,500/- (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD00000
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22219

Date: 22.08.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample - PESHI – Kadapa Municiapal Corporation – Manabadi – Naadu Nedu Phase – II -Construction of Additional Class rooms for MPPS Kondayapalli, Chinna Chowk, YSR District – Reg.

Ref: Lr. No. Roc No. 06/PESHI/2022/KM, dated 22.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
2.	Visiting Charges	01	1500/-	1500/-
	Total			**2500/-**
	Rupees Two Thousand and Five Hundred only			

Received with thanks from The Head Master, MPPS Kondayapalli, Kadapa Muncipality, YSR Kadapa, a sum of **Rs. 2,500/-** (Rupees Two Thousand and Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/NDT/22227

Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Kadapa Municipality Construction of additional class rooms for MPL PS 1ST WARD APHB COLONY in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness test - Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The Head Master, MPL PS 1ST WARD APHB COLONY, Kadapa Municipality, a sum of Rs. 6,500/- (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/NDT/22218

Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Kadapa Municipality Construction of additional class rooms for APSWRS GIRLS CHINNA CHOWK in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness Test - Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The Principal, APSWRS GIRLS CHINNA CHOWK, Kadapa Municipality, a sum of Rs. 6,500/- (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

An ISO 14001: 2004 & 9001: 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/NDT/22217

Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Kadapa Municipality Construction of additional class rooms for MPPS SANTHI NAGAR in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness Test - Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The Head Master, MPPS SANTHI NAGAR, Kadapa Municipality, a sum of **Rs. 6,500/-** (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/NDT/22216

Date: 28.07.2022.

Bill for Testing Charges

Name of Work: Testing of NDT for Building – Kadapa Municipality Construction of additional class rooms for MPUPS SIDDIQNAGAR in Kadapa under Manabadi Nadu Nedu of Phase-II – Conduct Soundness test- Requested - Regarding.

Ref: Roc.No.06/PESHI/2022/KMC, Dt: 22-07-2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of building	1	5000/-	5000/-
2.	Site Visiting Charges	1	1500/-	1500/-
	Total			6,500/-
Rupees Six Thousand Five Hundred only				

Received with thanks from The Head Master, MPUPS SIDDIQNAGAR, Kadapa Municipality, a sum of Rs. 6,500/- (Rupees Six Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC & Aggregate/22215 Date: 19.07.2022.

Bill for Testing Charges

Name of Work: Testing of soil sample - Construction of Additional Class rooms under Mana Badi Nadu Nedu at ZPH School Tallaproddatur, Kondapuram Mandal, YSR District – Reg.

Ref: Lr. No. Nil dated 14.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
2.	Elongation & Flakiness Index – 40 mm & 20mm	02	300/-	600/-
3.	Aggregate Impact Test – 40mm & 20mm	02	300/-	600/-
4.	Sieve analysis	01	500/-	500/-
5.	Silt content	01	500/-	500/-
	Total			**3200/-**
Rupees Three Thousand and Two hundred only				

Received with thanks from The Head Master, Z P H S Tallaproddatur, Kondapuram (M), YSR Kadapa., a sum of Rs. 3.200/- (Rupees Three Thousand and Two Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA-516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22214

Date: 22.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Samples – Bearing Capacity – Construction of Residential Apartment (G + 5) Building in bearing Sy. Nos.: 591 / 11, 591 / 12, 591 / 13 & 589 / 10, Telecom Nagar, Kadapa in YSR District – Reg.

Ref: Lr. No. NIL, Dated: 18.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	03	1000/-	3000/-
	Total			**3000/-**
	Rupees Three Thousand only			

Received with thanks from M/s. MK Reddy Infra Pvt. Ltd., #4/163, Buchi Reppy Palem, Badvel. YSR District., a sum of **Rs. 3,000/-** (Rupees Three housand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in
Email :
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 AnISO14001:2004& 9001:2015CertifiedInstitution

KSRM/CE/F301/Water/22213

Date:21.07.2022.

Bill for Testing Charges

Name of the work: Testing of Water samples - Submission of Test Reports - Reg.,

-oo0oo-

Bill

S. No.	Name of the Test	Rate (Rupees)	No. Of Samples
1.	Water Testing - Construction	1500.00/-	01
Total Amount			1500.00/-
Rupees One Thousand Five Hundred only			
Received with thanks from B.Amarnath Reddy, Gauthama Budda Township, , Kadapa, a sum of Rs. 1,500 /- (Rupees One Thousand and Five Hundreds only) towards the testing charges.			

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/SBC/22212 Date: 21.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity- Construction of G+5 Building, Near Railway station, Kadapa – Reg.

Ref: Lr. No NIL, Dated 14.07.2022

-ooOoo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees Five Thousand only				

Received with thanks from Juturu Prasad, Survey No 91, Near Railway Station, Kadapa., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email :
principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22212 Date: 19.07.2022

Bill for Testing Charges

Name of Work: Testing of soil sample - Construction of Additional Class rooms under Mana Badi Nadu Nedu at ZPH School Tallaproddatur, Kondapuram Mandal, YSR District – Reg.

Ref: Lr. No. Nil dated 14.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
2.	Elongation & Flakiness Index – 40 mm & 20mm	02	300/-	600/-
3.	Aggregate Impact Test – 40mm & 20mm	02	300/-	600/-
4.	Sieve analysis	01	500/-	500/-
5.	Silt content	01	500/-	500/-
	Total			**3200/-**
Rupees Three Thousand and Two hundred only				

Received with thanks from The Head Master, Z P H S Tallaproddatur, Kondapuram (M), YSR Kadapa., a sum of Rs. 3.200/- (Rupees Three Thousand and Two Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/22209 Date: 18.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Constrcution of commercial Building G+2 floors at Pulivendula Patha Busstand, Puliendula, Kadapa Dist.- Reg.

Ref: Lr. No. Nil dated 14.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from Sri Shaik Mohammed Arief, Door No: 3-401, Main Road, Pulivendula, YSR Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Core Cutting /22208 Date: 18.07.2022

Bill for Testing Charges

Name of Work: Testing of Core Cutting Sample – Construction of Weigh Bridge at underground Tummalapalle Mine Project, **ConcreteM15 Grade Core sample- Reg**

Ref: SMSL/TMPL/URANIUM/2022/759, Dated13.07.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Core Cutting Sample	03	700/-	2100/-
	Total			**2100/-**
Rupees Two Thousand one hundred only				

Received with thanks from Advisor (Mining), SMSL – TMPL, Vemula, Kadapa a sum of **Rs. 2100/-** (Rupees Two Thousand one Hundred rupees only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/NDT/22206 Date: 16.07.2022

Bill for Testing Charges

Name of Work: Requesting for Structural Soundness Certificate for Municipal Primary School, 1st ward, Bollavaram, Proddatur – Reg.

Ref: Client Letter, Dated: 14.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of Municipal Primary School, 1st ward, Bollavaram	1	5000/-	5000/-
	Site Visiting Charges	1	2000/-	2000/-
	Total			**7,000/-**
Rupees Seven Thousand only				

Received with thanks from The K. K. Vijaya Kumar, Head Mater, Municipal Primary School, 1st ward, Bollavaram, Proddatur, a sum of **Rs. 7,000/-** (Rupees Seven Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Department of Civil Engg.
K.S.R.M. College of Engg.
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/NDT/22205 Date: 16.07.2022

Bill for Testing Charges

Name of Work: Requesting for Structural Soundness Certificate for Govt. Girls High School, 20th ward, Rajabhata street, Proddatur – Reg.

Ref: Client Letter, Dated: 14.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of Govt. Girls High School, 20th ward, Rajabhata street	1	5000/-	5000/-
	Site Visiting Charges	1	2000/-	2000/-
	Total			**7,000/-**
Rupees Seven Thousand only				

Received with thanks from The R. S. R. Siva Jyothi, Head Mater, Govt. Girls High School, 20th ward, Rajabhata street, Proddatur, a sum of **Rs. 7,000/-** (Rupees Seven Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 005 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/NDT/22203

Date: 16.07.2022

Bill for Testing Charges

Name of Work: Requesting for Structural Soundness Certificate for Mpl. Urdu High School, Kothakottala, Proddatur – Reg.

Ref: Client Letter, Dated: 13.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	NDT testing of Mpl. Urdu High School, Kothakottala	1	5000/-	5000/-
	Site Visiting Charges	1	2000/-	2000/-
	Total			**7,000/-**
Rupees Seven Thousand only				

Received with thanks from The C. Obulesu, Head Master, Mpl. Urdu High School, Kothakottala, Proddatur, a sum of **Rs. 7,000/-** (Rupees Seven Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22194 Date: 08.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity – Construction of Common Bio Medical Waste Water Treatment Facilities (CBWTFs) at Kopparthy, YSR District – Reg.

Ref: Lr. No. NIL, Dated: 06.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from M/s. M/s. Rayalaseema Environ Care, D.N0. 42/59-9, Jaya Nagar colony, NGO colony, Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Aggregate/ 22189

Date: 08-07-2022

Bill for Testing Charges

Name of Work: APIIC-Kadapa-Construction of Approach Road from NH-67 to Industrial Park, Gopavaram- Test of aggregate Samples-Report Enclosed-Regarding.

Ref: Lr. No: DZM€/APIIC/KDP/Road/Gopavaram/2022-23 Dated:01-07-2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Aggregate Impact Value	02	500/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from The Deputy Zonal Manager, APIIC Ltd., Kadapa, a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

P. Rajasekhar Kumar
HEAD I/C

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001: 2004 & 9001: 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC/22185

Date: 30.06.2022

Bill for Testing Charges

Name of Work: Testing of soil sample - Construction of Additional Class rooms under MBNN –II at Z P G H School Rajampet, Rajampet Mandal, Annamaiah District – Reg.

Ref: Lr. No.: Nil Dated:25.06.2022..

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity	03	1000/-	3000/-
2.	Visiting Charges	01	2000/-	2000/-
	Total			**5,000/-**

Rupees Five Thousand only

Received with thanks from The Chairman, Parents Committee, Z P G H School Rajampet, Rajampet Mandal, Annamaiah Dt., a sum of **Rs. 5,000/-** (Rupees Five Thousand only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in
Web: www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/Soil Properties/22187 Date: 30.06.2022

Bill for Testing Charges

Name of Work: Testing of soil sample - Construction of Gravel Roads from Peddajuturu to Yeddula Yeni (V) of Peddajuturu (V&GP) of Vemula (M), YSR Kadapa District – Reg.

Ref: Lr. No.: Nil Dated:02.2.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Sieve Analysis	02	1000/-	2000/-
2.	Safe Bearing Capacity	02	1000/-	2000/-
	Total			**4,000/-**

Rupees Four Thousand only

Received with thanks from Naga Sreenuvauslu, Patchipulusu Sarees Centre, Main Road, Rajampeta, YSR Kadapa, a sum of **Rs. 4,000/-** (Rupees Four Thousand only) towards the design and testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

KSRM/CE/F301/CC Cubes/22179 Date: 28.05.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-25 concrete for Columns- Reg.

Ref: Lr. No. NIL, Dated: 27.06.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Sri K. Nagaraja- AGM, NSL Textiles Ltd., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu (Govt. of A.P.) Recognized by UGC under 2(f) & 12(B) Accredited by NBA & NAAC with 'A' Grade
KSRM College of Engineering (Autonomous), Kadapa-516005 (A.P.), India
Phone: 08562-245433, 245434, 245435, Fax: 08562-245433
Email: principal@ksrmce.ac.in, Website: www.ksrmce.ac.in
Permanent Affiliation No. 1-5010/1/2019-Aff.Desk(Engg.)-VOL-II(Pt-I)(E-Mail/Mail/Mail) Dated 30-07-2019

KSRM/CE/F301/ CC Cubes/22179

Date: 28.06.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-20 concrete for Footing– Reg.

Ref: Lr. No. NIL, Dated: 27.06.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
Rupees Four Hundred and Fifty Rupees only				

Received with thanks from Sri K. Nagaraja- AGM, NSL Textiles Ltd., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

KSRM, CE, F301/ CC Cubes/22179

Date: 28.06.2022

Bill for Testing Charges

Sub: Testing of CC Cubes for M-25 concrete for Columns– Reg.

Ref: Ref: Lr. No. NIL, Dated: 27.06.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Compressive Strength of CC Cubes	03	150/-	450/-
	Total			**450/-**
	Rupees Four Hundred and Fifty Rupees only			

Received with thanks from Sri K. Nagaraja- AGM, NSL Textiles Ltd., a sum of **Rs. 450/-** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/SBC & Water/22176

Date: 21.06.2022.

Bill for Testing Charges

Name of Work: Testing of Soil & Water Samples – Construction of Hospital Building (Stilt + G + 3) in bearing D. No.: 1/440-2, Road No. 01, Maruthi Nagar, Kadapa in YSR District – Reg.

Ref: Lr. No. NIL, Dated: 17.06.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	02	1000/-	2000/-
2.	Water Sample	01	1500/-	1500/-
	Total			**3500/-**
	Rupees Three Thousand Five Hundred only			

Received with thanks from Dr. A. Suresh Babu, D. No: 1/440-2, Road No. 01, Maruthi Nagar, Kadapa., a sum of **Rs. 3,500/-** (Rupees Three Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD F/C
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/E301/Soil Properties/2208B2

Date: 23.09.2021

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Thondur Mandal – Works – Formation of Approach Roads with Gravel Surface under MGNREGS in Convergence with PRED at Location Thondur Velugu Office to near way in Agadur (H) of Agadur (GP) of Thondur (M) – YSR District – Reg.

Ref: Lr. No. 04, Thondur Mandal / MGNREGS / Sub-Base Gravel Test, Dated: 19.09.2021.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	01	1000/-	1000/-
2.	Proctor Compaction	01	1000/-	1000/-
	Total			**2000/-**
Rupees Two Thousand only				

Received with thanks from The Mandal Engineering Officer, Mandal Praja Parishad, Thondur. YSR District., a sum of **Rs. 2,000/-** (Rupees Two Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[

K.S.R.M. College of Engineering

(AUTONOMOUS)

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu

Accredited by NAAC of UGC

ESTD-1980 An ISO 14001: 2004 &9001: 2015 Certified Institution

KSRM/CE/F301/Mix Design & Steel/2207B6 Date: 25.07.2022

Bill for Testing Charges

Name of Work: Conduct of testing for M20 Mix Design – RWS&S – District Mineral Fund grant – providing open CC drain from Govindaswamy Temple to Poleramma temple at Somireddypalli GP of B. Mattam mandal in YSR District - Reg.

Ref: LrNo. AEE/DMF/CC Drain/B.Mattam/2022, Dated 18.05.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	M20 Mix Design	01	8000/-	8,000/-
2.	Steel – 10 & 12mm	02	1800/-	3600/-
	Total			**11,600/-**
Rupees Eleven Thousand and Six Hundred only				

Received with thanks from The Deputy Executive Engineer, RWS & S, Sub-Division, Mydukur, a sum of **Rs.11,000/-** (Rupees Eleven Thousand and Six Hundred only) towards the designated testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone: 9000332294
Web: www.ksrmce.ac.in
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Soil Compaction/2208B1 Date: 11.02.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample for MDD &OMC - Providing BT Road from Yerripalli to Chintala Juturu of Pulivendula Mandal in YSR District under APRRP EAP Grant – package 57 – Reg

Ref: Lr. No. APRRP/EAP/ Pulivendula/Package -57, Dated:29.01.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Compaction	01	1000/-	1000/-
Rupees One Thousand only				

Received with thanks from The Deputy Executive Engineer, PRI Sub Division, Pulivendula, YSR Kadapa. a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/SBC/2207B4 Date: 05.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Bearing Capacity –Widening and strengthening of single lane to double lane rom Km 0/0 to 3/450 of chinnamachupalli – Pushapagiri raod in YSR District – High level Bridge at Km 5/2-4 – Bridge foundations. – Reg.

Ref: Lr. No. SBC/ KDMD-006/AEE(R&B)/2022-23, Dated: 02.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	04	1000/-	4000/-
	Total			**4000/-**
Rupees Four Thousand only				

Received with thanks from Sri R. Giridhar, B.Tech, Assistnat Executive Engineer, (R&B) Section- II, Kadapa., a sum of **Rs. 4,000/-** (Rupees Four Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/2207B5 Date: 15.07.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample - Bearing Capacity -Widening and strengthening of single lane to double lane rom Km 0/0 to 3/450 of chinnamachupalli - Pushapagiri raod in YSR District - High level Bridge at Km 5/2-4 - Bridge foundations. - Reg.

Ref: Lr. No. SBC/ KDMD-006/AEE(R&B)/2022-23, Dated: 12.07.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Safe Bearing Capacity of Soil	01	1000/-	1000/-
	Total			**1000/-**
Rupees One Thousand only				

Received with thanks from Sri R. Giridhar, B.Tech, Assistnat Executive Engineer, (R&B) Section- II, Kadapa., a sum of **Rs. 1,000/-** (Rupees One Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : principal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

ESTD-1980

KSRM/CE/F301/Soil Properties, GSB & WMM/2207B3 Date: 10.03.2022.

Bill for Testing Charges

Name of Work: Testing of Soil Sample for Embankment– Providing BT Road from Kuppalpalli to Nandipalli of Vempalli Mandal in YSR District under PADA Grant – Reg.

Ref: Lr. No. Pulivendula/PADA/KUPPALAPALLI –NANDIPALLI, Dated:24.02.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	01	1000/-	1000/-
2.	Atterberg limits	01	800/-	800/-
3.	California Bearing Ratio	01	2000/-	2000/-
4.	Granular Sub Base (GSB)	01	8000/-	8000/-
5.	Wet Mix Mecadam (WMM)	01	8000/-	8000/-
	Total			**19,800/-**
Rupees Nineteen Thousand and Eight Hundred only				

Received with thanks from Shaik. Rahamthulla, Assistant Engineer, PIU Sub Division, Pulivendula, YSR Kadapa. a sum of **Rs. 19,800/-** (Rupees Nineteen Thousand and Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering

(AUTONOMOUS)

[illegible]

[illegible]

[illegible]

KSRM/CE/F301/SBC/220606 Date: 26.12.202[illegible]

Bill for Testing Charges

Name of the work: Testing of six Sample - Soil classification, Liquid limit, plastic limit, Compaction, Bacteriotics of soil - Excavation of Gangadevipalli Minor [illegible] 0.4 of 20 minor [illegible] 500 of Thondur Z Major including CM & CD works in Thondur Mandal of YSR District - Reg.

Ref: Lr No. DEE/GKLI Sub Division No-5/Kondapuram Camp 1 Dt. 20.12.2021

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Soil classification	3	1,000/-	Rs. 3000/-
2	Liquid Limit and plastic limit	3	800/-	Rs. 2400/-
3	Compaction characteristics of soil	3	1,000/-	Rs. 3,000/-
	Total			**Rs. 8,400/-**

Rupees Eight thousand four hundred rupees only

Received with thanks from Deputy Executive Engineer, GKLI Sub Division No-5, Kondapuram a sum of **Rs. 8,400/-** (Rupees Eight thousand four hundred rupees only) towards the testing charges.

Yours truly

[illegible]

[illegible]

HEAD

[illegible]

[illegible] Civil Engineering

[illegible] Engineering

(Autonomous)

KADAPA - 516 003 (A.P.)

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu
Accredited by NAAC with 'A' Grade
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/Soil Properties/2206[illegible] Date: 11.02.2022

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Soil Classification of soil for the work – Construction of side walls and providing CC Bed Lining for Kothapalli (Iavanur) major from km 0.00 to km 1.500 near chavvaipalli (V) in simhadripuram Mandal of YSR District – Reg.

Ref: Lr. No: DEE/GKLI Sub Division No.5/Kondapuram_camp 1, Dated: 07.02.2022

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Soil Classification	03	1000/-	3000/-
	Total			**3000/-**

Rupees **ThreeThousand** only

Received with thanks from M.A.L Srinivas,Deputy Executive Engineer, GKLI Sub Division No-5, Kondapuram.,a sum of **Rs. 3,000/-** (Rupees Eight Thousand Four Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294 Email : rincipal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001: 2004 & 9001: 2015 Certified Institution

KSRM/CE/F301/SBC/2206B5

Date: 14.05.2022.

Bill for Testing Charges

Name of the work: Testing of Soil Sample – Soil classification, Liquid limit, plastic limit, Compaction characteristics of soil –GKLI – Balance work of Distributory system under GKLI Scheme – Reg.

Ref: Lr No: DEE/GKLI Sub Division No-5/Kondapuram Camp 1. Dt: 09-05-2022-oo0oo-

S. No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1	Soil classification	3	1,000/-	Rs. 3000/-
2	Liquid limit and plastic limit	3	8,00/-	Rs. 2400/-
3	Compaction characteristics of soil	3	1,000/-	Rs. 3,000/-
	Total			**Rs. 8,400/-**
Rupees Eight thousand four hundred rupees only				

Received with thanks from Deputy Executive Engineer, GKLI Sub Division No-5, Kondapuram a sum of **Rs. 8,400/-** (Rupees Eight thousand four hundred rupees only) towards the testing charges.

Yours truly,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone: 9000332294
Email: principal@ksrmce.ac.in
Email: office@ksrmce.ac.in
Web: www.ksrmce.ac.in

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
An ISO 14001 : 2004 & 9001 : 2015 Certified Institution
ESTD-1980

KSRM/CE/F301/Soil Properties/2207B2 Date: 06.06.2022

Bill for Testing Charges

Name of Work: Testing of Soil Sample – Minor Irrigation – Restoration of Erra Vanka Kunta near Bhumayyagaripalli(V), H/o Meedipentla (V) in Vemula (M) of YSR District – Reg

Ref: Lr. No. 21[M], Dated: 01.06.2022.

-oo0oo-

S.No.	Name of the Test	No. of Samples	Rate (Rs.)	Amount (Rs.)
1.	Soil Classification	02	1000/-	2000/-
2.	Proctor Compaction	02	1000/-	2000/-
	Total			**4000/-**

Rupees Four Thousand only

Received with thanks from Deputy Executive Engineer, DPAP(I) Sub Division, Pulivendula, YSR Kadapa. a sum of **Rs. 4,000/-** (Rupees Four Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)

Phone : 9000332294
Web : www.ksrmce.ac.in
Email : rincipal@ksrmce.ac.in
Email : office@ksrmce.ac.in

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

31-12-2022

1. Owner Name: F6 Architect, Hyderabad.
2. Mobile No: 9849599766.
3. E-Mail ID:
4. Survey No: APCOB, Near PF office, KADAPA.
5. Door No:.
6. Location / Area: RS Road, KADAPA.
7. Depth of sample Collection / Foundation Depth: 8'0" to 10'0".
8. No. of Floors: G+2.

Paid Amount. 1000/-

Scan

V.

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

30-12-2022

1. Owner Name: Dr. Y. Prasad Babu
2. Mobile No: 8142537393,
3. E-Mail ID:
4. Survey No: 545/B
5. Door No:.
6. Location / Area: Jandrapalli ~~Dou Tap~~ Dauppe palli
7. Depth of sample Collection / Foundation Depth: Lakkireddy palli (M) Annamayya (D)
8. No. of Floors: G+1
9. Commercial / Residential / School / College / Hospital Building:
10. Address:

Depth - 5

Amount paid - 3000/-

dhanvinarayanahospital@gmail.com V.

10-12-2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: K. Sirish
2. Mobile No: 9440521255
3. E-Mail ID:
4. Survey No: 2200/1
5. Door No:.
6. Location / Area: Ramsar Samudhram, Poramimilla
7. Depth of sample Collection / Foundation Depth: ~~Depth 7~~ Depth - 7
8. No. of Floors:
9. Commercial / Residential / School / College / Hospital Building: 1000/-
10. Address: Paid

TO/KN 22392

V. [illegible]

కడప ఇస్లామిక్ వెల్ఫేర్ సొసైటీ الجمعية الخيرية الاسلامية بكدبه

CUDDAPAH ISLAMIC WELFARE SOCIETY ®

Ref. Date : 06/12/2022

From

The President,
Cuddapah Islamic Welfare Society,
Kadapa.

To

The HOD,
Civil Engineering Dept.
KSRM College
Kadapa.

Respected Sir/Madam

Sub: Requesting for soil test for construction a Building.

The Cuddapah Islamic Welfare Society is going to construct a new hostel building in Almaspet area of Kadapa town. We are submitting the soil for test. Hence we request you to give the result of soil as early as possible.

Thanking you sir/Madam.

Deptl -13

Amount paid - 1000/-

Yours sincerely,

(SHAIK AKBAR ALI)

Cuddapah Islamic Welfare Society
20/373, MASTHANVALI STREET,
KADAPA - 516001.

CELL NO:9912040131- 9440708070

20/373, MASTAN VALI STREET, KADAPA - 516 001, A.P., INDIA
PH: +91-8562-245161, www.ciwskadapa.org

From:
Sri. R.Venkataramana, B.Tech.
Assistant Executive Engineer,
RWS&S Section,
Penagalur (M).

To:
The Principal
KSRM College of Engineering,
Kadapa.

Lr.No. AEE/Nadunedu Phase-II/2022, Dt.10.11.2022

Sir,

Sub: - RWS&S Section, Penagalur – Construction of Additional class Rooms & Nadu Nedu 10 components – Mix Design for VRCC (1:11/2:3) Grade Concrete (nominal Mix), Testing of Steel Reinforcement and Safe Bearing
Capacity of Soil for Construction of Additional class Rooms - Requested - Regarding.

Ref:- 1) RC.No.Acad.II/1065140/NADU NEDU/2019 Dt:07.04.2022 of the Special commissioner school Education.

@ @ @

With reference 1st cited above, the work " Additional class Rooms & Nadu Nedu 10 components with an estimate Cost of Rs. 89.99 Lakhs sanction under MANA BADI NADU NEDU PROGRAMME PHASE-II Grant. The work is entrusted to school committee chairman ,school committee Kattavaripalli ZP HIGH SCHOOL

To construct Additional class rooms and NADU NEDU PHASE-II components the following details are required for material sample given (Cement, Coarse Aggregate, Fine Aggregate, Steel Reinforcement, Core cutter of soil).

1) Mix Design for VRCC (1:11/2:3) Grade Concrete .
2) Strength of Reinforcement of steel.
3) Safe Bearing Capacity of Soil.

Hence I request to conduct required test on above material and the above reports may please be furnished at an early date for taking further necessary action.

Yours faithfully,

R.V. Ramana 10.11.2022

Assistant Executive Engineer,
RWS&S Section, Penagalur (M).

Assistant Executive Engineer
RWS & S Section, Penagalur (M)
Annamaiah (Rayachoti) Dist.

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From
Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO
The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 dt. 21 .09 .2022

Sir/Madam,

Sub: - RWS&S –Jala Jeevan Mission (JJM) – **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli, H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs - SBC of Soil, Material Testing of Aggregates, steel and Cement-Design Mix of RCC for M30 - Samples submitted –Examine test values -Report – Requested – Regarding.

Ref:-1.GO Rt No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

2. Agreement no. DR/22-23 dt. 16.8.2022 of the Executive Engineer, RWS&S Division Kadapa

***

I am herewith sending the samples for testing of Soil bearing capacity (SBC), Material testing reports for Cement (OPC-53 grade), Reinforcement steel (Fe-550, TMT), Sand and course Aggregates (40mm and 20mm HBT metal). Also requesting for appropriate M30 Design mix using the samples submitted for using in the Department work **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli ,H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs . Early report in this regard is requested.

Thanking you,

With Regards

m.maee 21/09/2022
DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From
Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO
The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 dt.07.10.2022

Sir/Madam,

Sub: - RWS&S –Jala Jeevan Mission (JJM) – **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli ,H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs - Cube Strength of Concrete - Samples submitted –Examine test - Samples submitted —Examine test values -Report – Requested – Regarding.

Ref:- 1.GO Rt No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

2. Agreement no. DR/21-22 dt 16.08.2022 of the Executive Engineer, RWS&S Division Kadapa

***

I am herewith sending samples of concrete cubes laid while executing the concrete for the work **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli ,H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs. Early report in this regard is requested.

S.No	Date of casting	Sample details	Remarks
1	02.10.2022	Raft foundation	Required 07 daysM30 strength of cube `

Thanking you,

With Regards

M.M@ll 7/10/2022
DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From
Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO
The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 dt. . .2022

Sir/Madam,

Sub: - RWS&S –Jala Jeevan Mission (JJM) – **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli ,H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs - Cube Strength of Concrete - Samples Submitted Examine test - Samples submitted —Examine test values -Report – Requested – Regarding.

****

Ref:- 1.GO Rt No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

2. Agreement no. DR/21-22 dt. 16.08.2022 of the Executive Engineer, RWS&S Division Kadapa

***

I am herewith sending samples of concrete cubes laid while executing the concrete for the **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli , H/oNandyalampeta GP of Mydukur** –Sanctioned under JJM grant for an estimate cost of Rs. 28.86 Lakhs. Early report in this regard is requested.

S.No	Date of casting	Sample details	Remarks
1	02.10.2022	Raft foundation	Required 28 daysM30 strength of cube `

Thanking you,

With Regards

M. M@ll 30/10/2022
DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From
Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO
The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 dt. . .2022

Sir/Madam,

Sub: - RWS&S –Jala Jeevan Mission (JJM) – **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli, H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs - Cube Strength of Concrete - Samples submitted Examine test - Samples submitted —Examine test values -Report – Requested – Regarding.

Ref:- 1.GO Rt No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

2. Agreement no. DR/21-22 dt. 16 .08.2022 of the Executive Engineer, RWS&S Division Kadapa

***

I am herewith sending samples of concrete cubes laid while executing the concrete for the work **"Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli, H/oNandyalampeta GP of Mydukur"** sanctioned under JJM grant for an estimate cost of Rs. 28.86 Lakhs. Early report in this regard is requested.

S.No	Date of casting	Sample details	Remarks
1	28.10.2022	1st Brace	Required 07 daysM30 strength of cube `

Thanking you,

With Regards

M·M@lle 4/11/2022
DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From
Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO
The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 dt. . .2022

Sir/Madam,

Sub: - RWS&S –Jala Jeevan Mission (JJM) – **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli ,H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs - Cube Strength of Concrete - Samples submitted –Examine test - Samples submitted —Examine test values -Report – Requested – Regarding.

Ref:- 1.GO Rt No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

2. Agreement no. DR/21-22 dt. .07.2022 of the Executive Engineer, RWS&S Division Kadapa

***

I I am herewith sending samples of concrete cubes laid while executing the concrete for the work **"Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli, H/oNandyalampeta GP of Mydukur"** sanctioned under JJM grant for an estimate cost of Rs. 28.86 Lakhs. Early report in this regard is requested.

S.No	Date of casting	Sample details	Remarks
1	28.10.2022	1st Brace	Required 28 days M30 strength of cube `

Thanking you,

With Regards

M. M@ll 26/11/2022
DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From
Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO
The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 dt. . .2022

Sir/Madam,

Sub: - RWS&S –Jala Jeevan Mission (JJM) – **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli ,H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs - Cube Strength of Concrete - Samples submitted -Examine test - Samples submitted —Examine test values -Report – Requested – Regarding.

Ref:- 1.GO Rt No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

2. Agreement no. DR/21-22 dt. .07.2022 of the Executive Engineer, RWS&S Division Kadapa

***

I am herewith sending samples of concrete cubes laid while executing the concrete for the work **"Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli, H/oNandyalampeta GP of Mydukur"** sanctioned under JJM grant for an estimate cost of Rs. 28.86 Lakhs. Early report in this regard is requested

S.No	Date of casting	Sample details	Remarks
1	04.11.2020	Column(3rd brace to bottom ring beam)	Required 07 daysM30 strength of cube `

Thanking you,

With Regards

M. M@ll 12/4/2022
DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From
Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO
The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 dt. . .2022

Sir/Madam,

Sub: - RWS&S –Jala Jeevan Mission (JJM) – **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli ,H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs - Cube Strength of Concrete - Samples submitted –Examine test - Samples submitted —Examine test values -Report – Requested – Regarding.

Ref:- 1.GO Rt No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

2. Agreement no. DR/21-22 dt. .07.2022 of the Executive Engineer, RWS&S Division Kadapa

***

I am herewith sending samples of concrete cubes laid while executing the concrete for the work **"Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli, H/oNandyalampeta GP of Mydukur"** sanctioned under JJM grant for an estimate cost of Rs. 28.86 Lakhs. Early report in this regard is requested.

S.No	Date of casting	Sample details	Remarks
1	04.11.2020	Column(3rd brace to bottom ring beam)	Required 28 daysM30 strength of cube `

Thanking you,

With Regards

M. Mallu 2/12/2022
DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From
Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO
The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 dt. . .2022

Sir/Madam,

Sub: - RWS&S –Jala Jeevan Mission (JJM) – **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli ,H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs - Cube Strength of Concrete - Samples Submitted -Examine test - Samples submitted —Examine test values -Report – Requested – Regarding.

Ref: - 1.GO Rt No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

2. Agreement no. DR/21-22 dt. 16.08.2022 of the Executive Engineer, RWS&S Division Kadapa

***

I am herewith sending samples of concrete cubes laid while executing the concrete for the work **"Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli, H/oNandyalampeta GP of Mydukur"** sanctioned under JJM grant for an estimate cost of Rs. 28.86 Lakhs. Early report in this regard is requested.

S.No	Date of casting	Sample details	Remarks
1	15.11.2022	Bottom Slab	Required 07 daysM30 strength of cube `

Thanking you,

With Regards

M. M@ll 22/11/2022
DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From
Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO
The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/JJM/MYDUKUR/PEDDA SETTYPALLI/OHSR/22 dt. . .2022

Sir/Madam,

Sub: - RWS&S –Jala Jeevan Mission (JJM) – **Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli ,H/oNandyalampeta GP of Mydukur** – Est Cost Rs. 28.86 Lakhs - Cube Strength of Concrete - Samples Submitted -Examine test - Samples submitted —Examine test values -Report – Requested – Regarding.

Ref: - 1.GO Rt No.56 dt 16.02.2022 of the PR &RD (RWS-II) Department, Govt. of AP

2. Agreement no. DR/21-22 dt. 16.08.2022 of the Executive Engineer, RWS&S Division Kadapa

***

I am herewith sending samples of concrete cubes laid while executing the concrete for the work **"Augmentation of existing Water Supply Scheme and providing FHHTCs to Pedda Settypalli, H/oNandyalampeta GP of Mydukur"** sanctioned under JJM grant for an estimate cost of Rs. 28.86 Lakhs. Early report in this regard is requested.

S.No	Date of casting	Sample details	Remarks
1	15.11.2022	Bottom Slab	Required 28 daysM30 strength of cube `

Thanking you,

With Regards

M.M@lle 14/12/2022

DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

Government of Andhra Pradesh
Water Resources Department

From
Sri. M.A.L Srinivas,
Dy. Executive Engineer,
GKLI Sub Division 5, Kondapuram.

To
The Head of the Dept,
Civil Engineering,
KSRM Engineering College,
Kadapa.

Lr.No: DEE / GKLI / SD5 / KDPM / Camp 1 Dt: 06.05.2022

Sir,

Sub: Water Resources Department - GKLI Division - Pulivendula – Formation of CC Road, Canal excavation and Drainage of field water in Lavanur Village from Patha Cheruvu in YSR district – Soil Test Reports - Design Mixes for M-15 Grade & M - 30 Grade Concrete – Req – Reg.

Ref: Agreement No: 57SE/2021-22 Amount Rs:177.83 Lakhs, Date:30.12.2021.

The work "Formation of CC Road, Canal excavation and Drainage of field water in Lavanur Village from Patha Cheruvu" was sanctioned and entrusted to M/s Sri Sai Constructions. In this connection, I request you to provide the Mix design for concrete items as mentioned below and soil test reports for embankment for confirming the suitability of materials.

The samples are collected from the stock of materials collected at the site of work and from approved sources.

S. No	Type of material	Specification	Type of Tests
1	M-15 for foundation concrete	M-15 with 40 MSA, 260 Kg cement	Concrete Mix Design
2	M-15 for Sub structure concrete	M-15 with 40 MSA, 280 Kg cement	Concrete Mix Design
3	M-30 For CC pavement	M-30 with 20 MSA, 310 Kg cement	Concrete Mix Design
4	Soil testing for embankment, shoulders	----------	----------
5	Wet Mix Macadam	----------	----------

Necessary payment for testing of materials will be paid as per your norms. The mix designs and Test reports for the above Items may be arrived and proportions be communicated to this office at the earliest

Thanking you,

Yours faithfully

6/5/22

Deputy Executive Engineer
GKLI Sub Division No.5
Kondapuram

To
ISR, VG, GSR, MKVS

Job No.
221289

+91-8886123495
+91-7893271430 +91-9642341773
smartconstructionkdp@gmail.com

SMART CONSTRUCTIONS
BUILDERS AND DEVELOPER
A STEP TOWARDS THE NEXT GENERATION OF SMARTNESS

13-12-22

From:

Smart Constructions

Kadapa. Call +91-7893271430

To:

The Head of the Dept (CIVIL)

KSRM Engineering College,

Kadapa YSR District

I request the Head of the Department, KSRM Engineering College Kadapa .

To Kindly conduct the SBC Test for G+2 Structure and

Area of land in Habibullah Street, Mundy Bazaar Rd, Kadapa, Andhra Pradesh 516001

and payment will be made soon after receipt of the report.

Early action is requested in this regard.

Depth 8-
9-

SBC 2000/-

Yours faithfully

SMART CONSTRUCTIONS BUILDERS & DEVELOPERS

SING

DIRECTOR OF COMPANY

D.No.21/607-1, Near Old Rims Circle Beside Swathi Hotel, Kadapa,
Y.S.R. District Andhra Pradesh 516001

ASIA (CHENNAI) ENGINEERING COMPANY PVT. LTD.

3rd Floor, Rukmini Towers, 2-11-30, Paigah Colony,
S.P.Road, Begumpet, Secunderabad - 500 003.
Email : info@asiaengg.com

Phone : 27904477
27904488
Fax : 27900491
ENGINEERS
CONSTRUCTORS

Corp. Office : No. 2, 1st Floor Golden Perch, Wheat Croft Road,
Nungambakkam, Chennai - 600 034. (Behind Adyar Ananda Bhavan)
e-mail : info.chennai@asiaengg.com / aecchn@airtelmail.com

☎ : 044-4215 6601
4215 6602
4215 6603

Date: 27.12.2022

To,

M/s. KSRM College of Engineering

Yerramasupalli, C.K.Dinne,

Kadapa – 516003.

Dear Sir,

Sub: Cube Testing – Reg.

We M/s. Asia (Chennai) Engineering Company Pvt Ltd doing the Construction of Hospital Building Project for LV Prasad Eye Institute – Hyderabad at Putlampalli, Kadapa, Andhrapradesh.

For the above said project, we request you kindly do the Cube Testing for 7th day concrete cubes as follows.

01. M30 Grade -16.12.2022 - 1 Sample
02. M30 Grade -17.12.2022 – 1 Sample
03. M30 Grade -19.12.2022 – 1 Sample

Please do the needful.

Thanking You,

Yours Faithfully,

paid – 450

For Asia (Chennai) Engineering Company Pvt Ltd,

A. Satya Sai
Authorised Signatory.

V.R.

27-12-2022

THE YOUNG DESIGNERS
An Architectural Consultancy Firm



13-12-22

To

Date: 29-11-2022

The Principal,
KSRM College of Engineering,
Kadapa, Andhra Pradesh.

Respected Sir,

Sub: Proposed Construction of Government Degree College at Vempalli, Kadapa District-Andhra Pradesh - Request for testing of undisturbed soil's Safe Bearing Capacity (SBC) test-reg.

With reference to the above said subject we are here with sending undisturbed soil samples of proposed Government Degree College at Vempalli, Kadapa District-Andhra Pradesh. Five soil samples are here with attached whose location indicated in the proposed site plan.

Hence, we are requesting to conduct SBC test for given samples and recommended safe bearing capacity of soil at suggestive depth. The charges for same will be reimbursed as per norms.

Thanking you

Regards

THE YOUNG DESIGNERS Ph: 9849279177 SEC'BAD

Paid Amount - 1000/-

22396
PSPK

Rs:- 2000/-
1000 - Paid
1000 Balance

Regd. Office : Plot No. 81, Vasavi Nagar, Old Alwal, Secunderabad-500 010. Telefax : 040 27962901. Email: ramesh@theyoungdesigners.in

Govt Degree College

Govt degree college Area

Auditorium Area

9440643707

Ramapuli

21-12-22

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: Dream Homes
2. Mobile No: 9676627232 — 9010584282
3. E-Mail ID:
4. Survey No: 606/1B
5. Door No:.
6. Location / Area: Rajachotz Beside Raju school Amout paid
7. Depth of sample Collection / Foundation Depth: Depth – 6 1000
8. No. of Floors: G+4
9. Commercial / Residential / School / College / Hospital Building:
10. Address:

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

6-12-2022

1. Owner Name: SRI VASAVI Drinking Water plant
2. Mobile No: 9052315474
3. E-Mail ID: venu.bovilla@gmail.com
4. Survey No:
5. Door No:.
6. Location / Area: Badvel

22384

7. Depth of sample Collection / Foundation Depth:
8. No. of Floors:
9. Commercial / Residential / School / College / Hospital Building:
10. Address: Badvel - Kadapa Dist
Nellore Road - Badvel -

Paid 1500
500
1000

Balance

V. Venu

ID/KP

Name :- V. Ramalinga Reddy

:- G+3

depth :- ~~6"~~ 6' (2Mts)

Add :- Akkayapalli, Sister's House
Kadapa.

1000 feet

22385

10
FW

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

Soil Filling area survey work

24/11/2022

1. Owner Name: K. Sreedhar Reddy
2. Mobile No: 9502644411
3. E-Mail ID: Sreedhar.ketharreddy@gmail.com
4. Survey No:
5. Door No:.
6. Location / Area: Rayachoti
7. Depth of sample Collection / Foundation Depth: 1
8. No. of Floors:
9. Commercial / Residential / School / College / Hospital Building: TTD Kalyanamandapam
10. Address: Blossom Infraventures (I) Private limited,
H.No :- 1-90/7/B/53/B, Blooms Heights
4th Floor, Patrikanagar,
Hyderabad - 500 81.

12378

5000/-
paid

TO
PAK

1-12-22

A.P.STATE HOUSING CORPORATION LIMITED :: YSR KADAPA.

From
Sri M.Krishnaiah,
District Head(Housing)
YSR Kadapa.

To
The Principal ,
K.S.R.M College of Engineering College,
Kadapa.

Rc.No.2/NK/Testing/2022-23, Dt. -12-2022.

Sir

Sub:-Nirmithi Kendra, Kadapa – Testing of FSC Blocks –
Testing results – Requested – Regarding.

***

The samples collected from Nirmithi Kendra, Kadapa and handed over for the testing the compressive strength of FSC Blocks and kindly issue the test results report.

Sl No	Name of the Centre	No.of Samples
1	Nirmithi Kendra, Kadapa.	02

Yours faithfully,

District Head(Housing)
YSR Kadapa.

Encl: As above.

9885379998 – Chennau Reddy

600

GOVERNMENT OF ANDHRA PRADESH
WATER RESOURCES DEPARTMENT

From
A.VENKATA CHALAM,M.Tech
Deputy Executive Engineer,
Produttur Sub Division
Badvel.

To
The Head of civil Department
KSRM College
Kadapa

Lr.No.DEE/ISD/BDL/ Corp No:1 Dated:- 11.07.2011

Sir,

Sub: W.R.Department - Irrigation Sub-Division – Badvel - Rehabilitation of Boyanapalli cheruvu to Chinthamani cheruvu, Uppu cheruvu to Thummapalli tank, Angamapalli cheruvu to Mudumala cheruvu, Kammavaripalli cheruvu, Nagisettipalli tank, Goderu tank, Duvvur tank, Tallapaka tank in Kadapa District- Report for testing of Materials -Requested –Reg.

-@@@-

I submit that the above said work was sanctioned in JICA Programme. Materials are handover regarding to the Goderu tank near Thippireddy palli (V) Mydukur (M) kadapa (Dt). Hence the following test results may please be furnished as early as possible.

1. Optimum moisture content.
2. Max dry density.
3. Classification of soils

Yours faithfully

Deputy Executive Engineer
Irrigation Sub- Division
BADVEL

MUNICIPAL ADMINISTRATION DEPARTMENT

From
Sri M. Sai Krishna,
Municipal Engineer,
Proddatur Municipality,
PRODDATUR.

To
The Head of Civil Engineering Department,
K.S.R.M. Engineering College,
KADAPA.

Roc. No. 494 / 2020-E1, Dated 30.11.2022

Sir,

Sub : Proddatur Municipality – Engineering Section – Special Grant – Remodeling of Municipal Market and construction of Shopping Complex – Water Sample submitted for testing of Physical Properties - Requested – Regarding.

Ref : 1) G.O. Rt. No. 715 MA & UD (Budget) Dept., dt: 22.12.2021.
2) This office letter Roc. No. 494 / 2020-E1, dt: 29.10.2022.

*** *** ***

I am to inform that the work of Remodeling of Municipal Market and construction of Shopping Complex was awarded to M/s. KPC Project Limited, Vijayawada vide reference 2nd cited. In this connection, I am herewith submitting water samples of bore drilled at the site i.e., at Sivalayam Circle for a depth of 60 feet for conducting the tests i.e., Physical & Chemical properties required for curing purpose of the project.

The necessary charges will be paid by the contractor after receipt from your end.

Yours faithfully,

M. Sai Krishna 30/11/22

Municipal Engineer,
Proddatur Municipality

Encl: Water Sample.

K.V AE 30/11/2022

9/12

9977645361

paid – ~~1500~~ 500

Balance 1000

V.R

GOVERNMENT OF ANDHRA PRADESH
WATER RESOURCES DEPARTMENT

From
A.VENKATA CHALAM, M.Tech
Deputy Executive Engineer,
Produttur Sub Division
Badvel.

To
The Head of civil Department
KSRM College
Kadapa

Lr.No.DEE/ISD/BDL/ Camp No: 1 Dated:- 16.05.2011

Sir,

Sub: W.R. Department - Irrigation Sub-Division – Badvel - Investigation, Design and Earthwork Excavation for Widening the Left Main Canal of Lower Sagileru Project to carry from 200 Cusecs to 500 Cusecs from Km.0.000 to Km.23.000 including construction of CM & CD Works in B.Kodur & Badvel Mandals of YSR Kadapa district.- Report for testing of Materials -Requested –Reg.

-@@@-

I submit that the above said work was sanctioned in Normal state plan Programme. Materials are handover regarding to the above LSP work. Hence the following test results may please be furnished as early as possible for samples 1 (Homogenous soils), sample 2 (Gravel soils) and sample 3 (B.C. soils)

1. Optimum moisture content.
2. Max dry density.
3. Classification of soils

Yours faithfully

16/05/2011

Deputy Executive Engineer
Irrigation Sub- Division
BADVEL

16/FYI:

ENGINEERING
Date 24/11-22

KADAPA MUNICIPAL CORPORATION

From
Sri M.Narayana Swamy,
Executive Engineer,
Kadapa Municipal Corporation,
YSR District.

To
The Principal,
K.S.R.M. College of Engineering,
Kadapa YSR District.

Roc.No.99/2008/KMC/E1, dated:21-11-2022

Sir,

Sub: - Kadapa Municipal Corporation – Engineering Section – Issue of Structural Stability Report of building bearing Door No.17/276, BKM Street, Kadapa – Requested – Regarding.

Ref: - U.O. Note of Deputy City Planner, KMC, dt:08-11-2022

* *** *

It is to inform that in the reference cited, the Deputy City Planner, Municipal Corporation, Kadapa has requested the undersigned for issue of Sructural Stability Certificate for the building D.No.17/276, BKM Street, Kadapa as the building has found in dilapidated condition.

Therefore, it is requested to arrange for issue of Structural Stability Certificate for the building D.No.17/276, BKM Street, Kadapa for taking further necessary action in the matter.

Yours faithfully,

Executive Engineer,
Kadapa Municipal Corporation.

AE 21/11/22 21/11/22 21-11-22

Copy to the Deputy City Planner, Kadapa Municipal Corporation for information.

To HOD/CE MM

To,
The Head of the Department,
Department of Civil Engineering,
K.S.R.M College of Engineering,
Kadapa.

Sidhout,
Dt. 22.08.2022

Respected Sir,

Sub:- Requesting to conduct the soil test for the sample-Regards

I, Here with sending the soil sample of the Peddapalli GP of Sidhout Mandal for SBC test for the Construction of Grama Sachivalayam Buildings.

Thanking you

Yours faithfully

Mandal Engineering Officer 20/08/22
MPP Sidhout

K.S.R.M. College of Engineering
(AUTONOMOUS)
Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC of UGC
ESTD-1980 An ISO 14001 : 2004 & 9001 : 2015 Certified Institution

KSRM/CE/F301/SBC/22232 Date: 01.08.2022.

Testing Report

Name of Work: Testing of soil sample - PESHI – Kadapa Municiapal Corporation – Manabadi – Naadu Nedu Phase – II -Construction of Additional Class rooms for MPL Primary School Madras Road (U) Girls, YSR District – Reg.

Ref: Lr. No. Roc No. 06/PESHI/2022/KM, dated 22.07.2022

-oo0oo-

Result: Soil Sample

S. No	Description	Result	Reference
01	Depth (D_f)	7.00 Feet	IS: 6403 - 1981
02	Unit Weight of the Soil (γ)	1.85 t/m^3	
03	Cohesion (c)	6.00 t/m^2	
04	Angle of Internal Friction (φ)	23°	
05	Safe Bearing Capacity (SBC)	25 t/m^2	

Note: Water table effect is considered. **Failure criterion**: **Local shear failure case** is considered. Safe Bearing Capacity values shown are only computed based on c and φ values which are determined for the core samples supplied by the party concerned. However, Safe Bearing Capacity of soil depends on boundary conditions, occurrence and extent of soil strata, foundation geometry and loading conditions. The depth of the foundations is taken as per the depth specified by the party concerned.

Staff In-Charge **HEAD**

Address: YERRAMASUPALLI (V), C.K. DINNE (M), KADAPA-516005 (A.P.)
Phone : 9000332294 Email : principal@ksrmce.ac.in
Web : www.ksrmce.ac.in Email : office@ksrmce.ac.in

Run by Sri Kandula Obul Reddy Charities, Regd. No.83/1980

From
M.V.Raja kumar, B.Tech
Deputy Executive Engineer
M.I Sub Division
Proddatur.

To
The Head of the Department
Civil Engineering Department
KSRM College of Engineering
Kadapa

Lr.No.....55 M.....Date.....11/11/2022.....

Sir,

Sub: Testing of soil samples-Restoration of Thippaluru tank near Thippaluru (V) in Yerraguntla (M) of YSR District-Entrusted to Sri Sri Vigneswara Constructions-Nandyal-Requesting-Regarding.

Ref
~~Sub:~~ Proceeding.No.615/DMF/MI/2022-343, Dated:-04.05.2022

With reference to the above cited,The District Collector had given administrative approval for the work "Restoration of Thippaluru tank near Thippaluru (V) in Yerraguntla (M) of YSR District".The work was Entrusted to Sri Sri Vigneswara Constructions,Nandyal.

For the above the work we required some soil tests to know the behaviour of the soils for the formation of bund.For that we required the follwing test samples:-

1.Classification of soils.
2.Optimum Moisture Content (OMC)
3.Maximum Dry Density (MDD)

Hence kindly provide the test results of the soil for taking necessary action.

Yours faithfully,

11/11/2022

Deputy Executive Engineer
M.I Sub Division
Proddatur

Y.S. AVINASH REDDY
MEMBER OF PARLIAMENT
(LOK SABHA)
21 - Kadapa Parliamentary Constituency

H.No. 1/491
Sumithra Road,
Kadapa.
PH : 08562 - 246699

Ref. No. MP/803/2020

Camp: Pulivendula
Date: 24.02.2020.

To,
The Collector & District Magistrate,
YSR District.
KADAPA.

Dear Sri. C. Hari Kiran IAS garu,

I am to bring to your notice that the following works may please be given administrative sanction under **MGNREGS** funds for the current year 2019-20 in respect of Pulivendula Assembly Segments falling with in my Kadapa Parliamentary Constituency.

S.No	Name of the Work	Estimate Cost In Lakhs
1	Formation and gravelling the road from Krishnamgaripalli to Sydapuram via Ragitenka Bridge in Krishnamgaripalli Village, Sudapuram G.P in Thondur Mandal.	22.15
2	Formation of approach roads with gravel surface under MGNREGS at location form Krishnamgaripalli to R.Thummalapalli via Gangamma Teemple to Chintal in Krishnamgaripalli Village of Gundiamadugu G.P, Thondur Mandal.	16.91
	TOTAL	**39.06**

Kindly do the needful to accord administrative sanction for the year 2019-20 under MGNREGS funds at the earliest and oblige.

With regards,

Yours Sincerely

(Y.S. AVINASH REDDY)
Y.S. AVINASH REDDY
MEMBER OF PARLIAMENT
LOKSABHA
KADAPA - A.P.

H.No. 3-9-76, Bakarapuram, PULIVENDULA - 516 390, YSR Dist., Andhra Pradesh. Ph : 08568 - 280555

B.R.R. P.A
7702626900
pratap Reddy

GEETHAM INFRA PVT LTD

P. Vijay Bhaskar Reddy

Proddatur, Meenapuram (village)

Orange county 9391410555.

9704179124

~~[illegible]~~ 10

(2)

TO/

GOVERNMENT OF ANDHRA PRADESH
WATER RESOURCES DEPARTMENT

From
Sri D.Venkateswara Rao , B.Tech.,
Deputy Executive Engineer ,
IrrigationSub Division,
Rayachoty .

To
The Head of the Department,
Civil Engineering Depatment,
K.S.R.M. Engineering College,
Kadapa.

Lr.NO. DyEE/ ISD/ RCTY/ 144 M **Dt:** 10/11/2021

Sir,

Sub:- W.R.D-Irrigation Sub-division, Rayachoty- Conducting soil test for homogeneous embankment compacting to density control of work not less than 95 % to Hasanapuram big tank, Maddela cheruvu and Obulareddygaripalli Diguva cheruvu – Communicate Test results - Requested - Regarding.

****

It is to inform that the work of "Construction of Lift Schemes and construction of Supply Channels to feed MI Tanks in Lakkireddypalli and Ramapuram Mandals in Annamayya District from Lift Scheme GNSS Main Canal to HNSS Main Canal through Kaletivagu Reservoir" is in progress.

In this connection for strengthening of bunds providing homogeneous embankment to Hasanapuram big tank, Maddela Cheruvu and Obulareddygaripalli Diguva cheruvu is required.

Hence, communication the test reports of Homogeneous embankment, soil properties, compactive density control of work not less than 95 % as early possible.

Encl:- Three bags.

Yours faithfully,

10/11/2021

Deputy Executive Engineer,
Irrigation Sub Division ,
Rayachoty.

I/c
MVMC

NSL TEXTILES
Cotton to Clothing

NSL Textiles Limited
Plot No - 4, Near JNTUCE, APIIC Park
PULIVENDULA - 516 390, Y.S.R. (Dist.)
Phones : 7331140146, 7331140162

DATE: 09.11.2022

To,
Head of the Dept. Civil Engineering
K.S.R.M College of Engineering
Kadapa.

Sub: Concrete Blocks cube Test– Reg

Dears Sir,

Please arrange test reports of Concrete Cubes Compressive Strength as following date, 24.09.2022(28 days) test of M-20 Grade Plinth Beam Concrete Cubes, 24.09.2022(07 days) Test of M-20 Grade Plinth Beam Concrete Cubes .

Thanking You,

Authorized Signature

(K.Nagaraja-DGM)
NSL Textiles Ltd.
Pulivendula

TO/DV

Reg. Office : EMGEE House, 3rd Floor,Chandramouli Nagar, 4th Lane, Ring Road,
Guntur- 522 007, Andhra Pradesh, INDIA.
Phone : 0863 - 2237144, 2237344, Fax : 2237244

Corp. Office : NSL ICON, 4th Floor, # 8-2-684/2A, Road No. 12, Banjara Hills, **HYDERABAD - 500 034.** (T.S)
Phones : 040 - 3051 4444, Fax : 040 - 3051 4350
Website : www.nsltextiles.com

శ్రీ మల్లేశ్వర స్వామి దేవస్థానము, పొలతల క్షేత్రం

గంగనపల్లె గ్రామం, పెండ్లిమర్రి మం॥, వై.యస్.ఆర్. జిల్లా.

From : కె.మహేశ్వర్ రెడ్డి
కార్యనిర్వాహణాధికారి,
శ్రీ మల్లేశ్వరస్వామి దేవస్థానము,
పొలతల.

To, శ్రీయుత క్వాలిటీ కంట్రోల్ గారికి,
హెడ్.ఆఫ్.ద. డిపార్ట్ మెంట్,
కె.యస్.ఆర్.యం ఇంజనీరింగ్ కాలేజ్,
కడప.

R.C. No. ____/2022 **Date** 03-11-2022

అయ్యా!

విషయము:- దేవాదాయ ధర్మాదాయ శాఖ - శ్రీ మల్లేశ్వరస్వామి దేవస్థానము పొలతల, క్షేత్రం గంగనపల్లె గ్రామము, పెండ్లిమర్రి మండలము, వై.యస్.ఆర్ జిల్లా, 5 స్టోర్ రాజగోపుర నిర్మాణ పనులకు మేటిరియల్ క్వాలిటీ టెస్టింగ్ చేసి నివేదిక కోరుట గురించి.

&&&

తమరికి మనవి చేయడమేమనగా సదరు దేవస్థానము యందు ఆంధ్రప్రదేశ్ ప్రభుత్వము దేవాదాయ శాఖ ఉన్నతాధికారులు 5 స్టోర్ రాజగోపుర నిర్మాణమునకు అనుమతి మరియు టెండరు అమోదపు ఉత్తర్వులు వచ్చినవి. సదరు పనులకు ఉపయోగించు ఇసుక, కంకర,రాయి,సిమెంట్, మెటిరియల్ క్వాలిటి టెస్టింగ్ చేసి రిపోర్టు ఇవ్వవలసినదిగా కోరుచున్నాము.ఇందు వెంట సదరు మెటిరియల్ శాంపుల్ పంపుకోనుచున్నాము.

ఇట్లు
తమ విధేయుడు.

K Mahesswara Reddy
EXECUTIVE OFFICER
Sri Malleswara Swamy Temple
Polathala, Ganganapalli (V)
Pendlimarri (M) Y.S.R. Kadapa (Dt.)

ROADS AND BUILDINGS DEPARTMENT

From
Assistant Executive Engineer (R&B),
Kadapa Rural Section,
Kamalapuram,Sub-Division,
Kadapa.

To
The Principal,
KSRM College of Engineering,
Kadapa.

Letter No. CBR/ AEE/KADAPA RURAL /2022-23 dt – 07-11-2022

Sir,

Sub:- AEE (R&B) Kadapa Rural Section – Requirement of **CBR** of soil for the work "Widening and Strengthening of the road from Km 1/0 to 16/0 of Kadapa-Gandi-Obulampalli road connecting NH-18 in YSR Kadapa District."- Requested-Regarding

***

I submit the samples for requirement of CBR of soil for the work "Widening and Strengthening of the road from Km 1/0 to 16/0 of Kadapa-Gandi-Obulampalli road connecting NH-18 in YSR Kadapa District." I have submitted **Three** Nos of samples (one for every five kilometers) and I request you to test the sample and report the CBR of soil.

Thanking you Sir,

Yours faithfully,
C. Sudhari 07/11/22
Assistant Executive Engineer
(R&B) Kadapa Rural Section

OFFICE OF THE DEPUTY EXECUTIVE ENGINEER, APEWIDC, PULIVENDULA

From
Sri.N.V.KONDA REDDY
Deputy Executive Engineer
APEWIDC,
Pulivendula.

To
The Principal
KSRM Engineering College
Kadapa
Y.S.R District.

Lr.Rc.No. 01/SBC/VBRI/2022 Dated:20/10/22

Sir,

Sub: - SBC For Construction of Veterinary Biological Research Institute at Pulivendula(M) ,YSR District"

& & &

I am here with sending Soil Sample of the Work Construction of Veterinary Biological Reaserch Institute at Pulivendula.
Please Do Required Test for Obtaining Safe Bearing Capacity of Soil and Submit Results as soon as possible.

Thanking you sir,

Yours faithfully

Deputy ExecutiveEngineer ,
APEWIDC,Pulivendula.

2-3 mts
1 Sample

1000/Rs paid

ఆర్.ఓ.సి.నెం.715/A1/2010

కడప నగరపాలక సంస్థ

తేది: 25-10-2022.

ఇంజినీరింగ్ విభాగము వారికి అత్యవసర ఆఫీసునోటు

విషయము: కడప నగరపాలక సంస్థ – రెవెన్యూ విభాగము – పాత బస్టాండ్ ఆవరణములో వున్న పాపు రూముల యొక్క స్ట్రక్చరల్ స్టెబిలిటి సర్టిఫికేట్ ను (సాండ్ నెస్), కడప నగరపాలక సంస్థకు సంబంధించిన పాపు రూములను నిర్మించి 40 సంవత్సరములు పూర్తి అయిన పాపు రూములను పగులగొట్టి వాటి స్థానములో క్రొత్తగా నిర్మాణము చేపట్టుటకు గాను స్ట్రక్చరల్ స్టెబిలిటి సర్టిఫికేట్ (సాండ్ నెస్) మరియు బాలాజి కాంప్లెక్స్ యొక్క స్ట్రక్చరల్ స్టెబిలిటి సర్టిఫికేట్ (సాండ్ నెస్) లను సమర్పించవలసినదిగా ఇంజినీరింగ్ విభాగము వారిని కోరుట - గురించి.

EE
Take necessary
action as per
procedure
Jogiyne
27/10/22

సూచిక:- 1. జనరల్ బాడి వారి తీర్మానము నెం.203, తేది:13.06.2018.

2. స్టాండింగ్ కమిటీ వారి తీర్మానము నెం.386, తేది:03.10.2018.

3. కమీషనర్, నగరపాలక సంస్థ వారి నోటు ఉత్తర్వులు, తేది:10.01.2019.

4.లీజు కాలపరిమితి 25 సంll లు పూర్తి అయిన పాపు రూముల విషయముపై ఏర్పాటు చేసినటువంటి కమిటీ యొక్క గౌరవ సభ్యులతో జరిగిన సమావేశము,తేది:11-10-22.

5.లీజు కాలపరిమితి 25 సంll లు పూర్తి అయిన పాపు రూముల తనిఖీ నందు గౌరవ కమిటీ సభ్యులు జారీ చేసినటువంటి సూచనలు, తేది:11-10-2022.

* *** *

Fit case
for demolition
R & B
Executive Engineer

పై సూచిక 1 & 2 మేరకు, పాత బస్టాండ్ ఆవరణములో వున్న పాపు రూములు శిదిలావస్థ స్థితిలో వున్నయని వాటిని పగులగొట్టి తిరిగి నూతనముగా పాపు రూములని నిర్మించుటకుగాను ప్రతిపాదనలను ప్రభుత్వం వారికి పంపించవలసినదిగా తీర్మానములు చేసియున్నారు.

పై సూచిక 3 మేరకు, పాత బస్టాండ్ ఆవరణములో వున్న పాపు రూములకు సంబంధించి స్ట్రక్చరల్ స్టెబిలిటి సర్టిఫికేట్ ను (సాండ్ నెస్) సమర్పించవలసినదిగా ఇంజినీరింగ్ విభాగము వారికి ఫైలును పంపించడం జరిగినది.

పై సూచిక 4 నందు, లీజు కాలపరిమితి 25 సంll లు పూర్తి అయిన పాపు రూముల విషయముపై ఏర్పాటు చేసినటువంటి కమిటీ యొక్క గౌరవ సభ్యులతో తేది:11-10-2022న సమావేశము నిర్వహించడము జరిగినది, సదరు సమావేశము నందు గౌరవ కమిటీ సభ్యులు లీజు కాలపరిమితి 25 సంll లు పూర్తి అయిన పాపు రూములను తనిఖీ చేయుటకు తీర్మానించడము జరిగినది.

పై సూచిక 5 నందు, గౌరవ కమిటీ సభ్యులు తేది:11-10-2022న జరిగిన సమావేశము ముగిసిన తరువాత లీజు కాలపరిమితి 25 సంll లు పూర్తి అయిన పాపు రూములతో పాటు బాలాజి కాంప్లెక్స్ రూములను కూడా తనిఖీ చేయడమైనది. సదరు పాపు రూముల వివరములు ఈ క్రింది విధముగా ఉన్నవి.

Work to be done
As per Structural Stability Certificate
27/10/22

క్ర.సం	పాపింగ్ కాంప్లెక్స్ యొక్క పేరు
1	Opp: దాముండేశ్వరి లాడ్జి కాంప్లెక్స్, మద్రాస్ రోడ్డు (11 రూములు)
2	మునిసిపల్ కార్పొరేషన్ ఉర్దూ బాలికల ఉన్నత పాఠశాల కాంప్లెక్స్, మద్రాస్ రోడ్డు (14 రూములు) (GROUND FLOOR + FIRST FLOOR)
3	పై.వి.స్ట్రీట్ కాంప్లెక్స్ (20 రూములు)
4	దేవుని కడప రోడ్డు కాంప్లెక్స్ (12 రూములు)
5	పాత యునాని స్థాల్స్, మద్రాస్ రోడ్డు (03 రూములు)
6	బాలాజి కాంప్లెక్స్, మద్రాస్ రోడ్ (33 రూములు)

1.

పై తెలిపిన పాపింగ్ కాంప్లెక్స్ ల రూముల తనిఖీ నందు గౌరవ కమిటీ సభ్యులు పాత రూములను నిర్మించి 40 సంవత్సరములు పూర్తి అయిన పాత రూములను పగులగొట్టి వాటి స్థానములో కొత్తగా నిర్మాణము చేపట్టుటకు చర్యలను గైకొనవలసినదిగా సూచనలను జారీ చేసి యున్నారు.

కావున, పై తెలిపిన సెం.6 పాపింగ్ కాంప్లెక్స్ ల రూములకు సంబంధించి స్ట్రక్చరల్ స్టెబిలిటి సర్టిఫికేట్ (సాండ్ నెస్) లను మరియు పాత లస్టాండ్ ఆవరణములో వున్న పాత రూముల యొక్క స్ట్రక్చరల్ స్టెబిలిటి సర్టిఫికేట్ (సాండ్ నెస్) లను సమర్పించుటకు గాను తగు చర్యలను గైకొనవలసినదిగా ఇంజినీరింగ్ విభాగము వారిని కోరడమైనది.

డిప్యూటి కమిషనర్
కడప నగరపాలక సంస్థ
25.10.22

28-10-2022

→ Dhamma Anurakchi - Shoit Course Area.
Back side NAC Buildings, Rangapuram Thota, Pulivendula
→ ~~One block~~
depth - 6 feet. SY No → 159-2, 159-3
→ Location → Pulivendula, → 9381074286

→ Dhamma Anurakchi

paid - 4000/-

V.D →

P. Ravidranath Reddy, M.L.A

~~Pulivendula~~

Pulivendula circle, Kadapa

9347473853

Construction of function Hall

Depth 10 ft

Not Paid

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: Kaluvai Neelesh Kumar
2. Mobile No: - 9398110582
3. E-Mail ID:
4. Survey No: 568/1
5. Door No:.
6. Location / Area: Chintakommai Dinne Near RTO office Back Side
7. Depth of sample Collection / Foundation Depth: Depth - 10
8. No. of Floors: G+5
9. Commercial / Residential / School / College / Hospital Building: Two Sample: 2000/-
10. Address:

Amount Paid

19/4/19.

From
S.Sudhakar
Deputy Executive Engineer
(R&B) Sub Division
Badvel

To
The Head of Department
Civil Engineering
KSRM College of Engineering
Kadapa

Letter No. PGB /Badvel /DEE/2022 Dt: 25-10-2022

Sir,

Sub:- (R&B) Division, Kadapa – Construction of HLB across Sagileru river at KM 0/0 – 6 of PG road to Brahmanapalli in Kadapa district – Submission of Soil sample to assess SBC and other soil properties -- Requested – Reg.

I submit that the above work was administratively sanctioned by the Government of Andhra Pradesh. It is essential to design foundations before take up the work. Soil sample was collected at an depth of 1.5 mts below ground level at two locations. Hence I request you to please asses SBC of soil sample and soil properties. Necessary charges for Test results may be intimated and the same will be paid..

Yours faithfully

S. Sudhakar 25/10/22

Deputy Executive Engineer (R&B)
Badvel

Encl:- Soil sample – 2 nos.

Advance - 2,000/-
25/10/22

Rayachoty,

18.10.2022.

To

The principal,

KSRM college of Engineering ,

Kadapa.

Subject: Soil Test Report Reg-Request

I want soil Test of bearing capacity of soil in survey No:484 at Madanapalli Road,Rayachoty Municipality.

Thanking You Sir,

Yours Faithfully,

B Jasvanth Kumar Reddy,

Paid 2000/-

6281225939

KADAPA MUNICIPAL CORPORATION

From
The Superintending Engineer,
Kadapa Municipal Corporation,
Kadapa YSR District

To
The Principal,
K.S.R.M. Engineering College,
Kadapa YSR District

Lr.Roc.No.2391/2022/KMC/E1, dated: 16-11-2021

Sir,

Sub: - Kadapa Municipal Corporation – Engineering Section –Retrofitting of park including beautification, Landscape, Hardscape works for Rajeev park- Total Station Survey -Requested-Regarding.

* *** *

It is to submit that as a part of developmental works in Kadapa municipal corporation limits we have proposed the work Retrofitting of park including beautification, Landscape, Hardscape works for Rajeev Park.

In this connection it is requested to make total station survey for fixing pathway, open air theatre, Gagebo, Toilets, EPDM flooring for the park with 60 cents and payment will be made by Kadapa Municipal Corporation.

Yours faithfully,

16/9/2022

Superintending Engineer,
Kadapa Municipal Corporation.

TO
PRC & PRO

GOVERNMENT OF ANDHRA PRADESH
ROADS AND BUILDINGS DEPARTMENT

From
Sri S.Shashavali M.Tech.,
Deputy Executive Engineer
(R&B) Sub-Division, Kadapa.

To
The Principal,
KSRM College of Engineering,
Kadapa.

Lr.No. /SBC/Pushpagiri/AEE-II/(R&B)/Sub-Div/Kdp/ 2022-23, Dt: 12/04/2022

Sir,

Sub: - (R&B) Sub-Division, Kadapa -"Widening and strengthening of single lane to Double lane from Km 0/0 to 3/450 & HLB at Km 5/2-4 of Chinnamachupalli-Pushpagiri road in YSR District."-issuing SBC report as per IS Codes-Requested-Regarding.

Ref: - GORT No 193 of T R&B ,(R.III) Depart.dt:09.07.2021 of ENC,R&B,MDR.

--@@@@@--

With reference to the above, I here with inform that the above subject work was sanctioned through MDR Plan and it need to be taken up immediately as per the instructions of Higher Authorities. The oral inspection of site was taken up by the Higher Authorities of (R&B) Dept. and District Administration of YSR Kadapa.

Based upon the importance of the structure the soil analysis needs to be done. Hence the requirement of SBC is needed for Piers **P1, P2, P3, P4, P5, P6, P7, A1 & A2.** The soil samples were already taken in the confirmation bores as per GAD and will be produced by the contractor.

In this connection I here with request you to submit the detailed SBC report for confirmation of approved SBC as per design. The test charges will be paid by the agency itself.

Yours faithfully

Deputy Executive Engineer,
(R&B) Sub-Division, Kadapa.

ROADS AND BUILDINGS DEPARTMENT

From

Assistant Executive Engineer (R&B),
Kadapa Rural Section,
Kamalapuram,Sub-Division,
Kadapa.

To

The Principal,
KSRM College of Engineering,
Kadapa.

Letter No. SBC / AEE/KADAPA RURAL /2022-23 dt – 01-09-2022

Sir,

Sub:- AEE (R&B) Kadapa Rural Section – Requirement of **SBC** of soil for the work "Construction of 4V X 10m HLB at Km 0/4-6 of Chinnamachupalli-Pushpagiri Road"under the main work "Widening and Strengthening of Chinnamachupalli-Pushpagiri road from Single Lane to Double Lane from Km 0/0 to 3/450"-Requested-Regarding

***

I submit the samples for requirement of SBC of soil for the work "Construction of 4V X 10m HLB at Km 0/4-6 of Chinnamachupalli-Pushpagiri Road." I have submitted Five Nos of samples for Piers P1,P2,P3 and Abutments A1,A2 and I request you to test the sample and report the SBC of soil.

Thanking you sir,

Yours faithfully,

C. Sasthaiah 01/09/22

Assistant Executive Engineer
(R&B) Kadapa Rural Section

CE/RW

8-10-2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: Y. S. Joshap Reddy
2. Mobile No: 9849116534
3. E-Mail ID:
4. Survey No:
5. Door No:. 3/9/33-1
6. Location / Area: Kardapar Road PDL Beside
7. Depth of sample Collection / Foundation Depth: Depth 7½
8. No. of Floors: G+2
9. Commercial / Residential / School / College / Hospital Building: Amount paid cash – 2000/-
10. Address: Y. S. Joshap Reddy 3/9/33-1 Kardapar Road Puliveedu

Beside Relaxince Petrol Bank

9550509966 – W.

15-10.22

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: Syed ~~Jaumi~~ Jaumeel Ahamed
2. Mobile No: 6281461537
3. E-Mail ID:
4. Survey No:
5. Door No:.
6. Location / Area:
7. Depth of sample Collection / Foundation Depth: Construction
8. No. of Floors: Two Sample
9. Commercial / Residential / School / College / Hospital Building:
10. Address: Gansrikunta Colony
Machupalli Road
Kadapa.

3000/-
Advance 1000
2000
Balance

V. [illegible]

भारतीयविमानपत्तनप्राधिकरण, कडपाहवाईअड्डा.
AIRPORTS AUTHORITY OF INDIA
KADAPA AIRPORT– 516003.

Ref.No.: AAI/Kadapa/Engg-C/PAVER/Tests/2022-23/435 **Date: 17.10.2022**

To,
Head of the Dept. Civil Engineering,
K.S.R.M College of Engineering,
KADAPA.

Name of Work: Extension and Strengthening of Existing Runway, Taxiway and Apron along with Construction of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter Road, Grading of Strips etc. at Kadapa Airport for the operation of code – C Type of Aircraft (A -320) including Electrical works.

SH: Construction of Paver Block Perimeter Road inside Operational area at Kadapa Airport.

Respected Sir/Madam,

Please carry out the **7th day** compressive strength of Paver blocks. The Paver blocks were casted on **11.10.2022**.

The necessary material to carry out compressive strength test is given below:

1. **3 nos of Paver blocks of size = 238mm x 118mm x 80mm.**

Address for communication to send the Test Report:

Manager (Engg-Civil), Airports Authority of India, Kadapa Airport.

The Testing charges will be borne by our contractor **M/s. JKG Infratech Private Limited**, Kadapa Airport (Site), Kadapa – 516003.

Thanking you,

Yours Faithfully,

(Anitha K.R.)
Manager (Engg-Civil)
AAI, Kadapa Airport.

Copy to:

1. M/s. JKG Infratech Private Limited, Kadapa Airport (Site).

भारतीयविमानपत्तनप्राधिकरण, कडपाहवाईअड्डा.
AIRPORTS AUTHORITY OF INDIA
KADAPA AIRPORT– 516003.

Ref.No.: AAI/Kadapa/Engg-C/PAVER/Tests/2022-23/488 **Date: 17.10.2022**

To,
Head of the Dept. Civil Engineering,
K.S.R.M College of Engineering,
KADAPA.

Name of Work: Extension and Strengthening of Existing Runway, Taxiway and Apron along with Construction of Isolation Bay, Pavement against Blast Erosion, RESA and Perimeter Road, Grading of Strips etc. at Kadapa Airport for the operation of code – C Type of Aircraft (A -320) including Electrical works.

SH: Construction of Paver Block Perimeter Road inside Operational area at Kadapa Airport.

Respected Sir/Madam,

Please carry out the **28th day** compressive strength of Paver blocks. The Paver blocks were casted on **20.09.2022**.

The necessary material to carry out compressive strength test is given below:

1. **3 nos of Paver blocks of size = 238mm x 118mm x 80mm.**

Address for communication to send the Test Report:

Manager (Engg-Civil), Airports Authority of India, Kadapa Airport.

The Testing charges will be borne by our contractor **M/s. JKG Infratech Private Limited**, Kadapa Airport (Site), Kadapa – 516003.

Thanking you,

Yours Faithfully,

(Anitha K.R.)
Manager (Engg-Civil)
AAI, Kadapa Airport.

Copy to:

1. M/s. JKG Infratech Private Limited, Kadapa Airport (Site).

Govt of Andhra Pradesh
Rural water supply and sanitation department.

From
K. Murali,
Deputy Executive Engineer,
RWS&S, Sub Division,
Kamalapuram.

To
Principal,
KSRM College of Engg., Civil Engg. department.

Lr no: AEE/Vallur/testing/SBC/ dt 20.09.2022

Sir,

Sub: Requesting for testing of Soil bearing capacity – Construction of OHSR – regarding.

I hereby request you to test the soil bearing capacity (SBC) of the samples sent for the following works: 1) Augmentation of SVS to Tappetha of Tappetha GP of Vallur Mandal. Estmt: Rs 25.00 lakhs. Grnt: DMF

2) Augmentation of existing water supply scheme and providing FHTC's to Vallur H.W #/o Vallur GP of Vallur Mandal. Estmt: Rs 36.27 lakhs, Grnt: JJM.

Hence kindly conduct the SBC test for the above said works and communicate the results at the earliest date and inform for the charges of test.

Thanking You.

Yours Sincerely,

K. Murali 20/09/2022

DEPUTY EXECUTIVE ENGINEER
RWS & S SUB DIVISION
KAMALAPURAM

Deputy Executive Engineer,
RWS&S, Sub Division, Kamalapuram

1000 Paid

SHILPARAMAM
Arts, Crafts & Cultural Society
A Govt. of A.P. Society

P U L I V E N D U L A

.

From
D.Venkata Subbaiah,
Assistant Engineer,
Shilparamam,
Pulivendula.

To
The Principal,
KSRMCE,
Kadapa.

Lr.No.38/SACCS/PDL/2022-23, Dt.14.10.2022

Respected Sir,

Sub: AP Shilparamam- "Providing parking zone on Hill top at Shilparamam, Pulivendula" and " Face-lift/upgrade of existing infrastructure/facilities and development of additional facilities at Shilparamam, Pulivendula,Conduct quality test for MS pipes and interlocking pavers-Submitted- Regarding.

@@@@@

I am here submitting to conduct quality control test for MS square pipes weight and thickness and interlocking paver's Compressive strength for 28 days to the above work at Shilparamam, Pulivendula and give to the test reports.

Thanking you Sir,

Yours faithfully,

(D.VENKATA SUBBAIAH)
Assistant Engineer
SHILPARAMAM
PULIVENDULA.

TRANSMISSION CORPORATION OF ANDHRA PRADESH LIMITED

From
The Dy. Executive Engineer/Civil
Survey-Sub Division,A.P.Transco,
Transco Nilayam, Sankarapuram,
KADAPA.

To
The Head of the Department,
Civil Engineering,
KSRM College of Engineering,
KADAPA.

Lr No: DEE/ Civil/Survey SD/ KDP/ F.No: Aug. 400KV JMD / D.No: 104/22, Dt:21 -09- 2022

Sir,

Sub: - A.P.Transco – Survey/ Civil Sub Division/Kdp:- Supply, erection, testing and Commissioning of Augmentation works at existing 400kV SS, Jammalamadugu for Evacuation of 750MW Solar Power from Kadapa Ultra Mega Solar park in Kadapa District of Andhra Pradesh.–- Testing of construction materials like sand, HBG metal and Fly ash bricks etc.- Requested – Regarding.

Ref: 1. Lr.No.LOI/CE/Z/KDP/EE-400KV/DEE/F.JMM Aug/LOI/D.No.317/2021,Dt: 29.12.2021.
2.P.O.No:EE-14/2022/APSPCL/EE(T)/F.JMMAug/D.No.546/2022,Dt.29.06.2022

* * *

We here with enclose samples of sand , 20mm ,40mm HBG Metal and Fly ash bricks for favour of arranging to conduct tests as detailed below. The necessary fees will be paid by the contracting agency as per your terms and conditions. Hence, it is requested to arrange to conduct the tests and test results may please be sent to this office at the earliest please.

1) Sand for mortar : Sieve analysis, silt content, Fineness Modulus
2) 20mm graded HBG metal : Sieve analysis, Flakiness Index, Elongation Index, Impact Value, and Crushing strength.
3) 40mm HBG metal: Sieve analysis, Flakiness Index Elongation Index, Impact Value and Crushing strength.
4) Fly ash bricks : Water absorption & compressive strength

Thanking you sir,

Yours faithfully,

21/9/22

Encl :- Encl :- Samples of Sand, 20mm & 12mm HBG Metals& Flyash bricks

Dy.Executive Engineer/ Civil
Survey / Civil SD /Kadapa.

Copy submitted to the Superintending Engineer/Civil/A.P. Transco/Kadapa for favour of information pl

Copy submitted to the Superintending Engineer/400KV OMC/A.P. Transco/Kadapa for favour of information pl

Copy submitted to the Executive Engineer /Civil/400KV/A.P.Transco/Kadapa for favour of information pl.

TRANSMISSION CORPORATION OF ANDHRA PRADESH LIMITED

From
The Dy. Executive Engineer/Civil
Survey-Sub Division,A.P.Transco,
Transco Nilayam, Sankarapuram,
KADAPA.

To
The Head of the Department,
Civil Engineering,
KSRM College of Engineering,
KADAPA.

Lr No: DEE/ Civil/Survey SD/ KDP/ F.No: Aug. 400KV JMD / D.No: /22, Dt: 21 -09- 2022

Sir,

Sub: - A.P.Transco – Survey/ Civil Sub Division/Kdp:- Supply, erection, testing and Commissioning of Augmentation works at existing 400kV SS, Jammalamadugu for Evacuation of 750MW Solar Power from Kadapa Ultra Mega Solar park in Kadapa District of Andhra Pradesh.–- Design of M25 Mix - Requested – Regarding.

Ref: 1. Lr.No.LOI/CE/Z/KDP/EE-400KV/DEE/F.JMM Aug/LOI/D.No.317/2021,Dt: 29.12.2021.
2.P.O.No:EE-14/2022/APSPCL/EE(T)/F.JMMAug/D.No.546/2022,Dt.29.06.2022

* * *

We here with enclosing samples of sand ,20mm and 12mm HBG metal pertaining to the work under subject for favour of arranging mix design of RCC M25 grade with Cement content not less than 380Kg for the above work. The necessary fees will be paid by the contracting agency as per your terms and conditions. Hence it is requested to arrange to conduct the tests and test results/recommendations as per BIS may please be sent to this office at the earliest please

Thanking you sir,

Yours faithfully,

Encl :- Encl :- Samples of Sand, 20mm & 12mm HBG Metals

Dy.Executive Engineer/ Civil
Survey / Civil SD /Kadapa.

Copy submitted to the Superintending Engineer/Civil/A.P. Transco/Kadapa for favour of information pl

Copy submitted to the Superintending Engineer/400KV OMC/A.P. Transco/Kadapa for favour of information pl

Copy submitted to the Executive Engineer /Civil/400KV/A.P.Transco/Kadapa for favour of information pl.

भारतीय विमानपत्तन प्राधिकरण, कडपा हवाईअड्डा.
AIRPORTS AUTHORITY OF INDIA
KADAPA AIRPORT– 516003.

Ref No: AAI/Kadapa/ Engg(C)/BW/2022-23 Date: 28.08.2022

To,
Head of the Dept. Civil Engineering,
K.S.R.M College of Engineering,
KADAPA.

Sub: CONSTRUCTION OF OPERATIONAL BOUNDARY WALL AT DAMAGED LOCATIONS ALONG PERIMETER AT KADAPA AIRPORT-Testing of Cubes – Reg.

Sir,

Please carry out the Compressive Strength Tests for the cubes casted of 1:1.5:3 mix as per IS Standards.

Cubes	7 days	28 days
1:1.5:3 mix 3 Cubes		
1:1.5:3 mix 3 Cubes		

The cubes 6 nos are provided.

Address for communication to send the Test Report:

Asst.General Manager (Engg-C)-I, O/o Dy. General Manager (Engg-C), Airports Authority of India, Kadapa Airport.

The Testing charges will be borne by **M/s VASISHTHA POWER INFRAH, # 129 Street No. 850, Ayyappa Nagar, Kodada Road, Jaggaiah pet, Krishna (Dist.) Andhra Pradesh - 521175.**

Thanking You,

Yours Faith fully,

28/7/22

S.K. MALLICK
Asst. General Manager (E-C)-I,
Kadapa Airport.

M20
22049B17

Kadapa Airport, Kadapa – 516003 Phone – 08562 - 220501 (Extn :544) FAX – 08562 - 220501

भारतीय विमानपत्तन प्राधिकरण, कडपा हवाई अड्डा.
AIRPORTS AUTHORITY OF INDIA
KADAPA AIRPORT– 516003.

Ref No: AAI/Kadapa/Engg(C)/DCW/Tests/2022-23/428 Date: 24.09.2022

To,
Head of the Dept. Civil Engineering,
K.S.R.M College of Engineering,
KADAPA.

Name of Work: Construction of Operational Boundary wall at damaged locations along Perimeter at Kadapa Airport.

Respected Sir,

Please carry out the 28 day compressive strength of concrete cubes. The cubes were casted on 28.08.2022.

The necessary material to carry out design mix is given below.

1. 3 nos of cubes of size 15cm x 15cm x 15cm.

Address for communication to send the Test Report:

Manager (Engg-C), Airports Authority of India, Kadapa Airport.

The Testing charges will be borne by our contractor M/s. VASISHTHA POWER INFRA, Kadapa Airport (SITE), Kadapa - 516003.

Thanking You,

Yours Faithfully,

Anitha

Anitha K.R
Manager (E-C),
AAI, Kadapa Airport.

Mpo 22/3/8

Copy to:

1. VASISHTHA POWER INFRA, Kadapa Airport (SITE).

भारतीय विमानपत्तन प्राधिकरण, कडपा हवाई अड्डा.
AIRPORTS AUTHORITY OF INDIA
KADAPA AIRPORT– 516003.

Ref No: AAI/Kadapa/Engg(C)/DCW/Tests/2022-23/430 Date: 27.09.2022

To,
Head of the Dept. Civil Engineering,
K.S.R.M College of Engineering,
KADAPA.

Name of Work: Construction of Operational Boundary wall at damaged locations along Perimeter at Kadapa Airport.

Respected Sir,

Please carry out the 7th day compressive strength of concrete cubes. The cubes were casted on 21.09.2022.

The necessary material to carry out design mix is given below.

1. 3 nos of cubes of size 15cm x 15cm x 15cm.

Address for communication to send the Test Report:

Manager (Engg-C), Airports Authority of India, Kadapa Airport.

The Testing charges will be borne by our contractor M/s. VASISHTHA POWER INFRA, Kadapa Airport (SITE), Kadapa - 516003.

Thanking You,

Yours Faithfully,

Anitha

Anitha K.R
Manager (E-C),
AAI, Kadapa Airport.

MO

22317

Copy to:

1. VASISHTHA POWER INFRA, Kadapa Airport (SITE).

भारतीय विमानपत्तन प्राधिकरण, कडपा हवाईअड्डा.
AIRPORTS AUTHORITY OF INDIA
KADAPA AIRPORT– 516003.

Ref No: AAI/Kadapa/ Engg(C)/BW/2022-23 Date: 28.07.2022

To,
Head of the Dept. Civil Engineering,
K.S.R.M College of Engineering,
KADAPA.

Sub: CONSTRUCTION OF OPERATIONAL BOUNDARY WALL AT DAMAGED LOCATIONS ALONG PERIMETER AT KADAPA AIRPORT-Testing of Fly ash Bricks –Reg.

Sir,

Please carry out the Test on Fly ash bricks as per IS Standards.

1. Compressive Strength Tests
2. Water absorption Test

The Bricks 5 nos are provided.

Address for communication to send the Test Report:

Asst.General Manager (Engg-C)-I, O/o Dy. General Manager (Engg-C), Airports Authority of India, Kadapa Airport.

The Testing charges will be borne by **M/s VASISHTHA POWER INFRAH, # 129 Street No. 850, Ayyappa Nagar, Kodada Road, Jaggaiah pet, Krishna (Dist.) Andhra Pradesh - 521175.**

Thanking You,

Yours Faith fully,

28/7/22

S.K. MALLICK
Asst. General Manager (E-C)-I,
Kadapa Airport.

ROADS AND BUILDINGS DEPARTMENT

From
K. Bashakar , B.Tech.,
Assistant Executive Engineer,
(R&B)Section –Orvakal ,
Kurnool (Dist)

To
The Head of the Department,
KSRM College of Engineering,
Civil Engineering, KADAPA.

Lr.No. AEE/PHC/ORVAKAL/QC/2022 Dated:

Sub:- (R&B)Section- Orvakal - Construction of Primary Health Centre Building at HUSAINAPURAM (V), Orvakal (M) in Kurnool District under Package-KNL-11(1)-Submitted for testing Fly Ash Bricks & Solid Concrete Blocks samples – Requested –Regard.

Ref:- 1. C.R. Agreement No: 20 /2020-21 of the Superintending Engineer, (R&B) Circle, Kurnool. Dated: 06-08-2020.

With reference to above, I am here with submitting the two sets of samples for testing Fly Ash Bricks of size 290mm x 225mm x 140mm & Solid Concrete Blocks of size 290mm x 100mm x 140mm the work of Construction of Primary Health Centre Building at HUSAINAPURAM (V), Orvakal (M) in Kurnool District under Package-KNL-11(1). for testing Fly Ash Bricks & Solid Concrete Blocks samples.

The necessary expenditure towards testing charges will be paid by the executive agency.

Yours faithfully,

K. Baskar

Assistant Executive Engineer,
(R&B) Section- Orvakal,

Encls: 1. Two sets of samples.
2. Datas.

Sl. No.		Description	Quantity		Rate (Rs.)	Per Unit		Amount (Rs.)
		Rate per 10 sqm						5091.70
		Rate per 1 sqm						509.17
		Internal walls :						
		Rate for other Floors	FF	SF	TF	4 F	5 F	
		Rate as worked out above	509.17	509.17	509.17	509.17	509.17	
		Hire charges for Access Scaffolding	10.32	10.32	10.32	10.32	10.32	
		Labour charges for scaffolding	79.46	113.78	148.09	182.41	216.72	
		Add for MA @ 0%	0.00	0.00	0.00	0.00	0.00	
		Lift charges (Page 131 of Std. Data)	0.00	17.31	34.62	51.93	69.24	
		Add for MA @ 0%	0.00	0.00	0.00	0.00	0.00	
		Rate per 1 sqm	598.95	650.58	702.20	753.83	805.45	
		Overheads&Contractors Profit @13.615%	81.55	88.58	95.60	102.63	109.66	
		Rate per 1 sqm	680.50	739.16	797.80	856.46	915.11	
		Say	681	739	798	856	915	

crushed hard granite metal

12		**Masonry work in CM(1:6)** prop (Cement : Sand) in superstructure with **fly ash cement / lime solid blocks of size 290mm x 225mm x 140mm** from approved source having minimum crushing strength of 50 Kg/Sqcm. including cost and conveyance of all materials like cement, sand, bricks, water etc., to site, labour charges, like mixing cement mortar, scaffolding charges, constructing masonry, lift charges, curing, overheads and contrctor profit etc. complete for finished item of work (APSS No. 501 & 504)						
		(BLD-CSTN-5-17)						
		Unit = 1 Cum						
		A.MATERIALS						
		No of blocks required for 1 Cum of Masonry	110	Nos	27080.08	1000	Nos	2978.81
		Cement	24.00	Kgs	3672.00	1000	Kgs	88.13
		Fine aggregate (Sand)	0.10	cu.m.	1229.70	1	cu.m.	122.97
		B .LABOUR						
		1st class mason	0.24	Nos.	500.00	1	Each	120.00
		2nd class mason	0.56	Nos.	460.00	1	Each	257.60
		Mazdoor (Unskilled)	1.89	Nos.	420.00	1	Each	793.80
		Add for MA @ 0%	0.00		1171.40			0.00
		water charges @ 1%	0.01		4361.31			43.61
		Rate per 1 cum						**4404.92**
	a)	**Rate for Foundation , Basement , Compound wall**						
		Rate as above	1.00	cum	4404.92	1	cum	4404.92
		Overheads&Contractors Profit @13.615%	0.13615		4404.92			599.73
		Rate per 1 cum						**5004.65**
							say	**5005**
	b)	**Superstructure :**						
		Rate for other Floors	**FF**	**SF**	**TF**	**4 F**	**5 F**	
		Rate as worked out above	4404.92	4404.92	4404.92	4404.92	4404.92	
		Hire charges for Access Scaffolding	45.87	45.87	45.87	45.87	45.87	
		Labour charges for scaffolding	353.16	505.69	658.18	810.71	963.20	
		Add for MA @ 0%	0.00	0.00	0.00	0.00	0.00	
		Lift charges (Page 131 of Std. Data)	0.00	117.14	234.28	351.42	468.56	
		Add for MA @ 0%	0.00	0.00	0.00	0.00	0.00	
			4803.95	5073.62	5343.25	5612.92	5882.55	
		Overheads&Contractors Profit @13.615%	654.06	690.77	727.48	764.20	800.91	
		Rate per 1 cum	**5458.01**	**5764.39**	**6070.73**	**6377.12**	**6683.46**	
		Say	**5458**	**5764**	**6071**	**6377**	**6683**	
13		**Reinforced Masonry for partition walls (100 mm thick)** in CM (1:4) prop. (Cement : Sand) using **fly ash cement / lime solid blocks of size 290mm x 100mm x 140mm** having minimum compressive strength of 50 Kg/Sq.cmand placing 2 Nos. of 6mm M.S plain rods in every third layer with free ends of the reinforcement pegged into mortar joints of main brick walls where applicable including cost and conveyance of all materials like cement, steel, sand, bricks, water etc., to site, all operational, incidental charges such as labour charges for mixing cement mortar, scaffolding charges, constructing masonry, lift charges, curing, etc., and overheads & contractors profit but excluding cost of steel and its fabrication charges complete for finished item of work (APSS No. of 509)						
		(BLD-CSTN-5-12)						
		Unit - 10sqm						
		A.MATERIALS :						
		Flyash lime solid blocks	247	Nos.	12368.92	1000	Nos.	3055.12
		Cement	36.00	Kgs	3672.00	1000	Kgs	132.19
		Fine aggregate (Sand)	0.10	cu.m.	1229.70	1	cu.m.	122.97
		B.LABOUR :						
		1st class mason	0.60	Nos.	500.00	1	Each	300.00
		2nd class mason	0.60	Nos.	460.00	1	Each	276.00
		Mazdoor (Unskilled)	2.75	Nos.	420.00	1	Each	1155.00
		Add for MA @ 0%	0.00		1731.00			0.00
		water charges @ 1%	0.01		5041.29			50.41

20-9-22

Name of work:

Test soil sample, Bearing capacity for constructing building (G+3) Survey no 412 x 411, Revenue ward 8, gandhi road, Proddatur 516360

Sample:- 17 feet under Road level.

sample date:- taken on 20 sep 2022 at 9.15 AM

Name:- M. NITHYA PRASAD

Phone:- 9381350426

paid Amount 2000/-

V.L.

GOVERNMENT OF ANDHRA PRADESH
WATER RESOURCES DEPARTMENT

From
Sri D.Venkateswara Rao, B.Tech.,
Deputy Exeutive Engineer,
Irrigation Sub-Division,
Rayachoty.

To
The Head of the Department,
Civil Engineering Department,
KSRM Engineering college,
Kadapa.

Lr.No. WRD/DEE/ISD/RCT/No. 109 **Dt:** 8/9/2022.

Sir,

SUB:- WRD., -DEE-ISD-Rayachoty- Testing of Soil samples- Soil classification, OMC, MDD value of soil for "Construction of Lift Irrigation Schemes and Supply Channels to feed MI Tanks in Lakkireddypally and Ramapuram Mandals in Y.S.R.Kadapa District from GNSS Canal to HNSS Canal through Kaletivagu Reservoir." - Regarding.

****

It is to inform that the work of "Construction of Lift Irrigation Schemes and Supply Channels to feed MI Tanks in Lakkireddypally and Ramapuram Mandals in Y.S.R.Kadapa District from GNSS Canal to HNSS Canal through Kaletivagu Reservoir." is in progress.

In this connection for strengthening of bund homogenous embankment to the following tanks 1) Komativani cheruvu

2) Balligutta cheruvu

3) Chitluru Pedda cheruvu

Hence, communicate the test reports of Soil classification, OMC, MDD value of soil samples as early possible.

Enclosers: Soil samples of each tank

Yours faithfully,

8/9/2022

Deputy Executive Engineer,
Irrigation Sub-Division,Rayachoty

Amount Paid 6000/-

8-9-2022

GOVERNMENT OF ANDHRA PRADESH
ROADS & BUILDINGS DEPARTMENT

From

N. Ganesh Reddy,
Assistant Executive Engineer(R&B),
R&B Section, Vemula.

To

The Head of the Department,
Departmental of Civil Engineering
K.S.R.M.College of Engineering,
Kadapa

Lr.No: AEE / R&B / Vemula / Mopuridevalalu road / 2021 Dt: 03.02.2021.

Sub:- AEE/R&B Section/Vemula – " **Urgent Repairs to road from Km 0/6-8 by constructing Protection wall and Reconstruction of Causeway in Km 2/9 to 3/1 of Kadapa-Pulivendula Road to Mopuridevalalu Road (via) Pernapadu, Konreddypalli in YSR district."** -Requested – Reg.

Ref:- 1. C.R. Agt.No: / 2020-21 Dt: .01.2021 of Superintending Engineer, (R&B) Circle, KADAPA

x.x.x.x.x

I submit that, with reference to the above, the above work tendered by the Contractor " Sri D. Papaiah, Pernapadu (V), Vemula (M), YSR District" on tender basis.

The above is Construction of Protection wall and reconstruction of Causeway to the Village "Chagaleru (V), Vemula (M), YSR District".

Hence it requires to have the mix designs for the (i) M 15 Grade Concrete and (ii) VCC M 35 Grade Concrete with the following specification :

(i) Vibrated cement concrete M 15 Grade Concrete using 40mm , 20mm and 10mm size HBT crushed stone aggregate (Coarse aggregate conforming to table 1000-1 and fine aggregate conforming to table 1000-2) including cost and conveyance of all materials to site and all labour charges for machine mixing, laying in position,Compacting, Vibrating and curing including all other incidental and all other operational charges of T&P required etc., complete as per MoRT&H Specification 1500,1700, 2200 (5th Revision).

(iii) Vibrated cement concrete M 35 grade using 20mm & 10mm HBT crushed stone aggregate (Coarse aggregate conforming to table 1000-1 and fine aggregate conforming to table 1000-2) including cost, conveyance of all materials to site and labour charges, centring, machine mixing, laying, vibrating, curing etc., including all other incidental and operational charges of all T&P etc., complete for finished item of work as per MoRT&H

specification 1500, 1700, 2100 & 2702 (5th Revision) and as directed by the Engineer-in-Charge for C.C Pavement.

The following materials are furnished for investigation for detailed mix design report of (i) M 15 Grade Concrete and (II) M 35 Grade Concrete based on the physical and engineering properties as per latest IS Codes.

(i) Coarse Aggregate – 40 mm, 20 mm & 10 mm HBT Metal
(ii) Fine Agreegate
(iii) Cement
(iv) Water

Hence it is requested to furnish the advisable and the adoptable mix design details for the supplied materials duly testing the materials with standard test procedure as per in vogue for the above work.

Payment will be made before issuing of the test results.

Yours faithfully,

Cgamesh Reddy 03.02.2021
Assistant Executive Engineer
(R&B) Section, Vemula.
7989166632

M-15 – 280
M-35 – 430

9000 70 5256

20-5-2021

18-9-2022

22211

12

The head master

MPPS K Gandlur

Kondapuram (M)

Y.S.R

6 Feet

18-9-22

The Head master

Z PhS Pattipadu

Kondapuram (M)

Y.S.R

6 - Feets -

22300 8368

10

GOVERNMENT OF ANDHRA PRADESH
ROADS AND BUILDINGS DEPARTMENT

From
Sri. S. ShaShaVali, M.Tech,
Deputy Executive Engineer,
(R&B) Sub-Division, KADAPA.

To
The Head of Department,
Department of Civil Engineering,
K.S.R.M. College, YSR Kadapa.

Letter No. 001/Pushpagiri Road/HC/DEE/2022, Dated: 12.09.2022

Sir,

Sub:- R&B Sub-Division, Kadapa – Job mix formula for GSB, WMM Mix design for Bituminous Macadam, Bituminous concrete, VRCC M15, VRCC M20, VRCC M25, VRCC M30, VRCC M40 and necessary tests on characteristics of Steel HYSD Bars (Fe-415) & Mild Steel (Fe-250) necessary tests on rowed soil for the work of "Widening and Strengthening of single Lane to Double lane from Km 0/0 to 3/450 & HLB at Km 5/2-4 of Chinnamachupalli-Pushpagiri road in YSR District" – Requested – Regarding.

Ref: - 1) Go. RT No 193 of T R&B (R.III) Depart.dt:09.07.2021.
2) Agt., No. /2022-23, Dated: 02.04.2022 of the Superintending Engineer (R&B) Circle, Kadapa.

***

I Submit that the work "Widening and Strengthening of single Lane to Double lane from Km 0/0 to 3/450 & HLB at Km 5/2-4 of Chinnamachupalli-Pushpagiri road in YSR District" was sanctioned for Rs. 980.00 Lakhs vide Ref cited 1st. The above work was entrusted to M/s MCSR Constructions Kadapa, YSR District on tender basis @ 4.95% excess over estimate contract value. I here with submit the samples for conducting necessary tests for Design Mix and Job Mix formula of following items.

A. Job Mix formula
   1. Granular Sub Base grading-V (MoRT&H) 5th Revision)
   2. Wet Mix Macadam (MoRT&H 5th Revision)

B. Mix Design
   1. Bituminous macadam (VG 30 Grade Content 3.40% by Weight of Mix)
   2. Bituminous Concrete (VG 30 Grade Content 5.40% by Weight of Mix)
   3. VRCC M15 (Min Cement Content of 275.40 Kgs/Cum)

(P.T.O)

From

Sri. A.Sivarudra Goud M.Tech.,
Deputy Executive Engineer,
R.W.S. & S Kodur.

To

The Principal,
K.S.R.M. Engineering College,
KADAPA.

Lr.No.JTO/Kodur/MBNN/2022 Dated. 21-09-2022.

Sir,

Sub:- R.W.S. & S Sub-division Kodur – "Construction of New additional Class rooms at Kodur Z.P.H.S (Girls) H/O Kodur of Kodur Mandal in Annamayya District" – Safe Bearing capacity of soil for Construction of School Building (G+2) – Requested – Regarding.

Ref:- Work sanctioned under Manabadi Nadu Nedu Programme phase II by Govt. of Andhrapradesh.

-ooOoo-

With Reference cited, the above work "Construction of New additional Class rooms at Kodur Z.P.H.S (Girls) H/O Kodur of Kodur Mandal in Annamayya District" was sanctioned under Manabadi Nadu Nedu Programme. The work is entrusted to Parents Committee.

To construct additional Class rooms (G+2). The following reports are required for given material sample.

1. Safe Bearing capacity of soil.

Hence, I request to conduct required test on above material and furnish the reports at an early date for taking further necessary action.

Yours faithfully,

21/09/2022

Deputy Executive Engineer,
RWS & S Sub-Division. Kodur.

Encl: Material Sample

21/9/2022

GOVERNMENT OF ANDHRA PRADESH
ROADS & BUILDINGS DEPARTMENTS

From

G.Giriswarao .M.Tech.,

Assistant Executive Engineer,

(R&B) Section ,Rayachoty .

To

The Principal

K.S.R.M.College of Engineering,

Kadapa.

Lr.No:AEE/R&B/Rayachoty Section /RKT Road /HLB/Saddi Kulla Vanka/Dt:15-09-2022,

Sub: -(R&B) Department - (R&B) Sub Division, Rayachoty -(R&B)Rayachoty Section –Request for Test Results for the soils /Rock samples Collected Under the work of" Conducting Sub Soil exploration, Soil testing and Investigation for Construction of High-Level Bridge (HLB) At Km 52/800-53/0 Of Rajampeta-Kadiri-Tumkur Road (SH-59) in YSR District" Requested-Reg.

Ref: - G.O.Rt.No.112 of Transport Roads & Buildings (R.IV) Dept.

xxxxxxxxxx

With the reference to cited, I Submit that the above Subject Work is Entrusted to Sri Sathyanarayana Reddy, Contractor, Vallur (M), YSR District for conducting Sub Soil Exploration.

The contractor Requested for Conducting sub soil exploration at site and collect soil /rock samples at different depths by drilling Three bores (three bores on U/S) at Saddikulla Vanka near Rayachoty. The soil samples /rock samples are here with funished to conduct the following laboratory tests.

1. **Soil classification at different depths for 3 no's of bores with log particulars.**
2. **Engineering properties of collected soils /Rock.**
3. **Safe Bearing Capacity as per C (cohesion) and ò (Angle of Internal Friction) values and SPT values along with SBC Calculations.**
4. **Recommendation for type of foundation to be adopted for Structure (HLB).**

Payment will be made before issuing of the test results.

Encil: - Soil /Rock Samples of 3 bores.

Yours faithfully,

15/9/2022.

Assistant Executive Engineer
(R&B)Section,Rayachoty .

RC/RK 2264

13-9-2022

GOVERNMENT OF ANDHRA PRADESH
IRRAGATION & WRD DEPARTMENT

From
Sri M.V. Raja Kumar, B.Tech,
Deputy Executive Engineer,
M.I Sub-Division, Proddatur,
YSR District.

To
The Head of the Department,
Civil Engineering Department ,
KSRM Engineering College,
Kadapa

Letter No. Dy.E.E/M.I Subdivision/Proddatur/ 40M Date: 01-08-2022.

Sir

Sub:- WRD- Irrigation- M.I.Sub Division, Proddatur – Reconstruction of percolation pond near Thummulapalli (V) in Yerraguntla (M) of Y.S.R. District- Enstrusted to M/S Sri Sri Vigneswara Construction, Nandyal- Submission of Soils for conducting tests -Req.- Regarding

Ref:- SE,Irrigation Circle, Kadapa Agt.No.17 SE/2022-23 Dated 25.07.2022

@@@

It is submitted that the Work for " Reconstruction of percolation pond near Thummulapalli (V) in Yerraguntla (M) of Y.S.R. District " was entrusted to M/S Sri Sri Vigneswara Construction, Nandyal vide Superintending Engineer , Irrigation Circle , Kadapa Agt.No.17 SE/2022-23 Dated 25.07.2022 .

In View of the above , I here with transmit the Soils pertains to the above work for conducting the Tests as follows:

1) Classification of Soils .
2) Maximum Dry Density (MDD)
3) Optimum Moisture Content (OMC)

This is submitted for favour of information and necessary action .

Your's faith fully,

Deputy Executive Engineer;
M I Sub Division, Proddatur

01/8/2022

9853559999
8099283870

Amount Not paid

OFFICE OF THE DEPUTY EXECUTIVE ENGINEER, APEWIDC,
KADAPA SUB DIVISION

From
Sri. D.Gurivi Reddy,
Deputy . Exe. Engineer
APEWIDC,
Kadapa

To
The Principal,
KSRM College of Engineering,
Kadapa,

Lr. No. 02/AE/ MP LADS – College- Kadapa /2022-23 Dt. 1.09.2022

Sir,

Sub :- APEWIDC Kadapa Sub Division Kadapa Section, Y..S.R.District – Construction of Skill Development Centre (Digital Laboratory and Class room) Under MPLADS in the premises of Govt. Arts College Kadapa In Y.S.R.District - Submission of Soil Samples for conducting SBC – Requested – Regarding.

& & &

I submit herewith the soil sample of the work **"Construction of Skill Development Centre (Digital Laboratory and Class room) Under MPLADS in the premises of Govt. Arts College Kadapa In Y.S.R.District"** for conducting the SBC of the soil samples collected at a depth of 1.80 mt. The necessary charges will be paid soon after receiving the soil test results at your end.

Yours faithfully

Encl : Soil Sample

D. Gurivi 01/09/2022
Deputy Executive Engineer
APEWIDC, Kadapa

1/9/2022

Paid 1,000/- cash

Government of Andhra Pradesh,

Panchayat Raj Engineering Department

From:

Sri V.M.Ravichandra Reddy,
Deputy Executive Engineer,
PRI, Sub-Division,
Vempalli.

To:

The Principal,
KSRM Engg College,
Kadapa.

Lt.No : JTO/Soils samples/Test reports/Vempalli/Kadapa. Dt: 01 - 09 – 2022'

Sir,

Sub:- PRI, Sub-Division. Vempalli Gravel road works in Vempalli Mandal of Vempalli Sub-Division- Soils samples submitted, test reports – requested – regarding.

------ ***** ----------

I here with Submit the soil samples which are required the following soil parameters.

1.MDD

2.OMC

3.Gradation

4.Plastic limit

5.Liquid limit

Hence the test reports of soils may be issued at earliest.

Thanking you,

Amount paid : 2800

Yours Sincerely,

13-9-2022

9866110059

22291

Deputy Executive Engineer
PRI Sub-Division, Vempalli.

Date + 8/9/22
Kadapa

To

The Head of the Department
Civil Engineering,
KSRM CE

Sub + Testing for Concrete Cubs

I am J. Yalla Reddy penna cement Industries Limited Honble request to testing for per concrete guard cement used. (Ep) work is commersical building RCC pilers. pls give me compressive strength Report.

Thanking your Sir,

J. Yalla Reddy
Sr. Technical Officer
Kadapa
cl 7995111772

mail + yallareddy.Janga@gmail.com

from Address

Mr. Srinivasul Reddy
Civil consultant Engineer
cl 9394022059
Dharmavaram

450/- paid

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: B. Damodar Reddy
2. Mobile No: 9849080702
3. E-Mail ID:
4. Survey No: 310/B & 307/C
5. Door No:. 75/9-1-2
6. Location / Area: Vijaya Durga officers colony, Revenue Ward No: 75, Kadapa-516003
7. Depth of sample Collection / Foundation Depth: 10 Feet
8. No. of Floors: Cellar G+5 Floors
9. Commercial / Residential / School / College / Hospital Building: ~~Semi~~ Multi Comercial 3 3
10. Address: 75/9-1-2 Vijaya Durga officers colony Revenue ward No: 75, Kadapa-516003

29-08-2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: K. Sudheer Kumar
2. Mobile No: 9949400084
3. E-Mail ID: Sudheer.Kanisetty2@gmail@gmail.com
4. Survey No:
5. Door No:. - 2/1
6. Location / Area: Kotireddy circle
7. Depth of sample Collection / Foundation Depth: Amount Not paid
8. No. of Floors: C + G + 2 ✓ cube Testing – 10 days steel – 2 No
9. Commercial / Residential / School / College / Hospital Building: Commercial
10. Address: 2/1. R.S. Road. Kadapa.

Paid after Cty.

VR

OFFICE OF THE DEPUTY EXECUTIVE ENGINEER, APEWIDC,
KADAPA SUB DIVISION

From
Sri. D.Gurivi Reddy,
Deputy . Exe. Engineer
APEWIDC,
Kadapa

To
The Principal,
KSRM College of Engineering,
Kadapa,

Lr. No. 02/AE/ Pilot project – GDC – Kadapa /2022-23 Dt. 1.09.2022

Sir,

Sub :- APEWIDC Kadapa Sub Division Kadapa Section, Y..S.R.District – **Upgradation of Govt. Degree College (M) at KADAPA In Y.S.R.District - UNDER NIRF Pilot Project -** Submission of Soil Samples for conducting SBC – Requested – Regarding.

& & &

I submit herewith the 2 Nos soil samples of the work **"Upgradation of Govt. Degree College (M) at KADAPA In Y.S.R.District UNDER NIRF Pilot Project"** for conducting the SBC of the soil samples collected at a depth of 1.80 mt. The necessary charges will be paid soon after receiving the soil test results at your end.

Yours faithfully

Encl : Soil Samples -2 Nos

D. Gurivi 01/09/2022
Deputy Executive Engineer
APEWIDC, Kadapa

1/9/2022

REQUEST LETTER

TO THE,

HEAD OF THE DEPARTMENT,

CIVIL ENGINEERING,

KADAPA.

I am Manchala Krishna chaitanya,H.No-39/49-61-6,sri krishna devaraya colony, kadapa.we are constructing Individual house G+1 at Padmavathi nagar,kadapa.We are taken one soil sample from the site at the depth of **5**'from the ground level and submitting to you for the SBC of soil.please give me SBC of soil sample as soon as possible.

Thanking you sir,

Your's Truely,

M.Krishna Chaitanya

To

Mcys

22284

GOVERNMENT OF ANDHRA PRADESH
WATER RESOURCES DEPARTMENT

From
Sri D.Venkateswara Rao, B.Tech.,
Deputy Exeutive Engineer,
Irrigation Sub-Division,
Rayachoty.

To
The Head of the Department,
Civil Engineering Department,
KSRM Engineering College,
Kadapa.

Lr.No. WRD/DEE/ISD/RAT/No. 71 **Dt:** 21-7-2022.

Sir,

SUB:- WRD., -DEE-ISD-Rayachoty- Conducting Soil test for Homogenous Embankement compacting to density control of work not less than 95 Percent to Ganganeru Project- Communicate test Results- Requested- Regarding.

****

It is to inform that the work of "Detailed Project Report of International Cooperation Agency Assistance for Water Bodies Ganganeru Project near Ganganeru (V) in Ramapuram (M) of Annamayya District" is in progress.

In this connection for strengthening of bund homogenous embankment to Ganganeru Project is required.

Hence, communication the test reports of homogenous embankment compacting to density control of work not less than 95 percent as early possible.

Yours faithfully,

21/7/2022

Deputy Executive Engineer,
Irrigation Sub-Division,Rayachoty

8985541979

Not Paid

23 - 8 - 2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: MK Reddy Infra Private Limited
2. Mobile No: 9632474616
3. E-Mail ID: Penchal.geethala@gmail.com
4. Survey No: 675/1, Flot No. 66
5. Door No:.
6. Location / Area: Reddy Colony, Chinna chowk
7. Depth of sample Collection / Foundation Depth: 8 F
   Paid Amount: 3000/—
8. No. of Floors: G+5
9. Commercial / Residential / School / College / Hospital Building:
10. Address: Reddy Colony, Chinnachowk, Kadapa.

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

22-8-2022

1. Owner Name: Busetty Rajasekhar
2. Mobile No: 9849225507
3. E-Mail ID:
4. Survey No:
5. Door No:.
6. Location / Area:
7. Depth of sample Collection / Foundation Depth:
8. No. of Floors: ~~8~~ 9+3
9. Commercial / Residential / School / College / Hospital Building:
10. Address: Busetty Rajasekhar
Mydukuru Road
Proddatur

Amount Paid
I.S.R 3000/-

22-8-2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: Busetty Rajasekhar
2. Mobile No: 9849225507
3. E-Mail ID:
4. Survey No:
5. Door No:.
6. Location / Area:
7. Depth of sample Collection / Foundation Depth:
8. No. of Floors:
9. Commercial / Residential / School / College / Hospital Building:
10. Address:

Busetty Rajasekhar
Mydukur Road
Proddatur

construction :-

1500/-

paid Amount

ISR

22278

A.P.STATE COOPERATIVE RURAL IRRIGATION CORPORATION
KADAPA DIVISION :: YSR District.

Lr. No.RIC/E.E/KDP//2022-23/ Dt. 07.2022

From:
Sri. B. Prabhakar Reddy,
Executive Engineer

To:
The Head of the Dept (CIVIL)
KSRM Engineering College,
Kadapa YSR District

Sir,

Sub:- APSCRIC, Kadapa –Division – PADA– "Construction of incomplete Building Markaz (Fathima) Masjid Pulivendula Town" – Request for conducting for SBC Test for construction of New Building - Regarding.

Ref:- 1. RC No. A1/129/2020 Dated : 13.02.2021 of the District Collector, Chairman, PADA Pulivendula.

*****

I wish to inform that, vide reference 1st cited above, the District Collector, Chairman, PADA Pulivendula accorded administrative sanction for "Construction of incomplete Building Markaz (Fathima) Masjid Pulivendula Town" with an estimate cost of Rs. 123.00 Lakhs.

Hence I request the Head of the Department, KSRM Engineering College Kadapa to Kindly conduct the SBC Test for G+2 Structure and payment will be made soon after receipt of the report.

Early action is requested in this regard.

Yours faithfully

Executive Engineer
APSCRIC – KADAPA

Copy submitted to The District Collector & Chairman PADA Pulivendula Kadapa for favor of information
Copy submitted to The OSD PADA Pulivendula for favor of Kind information.

Depth: 14

22218

9441978786

2000/-

Amount spend:

TO/ MCVS

V.R.

Soil Testing

22/8/2022

Name : Maarthan Fine chem Pvt LTD.

Address : Plot No:10, YSRJMIP, APIIC, Kopparthy
Ambavaram (V), Vallur (M), YSR Kadapa.

Phone No: 7013383109, 9032669272

No: of samples : 5 , NE, NW, SE, SW, C

Depth of hole : 9.5 feet.

Payment ID : T2208221140256591705975

Rs; 5000-00

22271

To
MCVS

No, the answer is incorrect.
Score: 0
Accepted Answers:
a

GOVERNMENT OF ANDHRA PRADESH
WATER RESOURCES DEPARTMENT

From
A.VENKATA CHALAM,M.Tech
Deputy Executive Engineer,
Produttur Sub Division
Badvel.

To
The Head of civil Department
KSRM College
Kadapa

Lr.No.DEE/ISD/BDL/ Comp / Dated:- 11.07.2016

Sir,

Sub: W.R.Department - Irrigation Sub-Division – Badvel - Rehabilitation of Boyanapalli cheruvu to Chinthamani cheruvu, Uppu cheruvu to Thummapalli tank, Angamapalli cheruvu to Mudumala cheruvu, Kammavaripalli cheruvu, Nagisettipalli tank, Goderu tank, Duvvur tank, Tallapaka tank in Kadapa District- Report for testing of Materials -Requested –Reg.

-@@@-

I submit that the above said work was sanctioned in JICA Programme. Materials are handover regarding to the Goderu tank near Thippireddy palli (V) Mydukur (M) kadapa (Dt). Hence the following test results may please be furnished as early as possible.

1. Optimum moisture content.
2. Max dry density.

Yours faithfully

11.7.2016

Deputy Executive Engineer
Irrigation Sub- Division
BADVEL

225/16

70/BSK

MUNICIPAL ADMINISTRATION DEPARTMENT

From :
Sri D.Ramudu,
Commissioner,
Mydukur Municipality,
Mydukur.



To:
The Prinicipal,
KSRM College of Engineeing,
Yerramasupalli,
C.K. Dinne,
Kadapa.

Sir,

Roc. No. 390/2022/E1, dated: 16.08.2022.

Sub:- Soil Test – Mydukur Municipality – Conducting of soil bearing capacity test – Requested – Regarding.

Ref:- 1) Letter of the Ward Amenities Secretary, 9th Sachivalayam, Mydukur Municipality, Dt: 04.08.2022.
2) Instruction of the Executive Authority

@@@

I am to inform that 12 Nos of additional class rooms have been sanctioned to Z.P. Girls High School, Mydukur under Mana Badi – Nadu Nedu Phase-II.

Hence, I request to you Sir, kindly arrange to conduct Soil Bearing Capacity Test (SBCT) for taking up constructions of the above additional class rooms by the concerned agency in the matter.

Necessary charges will be paid on receipt of the bill.

Yours faithfully

Commissioner, 16/8/22
Mydukur Municipality.

16/8/22

To
HOD/CE
You may get it done with some faculty
V. S. S. Murty
18/08/2022

GOVERNMENT OF ANDHRA PRADESH
ROADS AND BUILDINGS DEPARTMENT

From
C.Sree Hari,B.Tech,
Assistant Executive Engineer,
(R&B) Section-III,Kadapa.

To
The Principal,
KSRM College of Engineering,
KADAPA

Letter No. Mixdesign / AEE III /2021-22 dt – 02-02-2022

Sir,

Sub:- (R&B) Section-III,Kadapa – Construction of CC drains, Toilet Blocks, Athletic track and Filling the Arts college ground in the college premises in Kadapa — Mix Design for M20 and M15– Regarding.

@@@@@@@

I am herewith sending materials for conducting Mix design for M20 & M15 Grade Concrete and communicate the test results to this office at an early date to proceed with the above work.

M20 AND M15 Grade concrete

1) Cement
2) 20 mm HBD m/c metal
3) Sand

The necessary testing charges will be paid by the contracting agency as per the agreement condition.

Yours faithfully,

Asst. Executive Engineer
(R&B) Section-III
Kadapa.

DATE :- 12/08/2022

From,

DEEPAK
DHARA PRIME PROJECTS PVT LTD,
PRODDATUR - 516360,
PH - 9620403713

To,

KSRM COLLEGE,

SUB :- TESTING OF STEEL BARS,

DEAR SIR,

WITH REFERENCE TO THE ABOVE SUBSECT KINDLY REQUEST CONCERNED TO DO PHYSICAL ANALYSIS TEST FOR ROLLED STEEL BARS. THE DCA DETAILS ARE AS BELOW.

(1)	8 mm - 1M - 6nos	]	TATA TESCON FE550D
(2)	12 mm - 1M - 6nos		
(3)	16 mm - 1M = 6nos		
(4)	20 mm - 1M = 6nos		

3600/-
3600 x 4
14,400
Paid

TESTS :- BEND.REBEND TEST, ELONGATION, TENSILE STRENGTH.

NAME OF WORK :- SUNRISE COUNTY HIGH RISE APARTMENT, PRODDATUR.

THANKING YOU,

REGARDS,
DEEPAK

FROM,

DATE :- 12/08/2022

DEEPAK,
DHARA PRIME PROJECTS PVT LTD
PRODDATUR - 516360
PH NO 9620403713

TO,

KSRM COLLEGE,
KADAPA,

SUB :- SOIL TESTING - SBC - 12 feet DEPTH.

DEAR SIR,

WITH REFERENCE TO THE ABOVE SUBJECT WE HAVE GIVEN ONE SOIL CORE SAMPLE FROM OUR SITE FOR TESTING SBC OF SOIL, KINDLY REQUEST YOURSELF TO DO TEST & PROVEDE TEST REPORT.

LOCATION DETAILS OF SAMPLE AS BELOW

= SURVEY NO, 666,

DHARA PROJECTS,
SUNRISE COUNTY APARTMENT,
BESIDE DAW COLLEGE,
KORRAPADU ROAD, PRODDATUR - 516360.

1000/- paid

THANKING YOU

22277

TO / MURAR

REGARDS,

DEEPAK

17-8-2022

Letter No: - LEKCON-NSC (JV)/ KADAPA WORK/NDB/ 2021-22 **Date:-08-08-2022**

To
KSRM COLLEGE OF ENGINEERING,
YERRAMASUPALLI(V),
C.K DINNE(M),
KADAPA-516005(A.P)

SUB:- Widening and Strengthening of (1) Rayachoty to Vempalli Road from KM 15.600 TO 25.300 (Design Chainage km.15.600 to 25.225) (SH-55), (2) Pulivendula to Parnapalli Road from km 35.600 to 38.105 (Design chainage Km 35.600 to 38.105) (SH-343), (3) Kadapa to Porumamilla Road from Km 4.200 to 11.000 (Design Chainage Km 4.200 to 11.000) (SH-56), (4) Porumamilla-Kondrajupalli-Narasapuram-Kasinayanapalli Road from Km 0.000 to 12.000 (Design Chainage Km 0.000 to 12.000) (SH-43), (5) Chinnamandem-Sambepalli- T Sundupalli Road From Km 0.000 to 9.280(Design Chainage Km 0.000 to 9.280) (SH-389), (6) Rajampeta-Kadiri-Thumkur Road from Km 29.600 to Km 45.600 (Design Chainage Km 29.000 to 45.420(SH-59), (7) Rayachoty-T Sundupalli -Pincha Road from Km 0.000 to 20.180 (Design Chainage Km 0.000 to 20.180) (SH-387), AND (8) Nimmanapalle -Vayalpad-Gurramkonda Galiveedu Road from 25.800 to 31.700 (SH-66), in YSR Kadapa District taken up under Andhra Pradesh Roads and Bridges Reconstruction Project (APRBRP) with New Development Bank Loan Assistance.

Dear Sir,
Herewith we are submit the Soil samples of Major Bridge P-2 to Conduct the SBC tests and convey the test results at the earliest, Different foundation level of Abutments are mentioned bellow.

1) CH :- 4+220(BHS) (level 4 Mtr from OGL)
Dimensions of MJB P-2 at Length 8.3m & width 8.3m

The necessary testing charges will be paid accordingly.

Thanking you,
With regards,

Authorized Signatory

Amount not Paid

8897637802

Date: 08-08-2022

TO,

THE PRINCIPAL,
KSRM ENGINEERING COLLEGE ,
KADAPA.

From ,
Mr.Raghu,
Tadipatri(M),
Anantapur(D).

Respected sir,

Sub: requesting for testing of SBC soil sample.

Construction of Commercial building with cellar, ground +4 upper floors Bearing Survey no :596,597,598 of Gooty Road, –situated at Tadipatri municipality. This soil samples taken below 18'ft& 11' ft from road level, please give me SBC report as quick as possible .

Thanking you sir

Your's faithfully

2263
Paid

Scan Amount 2000/-

Enclosure: 1. soil sample pipe 11' ft.(pipe no:1)
2. soil sample pipe 18' ft.(pipe no:2)

Government of Andhra Pradesh
Water Resources Department

From
Sri K.V.Siva Reddy,
Executive Engineer,
NTR TGP Division,
Badvel.

To
The Principal,
KSRM Engineering College,
Kadapa.

Lr No: EE/NTR TGP/BDL/DB/ATO/ 318 m **Dt:-** 28-7-2022

Sir,

Sub: Telugu Ganga Project-Balance Estimate in SPVBR Right Canal from Km 30.00 to 45.500 Km under Package-III –Tests on Cement , Steel, Sand , Aggregates and Mix design of Concrete –Requested-Regarding.

Ref: SE's Agreement No: 3SE /2022-23 Dt: 18.07.2022.

*****

I here with submit the following materials for conducting required tests used for Mix design of concrete for adopting in execution of above work. The following tests are requested to be conducted as follows.

I.Tests of Cement (OPC and PPC 43 Grade)

1. Fineness of Cement.
2. Specific Gravity.
3. Setting Time
4. Compressive strength for 3 days, 7days and 28 days.
5. Soundness tests.

II.Tests on Course aggregate(20mm and 40mm HBG machine crushed material)

1. Impact value.
2. Crushing strength.
3. Specific Gravities.
4. Water absorption.
5. Bulk Density.
6. Flakiness index.
7. Sieve analysis.
8. Aberration test.

~~20-26~~

6.8-2022

D. Madhavi

D.S.R Oil mill

Nabikota Sivalayam

9848074126

G+3

Depth — 8

SBC

Paid 1000/—

V.R.

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)

22258

From
S.Sudhakar
Deputy Executive Engineer
(R&B) Sub Division
Badvel

To
The Head of Department
Civil Engineering
KSRM College of Engineering
Kadapa

Letter No. Court buildings/Badvel /DEE/2022 Dt: 04-08-2022

Sir,

Sub:- (R&B) Division, Kadapa – Construciton of four court building complex and Residential quarters for Judicail officers at Badvel in Kadapa district – Submission of Soil sample to assess SBC and other soil properties — Requested – Reg.

Ref:- (i) G.O. Rt No 729 dated 30-07-2020 of LAW (LA&J-HOME(COURTS-B) Department , Government of Andhra Pradesh.
(ii) Memo No Court buildings/BADVEL/Kadapa/ EE(B)/DEE1/AEE1 dated 15-07-2022 of the Chief Engineer (R&B) Buildings & RSW, Vijayawada.

I submit that the above work was administratively sanctioned by the Government of Andhra Pradesh. It is essential to design footings, columns, beams, slabs etc before take up the work. Soil sample was collected in the premises of court complex at badvel. Hence I request you to please asses SBC of soil sample and soil properties. Necessary charges for Test results may be intimated and the same will be paid..

Yours faithfully

Deputy Executive Engineer (R&B)
Badvel

Encl:- Soil sample.

GOVERNMENT OF ANDHRA PRADESH
WATER RESOURCES DEPARTMENT

From	To
Sri Syed Ilyas Basha, M.Tech., Executive Engineer GNSS Division N.6, NAC Hostel Building, Pulivendula-516390.	The Principal, KSRM College of Engineering, Kadapa.

Letter No. EE/GNSS DVN-6/PLVD/Camp No.1 Date: 21.06.2022

Sir,

Sub: Water Resources Department – GNSS Division No -6, Pulivendula – Improvements and providing lining to GNSS main canal from km 0.000 to km 32.640/34.092 in YSR District. – Request for testing of Soil Samples for formation of canal embankment – Regarding.

Ref: 1) Agreement No: -51SE2021-22 Dated: -30.12.2021

I am herewith sending soil samples collected by Sri L.Ramesh, A.E.E, from Sy. Nos. 752-7, 753 & 754 of Kommaddi Village, V.N.Palle Mandal in YSR Dist., for conducting required tests to use the soils in formation of homogeneous embankment between km 24.000 to km 34.092 of GNSS main canal.

It is requested to conduct required tests at college laboratory and test results may be communicated at an early date. Amount towards soil testing charges will be arranged soon after receiving the details of testing charges.

Yours faithfully,

Encl:- Soil samples – 3 samples

21/06/2022

Executive Engineer
GNSS Division No.6
Pulivendula

13/08/22 saturday for masjid soil Testing

ADDRESS:- MASJID - AL - MANAR

Bellary Road Near KC canal
After C.S convention hall
Kadapa. A.P.

Call:- 9440938705

Depth:- 11ft

3 bag's sample.

22269

MUNICIPAL ADMINISTRATION DEPARTMENT

From
The Head Master,
Municipal High School,
Nadimpalli,
Proddatur Municipality,
PRODDATUR.

To
The Principal,
K.S.R.M. Engineering College,
KADAPA.

Sir,

Sub : Proddatur Municipality – For Safe Bearing Capacity certificate to the Municipal High School, Nadimpalli.- Requested - Regarding, dt : 03-08-2022

@@@

It is to submit that the Municipal High School, which is located in Nadimpalli in 17th Election ward is Sanctioned in Nadu Nedu Scheme (phase-2) with 9 Additional Class Rooms. And 9 Class Rooms is want to be constucted in existing ground in G.F , F.F, & S.F with the help of Engineering Section. Hence, it is requested the Principal, K.S.R.M Engineering College to conduct the Safe Bearing Capacity of the existing ground in Municipal High School, Nadimpalli. Further, after submission reports regarding payment may be made after receipt of bill.

Thanking You

MUNICIPAL HIGH SCHOOL ★ NADIMPALLI ST. PRODDATUR. ★
Date 03-08-2022
Kadapa (Dist.)

Yours faithfully,

HEAD MASTER
M.H. SCHOOL, Nadimpalli St.
PRODDATUR-516360

Depth 5 -

To/Pay: Two Sample : 2000/-

paid Amount

Scan

To,

K. Nagendra Kalyan,

Survey No:- 582, 581/3 & 581/2.

Devuni Kadapa, Road, Kadapa - 516002.

Commerial Building.

Sample 1 → 11 feet.

Sample 2 → 11 feet

Sample 3 → 11 feet

Sample 4 → 11 feet.

Phone No:-

8008444431.

Rs. 4000/-

Paid

20/KN

22253

+91-8886123495
+91-7893271430 +91-9642341773
smartconstructionkdp@gmail.com

SMART CONSTRUCTIONS
BUILDERS AND DEVELOPER
A STEP TOWARDS THE NEXT GENERATION OF SMARTNESS

From:

Smart Constructions

Kadapa.

To:

The Head of the Dept (CIVIL)

KSRM Engineering College,

Kadapa YSR District

Sir,

I request the Head of the Department, KSRM Engineering College Kadapa .

To Kindly conduct the SBC Test forG+3 Structure and payment will be made soon after receipt of the report.

Early action is requested in this regard.

Yours faithfully

SMART CONSTRUCTIONS BUILDERS & DEVELOPERS

SING

DIRECTOR OF COMPANY

D.No.21/607-1, Near Old Rims Circle Beside Swathi Hotel, Kadapa,
Y.S.R. District Andhra Pradesh 516001

01/08/2022

Depth - 6'6"

Paid - Rs 1000/-

Soil Test in the name of:-

Krishna Kishore Reddy Singamreddy
D.No. 3/357, Gunnapuram Veedhi,
YMR Colony Proddatur - 516360
Phone No: 9885280889, 8074597460

G+3

Ref: B.V. Bhaskar Reddy, SDI (Rtd)
Flat No. E-401, Elite Avenue Apartments
Mydukur road, Proddatur - 516360
Phone: 9885280889, 8074597460

TP
BBK

VSN
- 26 - 8333945502 - ZPHS angadireedi - Dhanujaya
- 28 - 8142216232 - MPPS NTR Nagar - Nagarjuna
- 34 - 7032055721 - MPL uedubismilla - Madhavi

Hemanth
- 21 -
- 22 -
- 36 -

NDT Received Money →

VSN → 22216 - Phanepa } Neeraja
VSN → 22232 - Phanepa }
~~VSN~~ - 22233 - Nakas - Chelu
VSN → 22231 - MCPS - Monika
VSN → 22230 - [illegible]
VSN → 22218 - [illegible] Chinnachoutta
(H) → 22235 - Chilakalakatta, Sabarajaiah
(H) → 22224 - Saipesa
~~22218 - Sutrajit~~
(H) → 22220 Main school (Sankarapuram)
VSN → 22227 - APHB Colony
(H) → 22225 - Chinnamalapalli
(H) → 22223 - ZPHS alankhanpalli
VSN → 22219
VSN → 22217

21 - H
22 - H
26, 28, 34 } VSN
36 - H

1. BORE WELL WATER SAMPLE — 26.03.2022
2. CEMENT — 26.03.2022
3. SAND & METAL — 27.03.2022
4. 20 MM METAL — 27.03.2022
5. 40 MM METAL — 27.03.2022
6. BELCK — 06.04.2022
7. Φ 8 MM
8. Φ 10 MM
9. Φ 12 MM
10. Φ 16 MM — 26.03.2022
11. TANK SLIPT RAFT — 7 DAYS (29.03.2022) — 04.04.2022
28 DAYS — 25.04.2022
12. CANOPY PUTTING — 7 DAYS (01.04.22) — 07.04.2022
28 DAY — 28.04.2022
13. MONOLIGH PUTTING — 7 DAYS (04.04.22) — 10.04.2022
28 DAY — 01.05.2022

Kadapa.
29/04/22

TO.

The HoD of KSRM civil,

Respect sir,

SUB:- water absorption test & compression test report for Brick.

Date of sample "24/04/22."

(1) for - APMSIDC Division Kadapa - strength of 30 bedded. CHC. at sidhout in Y.S.R dist ~~kad~~

(2) - APMSIDC Division kadapa - strength of 50 to 100 bedded. at Rajayanpeta Y.SR. dist..

10/
DV

27-7-2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: Skandhansi
2. Mobile No: 9491735006
3. E-Mail ID:
4. Survey No: 347
5. Door No:.
6. Location / Area: mittameeda palli.
7. Depth of sample Collection / Foundation Depth: Depth 12
8. No. of Floors: water Tank
9. Commercial / Residential / School / College / Hospital Building:
10. Address: Balance – 1000/-

SHANUM PROJECTS
(Engineers, Contractors & Designers)
Regd. Office. 1-4-170/66 Madhavapuri Colony, Sainikpuri, Secunderabad - 500 094.
Ph : 9949097002, 9959377002, Mail : ysfmhd949@yahoo.com

TO

DT. 29/07/2022

THE HOD - CIVIL
KSR COLLEGE
KADAPAH (AP)

SUB: REQUEST FOR CUBE TESTING - REG
REF: OUR PROJECT AT DALMIA CEMENT (BHARATH) LTD, CHINNAKOMERLA - VILLAGE, NEAR JAMMALAMADUGU

SIR,

Kindly arrange to test our 3 cubes for 7 days strength and details are as follows:

(a) Company Name: SHANUM PROJECTS, HYDERABAD.
(b) Location: Dalmia Cement (B) Ltd, Chinnakomerla, near Jammala Madugu (AP)
(c) Project name: TRUCK TIPPLER WORKS
(d) Project Book No: 4547 001545
(e) Grade of Concrete: M30
(f) RESULT Requested: 7 days.
(g) Client name: DALMIA CEMENT (B) LTD
CHINNAKOMERLA - VILLAGE
NEAR - JAMMALA MADUGU (AP)

NOTE: The necessary charges will be paid by our Supervisor Mr. ASHOK who is carrying this request letter.

For SHANUM PROJECTS
29/7/2022
(Mohd Yusuf)
Managing Partner.
(9949097002)

Department of Civil Engineering

K S R M College of Engineering (Autonomous), K A D A P A - 516 005

Distribution of Consultancy Amount for the Academic Year July 2022 to December 2022

Total Amount in Rs.	**1445250** /-
Cash Received/ credited	**1220100** /-
Expenditure in Rs.	302350 /-
Net Amount to Distribute in Rs.	**919250** /-
Dues in Rs.	223650 /-
Remuneration to Giri sir	30000 /-

Name	%	Amount in Rs	Adv. in Rs.	Net Amount
Management	50	459625	0	459625
HoD	12	110310		110310
Faculty	23	211428		
Lab Technician	12	110310		
Dept. Office	2	18385		
Contingents	1	9193		

Distribution in Rs.

Name	Total in Rs.	Adv. in Rs.	Balance in Rs.	Sign.
Dr. N. Amaranatha Reddy	0		0	
Prof. G. Sreenivasa Reddy	19756		19756 Hold	
Prof. V. Giridhar	15682		15682	
Sri D. Viswanath	6883		6883	
Sri. V. V. Prasad	18963		18963	
Sri. N. Prathap Kumar	0		0	
Sri. P. Suresh Praveen Kumar	22079		22079	
Dr. P. Kishore Kumar Reddy	8557		8557	
Sri. P. Rajendra Kumar	27567		27567	
Smt. K. Niveditha	8651		8651	
Sri. P. Pavan Kumar	7860		7860	
Miss. V. Sai Neeraja	9571		9571	
Sri Y. Dasthagiri	5863		5863	
Sri. G. Venkateswarlu	0		0	
Sri. M. Ravi Kishore Reddy	7049		7049	
Sri. G. Chennakesava Reddy	18210		18210	
Sri. M. C. Venkata Subbaiah	8037		8037	
Sri. I. Srinivasula Reddy	17864		17864	
Sri K. Pramod	2817		2817	
Sri K. Hemanth Kumar Reddy	6019		6019	
Laboratory Staff				
Sri. B. Narasimha Reddy	33010		33010	
Sri. D. Prem Kumar	59680		59680	
Sri. Kishore Kumar	9081		9081	
Sri. Abdul Rehmann	7710		7710	
Sri. V. Ramanjaneya Reddy	830		830	
Department Office Staff				
Sri. V. Ramanjaneya Reddy	12870		12870	
Sri. R.V. Subbaiah	5516		5516	
Total Amount Rs.	**340123**	**0**	340123	

19/1/23

10/1/2023

Cash in Hand	Distributed
52200	30,000 – [illegible]
34000	Paid – clerk – 15,394 – 12,000 = 3394
8000	Paid – 3,733 – Pramod
23000	Paid – Prem – 69,381 – 6450 = 62931
12000	Paid – Vishwanath – 8,934 – 3500 = 5434
3500	10996 – Conveyance
6450	Paid – 1052 – clerk
1,39,150	1,39,490

62931
56000
6,931 – Bal

~~Staff~~

4,20,135

50% – 50%
DE HOD

25%

10%

23 (1)
2%

K.S.R.M. COLLEGE OF ENGINEERING (AUTONOMOUS)

Department of Civil Engineering

Consultancy Grievances

S.No.	Name of the Faculty	Comments	Signature
1	Dr. N. AMARANATHA REDDY	–	
2	Dr. G. SREENIVASA REDDY		
3	Dr. V. GIRIDHAR		
4	Dr. T. KIRAN KUMAR		
5	Dr. V. RAMESH BABU		
6	Dr. P. KISHORE KUMAR REDDY		
7	V. V. PRASAD		
8	P. SURESH PRAVEEN KUMAR	No Comment all is ok –	V. Vew
9	Smt. K. NIVEDITHA		
10	P. RAJENDRA KUMAR		
11	Y. DASTHAGIRI		
12	P. PAVAN KUMAR	–	
13	V. SAI NEERAJA		
14	M. C. VENKATA SUBBAIAH		
15	M. V. RAVI KISHORE REDDY	–	M.V.
16	Dr. I. SREENIVASULA REDDY		
17	K HEMANTH KUMA REDDY		
18	K. PRAMOD	–	
19	D. VISWANATH		
20	G. CHENNAKESAVA REDDY	–	

P. Rajagopal Reddy

Consultancy Incharge

11/6/23

HoD, CED

Actual Workdone			Total Amou	% Contribution	Work done	Distribution
Teaching Staff:						
NAR	Dr. N. Amaranatha Reddy		0	0.00	0.00	0.00
GSR	Prof. G. Sreenivasa Reddy		8400	0.95	5887.09	1354.03
VG	Prof. V. Giridhar		40900	4.63	28664.52	6592.84
DV	Sri D. Viswanath		43650	4.95	30591.84	7036.12
VVP	Sri. V. V. Prasad		8000	0.91	5606.75	1289.55
NPK	Sri. N. Prathap Kumar		0	0.00	0.00	0.00
PSPK	Sri. P. Suresh Praveen Kumar		112400	12.73	78774.87	18118.22
PKKR	Dr. P. Kishore Kumar Reddy		4600	0.52	3223.88	741.49
PRK	Sri. P. Rajendra Kumar		124300	14.08	87114.92	20036.43
KN	Smt. K. Niveditha		69200	7.84	48498.41	11154.63
PPK	Sri. P. Pavan Kumar		27500	3.12	19273.21	4432.84
VSN	Miss. V. Sai Neeraja		77600	8.79	54385.50	12508.66
YD	Sri Y. Dasthagiri		3300	0.37	2312.79	531.94
GV	Sri. G. Venkateswarlu		0	0.00	0.00	0.00
MVRKR	Sri. M. V. Ravi Kishore Reddy		60000	6.80	42050.64	9671.65
GCK	Sri. G. Chennakesava Reddy		119500	13.54	83750.86	19262.70
MCVS	Sri. M. C. Venkata Subbaiah		56600	6.41	39667.77	9123.59
ISR	Sri. I. Srinivasula Reddy		54500	6.17	38196.00	8785.08
KP	Sri K. Pramod		19500	2.21	13666.46	3143.29
KHKR	Sri K. Hemanth Kumar Reddy		52700	5.97	36934.48	8494.93
		Total:	882650	100.00	618600.00	142278.00
Technical Staff:						
BNR	Sri. B. Narasimha Reddy		345000	39.4	244002.74	29280.33
DPK	Sri. D. Prem Kumar		392150	44.8	277349.79	33281.97
KK	Sri. Kishore Kumar		81800	9.4	57853.40	6942.41
Abdul	Sri. Abdul Rehmann		46700	5.3	33028.78	3963.45
VR	Sri V. Ramanjaneya		9000	1.0	6365.29	763.83
		Total:	874650	100.0	618600.00	74232.00
Department Staff:						
VRR	Sri. V. Ramanjaneya Reddy		70	8660		
RVS	Sri. R.V. Subbaiah		30	3712		
			100	12372		
%	Details		Amount	Advance	Net Amount	
50	Management		309300	180300	129000	Well Point & Bore
12	HoD		74232		74232	
23	Faculty		142278		142278	
12	Lab Technician		74232		74232	
2	Dept. Office		12372		12372	
1	Contingents		6186		6186	
100			618600	180300	438300	

Actual Workdone			Total Amo	% Contribu	Work done	Distribution
Teaching Staff:						
NAR	Dr. N. Amaranatha Reddy		0	0.00	0.00	0.00
GSR	Prof. G. Sreenivasa Reddy		95600	16.99	81725.60	18796.89
VG	Prof. V. Giridhar		56000	9.95	47872.73	11010.73
DV	Sri D. Viswanath		9650	1.72	8249.50	1897.38
VVP	Sri. V. V. Prasad		91800	16.32	78477.09	18049.73
NPK	Sri. N. Prathap Kumar		0	0.00	0.00	0.00
PSPK	Sri. P. Suresh Praveen Kumar		47000	8.35	40178.90	9241.15
PKKR	Dr. P. Kishore Kumar Reddy		40850	7.26	34921.45	8031.93
PRK	Sri. P. Rajendra Kumar		68000	12.09	58131.18	13370.17
KN	Smt. K. Niveditha		3800	0.68	3248.51	747.16
PPK	Sri. P. Pavan Kumar		24000	4.27	20516.89	4718.88
VSN	Miss. V. Sai Neeraja		3600	0.64	3077.53	707.83
YD	Sri Y. Dasthagiri		27900	4.96	23850.88	5485.70
GV	Sri. G. Venkateswarlu		0	0.00	0.00	0.00
MVRKR	Sri. M. V. Ravi Kishore Reddy		1000	0.18	854.87	196.62
GCR	Sri. G. Chennakesava Reddy		23200	4.12	19832.99	4561.59
MCVS	Sri. M. C. Venkata Subbaiah		8000	1.42	6838.96	1572.96
ISR	Sri. I. Srinivasula Reddy		59200	10.52	50608.32	11639.91
KP	Sri K. Pramod		3000	0.53	2564.61	589.86
KHKR	Sri K. Hemanth Kumar Reddy		0	0.00	0.00	0.00
		Total:	562600	100.00	480950.00	110618.50
Technical Staff:						
BNR	Sri. B. Narasimha Reddy		63800	21.25	102196.87	12263.62
DPK	Sri. D. Prem Kumar		187800	62.55	300824.01	36098.88
KK	Sri. Kishore Kumar		21650	7.21	34679.66	4161.56
Abdul	Sri. Abdul Rehmann		25500	8.49	40846.71	4901.61
VR	Sri V. Ramanjaneyulu		1500	0.50	2402.75	288.33
		Total:	300250	100.00	480950.00	57714.00
Department Staff:						
VRR	Sri. V. Ramanjaneya Reddy		70	6733.30		
VRr	Sri. R.V. Subbaiah		30	2885.70		
			100	9619.00		
%	Details		Amount	Advance	Net Amount	
50	Management		240475		240475.00	
12	HoD		57714		57714.00	
23	Faculty		110618.5		110618.50	
12	Lab Technician		57714		57714.00	
2	Dept. Office		9619		9619.00	
1	Contingents		4809.5		4809.50	
100			480950	0.00	480950.00	

S.No.	Name of the Faculty	Job No.	Site visit amount
1	Dr. N. Amaranatha Reddy		
2	Prof. G. Sreenivasa Reddy		
3	Prof. V. Giridhar		
4	Dr. V. Ramesh Babu		
5	Sri. V. V. Prasad		
6	Sri. N. Prathap Kumar		
7	Sri. P. Suresh Praveen Kumar	22202, 22268,22359	4250
8	Dr. P. Kishore Kumar Reddy		
9	Sri. P. Rajendra Kumar	22246, 22250, 22274.22300, 22	10500
10	Smt. K. Niveditha	22238	1250
11	Sri. P. Pavan Kumar	22342, 22378	5000
12	Miss. V. Sai Neeraja	22216,17,18,19,26,27,28,30,31 ,32,34	11000
13	Sri. Ch. Santosh Kumar		
14	Sri. G. Venkateswarlu		
15	Sri. M. V. Ravi Kishore Reddy	2,22,59,22,357	2500
16	Sri. B. S. Praveen		
17	Sri. M. C. Venkata Subbaiah	22188, 22302, 22363	3750
18	Sri. I. Srinivasula Reddy	22360, 22397	2500
19	Sri D. Dharma Simha Reddy		
20	Sri K. Hemanth Kumar Reddy	22220,21,22,23,24,25,29,33,35 ,36	10000
21	Sri. G. Chennakesava Reddy	22229, 22237.22358	3500
22	Sri. D.Viswanath	22253	1250

Expenditure

Sl. No.	Item	Rs.	To
1	Diesel for SPT on 06.08.2022	500	CED
2	Dept. Statue Repainting	1500	CED
3	Ac Repair in HoD room	2550	CED
4	Remuneration to giri sir	30000	CED
5	Survey Servicing	17000	CED
6	Material to lab	17000	CED
7	AC Purchase	53500	CED
	Total Expenditure	**122050**	

S.No.	Name of the Faculty	Amount Pending
1	Pramod	4500
2	ISR	19500
3	Hemanth	20000
4	Sai Neeraja	5000
5	Chenna kesava	108000
6	Suresh Praveen	1000
7	Rajendra	4000
8	viswanath	450
9	GSR	20600
10	Girisir	16000
11	P. Kishore	8000
12	V.V.Prasad	16600
	Total Dues	223650

K.S.R.M.College of Engineering(Autonomous)

Consultancy Remuneration from 01.07.2022 to 31.12.2022

S.No	Name of the Employee	Amount
1	N AMARANATHA REDDY	131946
2	V GIRIDHAR	17604
3	V V PRASAD	19339
4	P SURESH PRAVEEN KUMAR	27359
5	P KISHORE KUMAR PREDDY	8773
6	P RAJENDRA KUMAR	33407
7	K NIVEDITHA	11902
8	P PAVAN KUMAR	9152
9	V SAI NEERAJA	13216
10	Y DASTAGIRI	6018
11	M RAVI KISHORE REDDY	9868
12	G CHENNA KESAVA REDDY	23824
13	MC VENKATA SUBBAIAH	10697
14	I SREENIVASULA REDDY	20425
15	K HEMANTH KUMAR REDDY	8495
16	B NARASIMHA REDDY	41544
17	P KISORE	11104
18	ABDUL REHAMAN	8865
19	RV SUBBAIAH	6597
		420135

Reference No.	CTV5406769
Debit Account Number	00000062271119754
Debit Branch	KRISHNAPURAM
Remarks	Payment to Utility Bills
Transaction Date	20-Jan-2023
Amount	INR 4,20,135.00
Status	Success
Reason	Completed Successfully

(http://www.sbi.co.in/portal/web/interest-rates/deposit-rates)

Welcome to SARAL Know More

VICE CHAIRMAN K S R M COLLEGE

You are here: / Payments / Transfers / Other SBI Accounts

Other SBI Accounts

e-PayOrder Details

e-PayOrder Number	CTV5406769
Transaction Type	THIRD PARTY TRANSFER
Debit Status	Success
Description	Completed Successfully
Counterfoil Description	Payment to Utility Bills

20-Jan-2023

00000062185960933

Four Lakhs Twenty Thousand One Hundred and Thirty Five only **4,20,135.00**

00000062271119754

KRISHNAPURAM

ksrmdst
MAKER

"CTV5406769"

Transaction authorized after 20:00 HRS IST may be reflected in the account statement on the next day. Please check your account statement for the value date of this transaction.

PRINT

© State Bank of India

Site best viewed at 1024 x 768 resolution in Microsoft Edge 79+, Mozilla 96+, Google Chrome 97+

My Accounts

Payments / Transfers

Bill Payments

e-Services & Enquiries

e-Tax

e-Fixed Deposit

ASBA

e-Cards

Profile

Other SBI Accounts

e-PayOrder Details

e-PayOrder Number	CTV5406769
Transaction Type	THIRD PARTY TRANSFER
Debit Status	Success
Description	Completed Successfully
Counterfoil Description	Payment to Utility Bills

Date 20-Jan-2023

PAY 00000062185960933

RUPEES (in words) Four Lakhs Twenty Thousand One Hundred and Thirty Five only

Rs. 4,20,135.00

ACCOUNT NO 00000062271119754

STATE BANK OF INDIA
KRISHNAPURAM

ksrmdst
MAKER

"CTV5406769"

Transaction authorized after 20:00 HRS IST may be reflected in the account statement on the next day. Please check your account statement for the

A/c — 8,07,652

Cash — 1,41,598

9,49,250

Department of Civil Engineering

K S R M College of Engineering (Autonomous), K A D A P A - 516 005

Distribution of Consultancy Amount for the Academic Year July 2022 to December 2022

Total Amount in Rs.	**1445250** /-
Cash Received/ credited	**1220100** /-
Expenditure in Rs.	122050 /-
Net Amount to Distribute in Rs.	**1099550** /-
Dues in Rs.	223650 /-
Remuneration to Giri sir	30000 /-

Name	%	Amount in Rs	Adv. in Rs.	Net Amount
Management	50	549775	180300	369475
HoD	12	131946		131946
Faculty	23	252897		
Lab Technician	12	131946		
Dept. Office	2	21991		
Contingents	1	10996		

Distribution in Rs.

Name	Total in Rs.	Adv. in Rs.	Balance in Rs.	Sign.
Dr. N. Amaranatha Reddy	0		0	
Prof. G. Sreenivasa Reddy	20151		20151	
Prof. V. Giridhar	17604		17604	
Sri D. Viswanath	8934		8934	
Sri. V. V. Prasad	19339		19339	
Sri. N. Prathap Kumar	0		0	
Sri. P. Suresh Praveen Kumar	27359		27359	
Dr. P. Kishore Kumar Reddy	8773		8773	
Sri. P. Rajendra Kumar	33407		33407	
Smt. K. Niveditha	11902		11902	
Sri. P. Pavan Kumar	9152		9152	
Miss. V. Sai Neeraja	13216		13216	
Sri Y. Dasthagiri	6018		6018	
Sri. G. Venkateswarlu	0		0	
Sri. M. Ravi Kishore Reddy	9868		9868	
Sri. G. Chennakesava Reddy	23824		23824	
Sri. M. C. Venkata Subbaiah	10697		10697	
Sri. I. Srinivasula Reddy	20425		20425	
Sri K. Pramod	3733		3733	
Sri K. Hemanth Kumar Reddy	8495		8495	
Laboratory Staff				
Sri. B. Narasimha Reddy	41544		41544	
Sri. D. Prem Kumar	69381		69381	
Sri. Kishore Kumar	11104		11104	
Sri. Abdul Rehmann	8865		8865	
Sri. V. Ramanjaneya Reddy	1052		1052	
Department Office Staff				
Sri. V. Ramanjaneya Reddy	15394		15394	
Sri. R.V. Subbaiah	6597		6597	
Total Amount Rs.	**406834**	**0**	**406834**	

18/1/23.

e-PayOrder Details

e-PayOrder Number	CTW4938574
Transaction Type	THIRD PARTY TRANSFER
Debit Status	Success
Description	Completed Successfully
Counterfoil Description	G SREENIVASULA REDDY



Date 04-Apr-2023

PAY 00000062185960933

RUPEES (In words) Twenty Thousand One Hundred and Fifty One only

Rs 20,151.00

ACCOUNT NO 00000062271119754

STATE BANK OF INDIA
KRISHNAPURAM

ksrmdst
MAKER

"CTW4938574"

Transaction authorized after 20:00 HRS IST may be reflected in the account statement on the next day. Please check your account statement for the value date of this transaction.

SAVSOL
LUBRICANTS
The Green Performer

ORDER ESTIMATE FORM

Name KSRM College of Engg Date 12/11/22

Sr.No.	Description	Quantity	Rate	Amount
1	Nitrosime	10 Lts	125/-	
	Twelve hundred fifty Rupees only			1250/-
			Total	



4

K.S.R.M. COLLEGE OF ENGINEERING

(Run by Sri Kandula Obula Reddy Charities)

(AUTONOMOUS)

KADAPA - 516 005.

No. [ ]

CASH/BANK VOUCHER

Date 14-11-2022

Name of Account Civil Dept

Paid to V. Ramanjaneya Reddy

Received the sum of Rs. 300/- (Rupess Three Hundred Rupees only) only)

being Expenses for Civil Dept SM Lab & Shops and Petrol charges.

Cashier | Approving Authority | Accountant | V. Ramanjaneya Reddy Signature of Receiver

K.S.R.M. COLLEGE OF ENGINEERING

(Run by Sri Kandula Obula Reddy Charities)

(AUTONOMOUS)

KADAPA - 516 005.

No.

CASH/BANK VOUCHER

Date 14.11.2022

Name of Account _____

Paid to _____

Received the sum of Rs. 735/- (Rupess seven hundred and thirty five rupees only only)

being expenses for meterials

Cashier | Approving Authority | Accountant | V. Ramanjaneyulu Reddy Signature of Receiver

GSTIN: 37ASQPS5616Q1ZM

TAX INVOICE - CASH/CREDIT

Cell: 92470 21819

Aruna Hardware

#21/335, Seven Roads, KADAPA-516 001. A.P.

Billed To

Name: K.S.R.M.C.E Kadapa

Invoice No: 289

Address

GSTIN: State Code: 37:

Invoice Date 12/11/22

Description of Goods	HSN Code	Qty.	Rate	Amount	CGST Rate	CGST Amount	SGST Rate	SGST Amount
Tapi (Big)		2Nos	70/-	140.00				
Tapi (Small)		4Nos	25/-	100.00				
Heat Scale		2Nos	50/-	100.00				
Heat Scale (Knife)		1No		100.00				
H/s Shade		1Pkt		450.00				
H/s frame		1No		100.00				
TOTAL				990.00				

Rupees in words

Total Amount	990.00
CGST 9%	89.10
SGST 9%	89.10
Grand Total	1168.20

BANK DETAILS:
Bank Name: BANK OF INDIA
Bank A/c. : 867620110000583
Bank IFSC : BKID0008676

29/12/22

For Aruna Hardware

Authorised Signature

1168/20

GST No. : 37AQAPD5667L2ZJ **TAX INVOICE** Ph: 08562-244126, 8886010009

MAHADEV SCIENTIFICS

Office : #76/232-2-6, Sri Ramanjaneya Nagar, Homoeopathi College Road, Ramarajipalli Village, KADAPA. E.Mail:- mscientificskdp@gmail.com

Supplier For:- Laboratory Chemicals, Glasswares, Filter Papers, Plastic Ware Equipments, Furnitures, Electronic & Electrical Instruments & Miscellaneous items.

Bill No: 329 Date : 12.11.22

To The Principal KSRM College of Engg Kadapa

GST No :

YOUR PO NO

YOUR PO DATED

OUR Q.NO

OUR Q.DATE

S.No	Description	HSN	Unit	Rate	Qty	Dis %	GST%	Amount Rs	Ps
1	China Dish		each	100	5	–	18	500	–
2	Spatulas 10" SS		each	50	6	–		300	–
3	Sieve 170 Mesh		each	–	1	–		2250	–
4	Pycnometer		each		1	–		1250	–
5	Mes. cylinder	50 ml	each	50	5	–		250	–
6	—do—	10 ml	each	30	5	–		150	–
7	Lechatlier flask 250 ml Technico		each	3250	2	–		6500	–
8	Glass Rods		each	30	6	–		180	–
9	Wash Bottle		each	100	1	–		100	–

29/12/22

29/12

Tax Rate	Taxable Amt.	CGST	SGST	Total Tax
5%				
12 %				
18 %	11480	1033	1033	2066
28 %				
Totals				

OUR BANK DETAILS

State Bank of India
Chinnachowk Br,Kadapa
A/c :38731391808
IFSC : SBIN0011121

Amount	11480	–
Discount		
Net Amount	2066	–
GST		
Total Amount	13546	–

Rupees Thirteen thousands five hundred forty six only

Terms & Conditions : 1.Goods Once Sold We Will Not Taken Back
2.Before Leaving Our Premises Please Check Material
3.Subject To 'KADAPA' Jurisdiction Only.

For MAHADEV SCINTIFICS

Proprietor

K.S.R.M. COLLEGE OF ENGINEERING

(Run by Sri Kandula Obula Reddy Charities)

(AUTONOMOUS)

KADAPA - 516 005.

No. [ ]

CASH/BANK VOUCHER

Date _____

Name of Account _____

Paid to _____

Received the sum of Rs. 7000/- (Rupess Seven Thousand Rupees only) only)

being Expenssses for Bore Point in K-S-R-M Campus

Cashier | Approving Authority | Accountant | Signature of Receiver

Imran

K.S.R.M. COLLEGE OF ENGINEERING

(Run by Sri Kandula Obula Reddy Charities)

(AUTONOMOUS)

KADAPA - 516 005.

No. [ ]

CASH/BANK VOUCHER

Date 13-9-2022

Name of Account _____

Paid to _____

Received the sum of Rs. 6400/- (Rupess Six Thousand Four hundred Rupees only)

being expenses for painting ~~of~~ Statue of Sir Mokshagundam Visvesvaraya in Dept. of Civil Egg.

Cashier | Approving Authority | Accountant | Signature of Receiver

K.S.R.M. COLLEGE OF ENGINEERING

(Run by Sri Kandula Obula Reddy Charities)

(AUTONOMOUS)

KADAPA - 516 005.

No. [ ]

CASH/BANK VOUCHER

Date 13-9-2022

Name of Account _____

Paid to _____

Received the sum of Rs. 3200/- *(Rupess* Three Thousand Two hundred Rupees only *only)*

being Paid for cleaning pond under the statue of Viswesvaraya in dept. of CE

Cashier *Approving Authority* *Accountant* *Signature of Receiver*

K.S.R.M. COLLEGE OF ENGINEERING

(Run by Sri Kandula Obula Reddy Charities)

(AUTONOMOUS)

KADAPA - 516 005.

No. [ ]

CASH/BANK VOUCHER

Date _____

Name of Account _____

Paid to _____

Received the sum of Rs. 500/— *(Rupess* Five hundred rupees only *only)*

being expenses for SPT Transport to the Field (Diesel)

Cashier *Approving Authority* *Accountant* *Signature of Receiver*

K.S.R.M. COLLEGE OF ENGINEERING

(Run by Sri Kandula Obula Reddy Charities)

(AUTONOMOUS)

KADAPA - 516 005.

No. [ ]

CASH/BANK VOUCHER

Date 10-9-2022

Name of Account _____

Paid to _____

Received the sum of Rs. 3500/- *(Rupess* Three thousand Five Hundred Rupees only *only)*

being Expenssses for statue in civil Buildings

_____

Cashier *Approving Authority* *Accountant* *Signature of Receiver*

K.S.R.M. COLLEGE OF ENGINEERING

(Run by Sri Kandula Obula Reddy Charities)

(AUTONOMOUS)

KADAPA - 516 005.

No. [ ]

CASH/BANK VOUCHER

Date 22/9/22

Name of Account AC Installation

Paid to M. Bhaskara Reddy

Received the sum of Rs. 2550-00 (Rupess Two Thousand Five Hundred Fifty ——— only)

being AC Removal, Installation and Transport

Cashier | Approving Authority | Accountant | Signature of Receiver

Coordinates Survey Solution

Sales, Service, Purchase & Survey Consultancy.

CASH BILL

Proforma No:CSS/22-23/7A	Coordinates Survey Solutions
Proforma date:09/11/2022	H NO 28-171, Floor-MARUTHI NAGAR
	IDA GANDHI NAGAR, CHINTAL, Ranga Reddy,
	Telangana, 500037

Billing/Customer Address:	Delivery / Shipping Address
KSRM COLLEGE OF ENGINEERING	KSRM COLLEGE OF ENGINEERING
Kadapa.	Kadapa.

Subject : Servicing & Calibration of Surevy Instruments

Ref : Verbal

Vendor Code :

Dear Sir,

Please find below the RA Bill qty

Sl.No	Item Description	SAC CODE	Qty	Unit	Unit Rate	This bill Amount	Remarks
1	Servicing & Calibration of Total Station		2.00		6,000.00	12,000.00	
2	Servicing & Calibration of Auto Level		1.00		1,000.00	1,000.00	
3	Servicing & Calibration of Verniear Theodolite		1.00		1,000.00	1,000.00	
4	Transport & Miscelleanous					3,000.00	
						-	
						17,000.00	
					Total	17,000.00	

Rupees in words : Seventeen Thousand Only

COORDINATES SURVEY SOLUTIONS HYDERABAD

Signature

Regd Office : H.No 28-171, Maruthi Nagar, IDA Gandhi Nagar, Chintal, Hyderabad - 37.

sales.coordinates@gmail.com

Coordinates Survey Solutions

Sales, Service, Purchase & Survey Consultancy

To,
M/s KSRM COLLEGE OF ENGINEERING,
Kadapa.

Type of Instrument: **SOKKIA TOTAL STATION**

Model: **SET310** Serial Number: **143822**

Condition Of Instrument As Dispatched:
SERVICED & CALIBRATED TO SPECIFICATION.

Test Result In Lab And In Simulation Group:
MEETS ALL SPECIFICATIONS DETAILS BY MANUFACTURES.

Ref No: CSS / TS / CAL / 07A / 2022-2023

We hereby certify that the instrument detailed hereon have been inspected, tested and calibrated in accordance with the documented procedures listed by SURVEY INSTRUMENTS MANUFACTUERS with the equipment provided by them as collimation systems and using other self-calibration techniques.

For Coordinates Survey Solutions,



Calibration Date: 12/11/2022

Next Calibration Due Date: 11/11//2023

Regd Office : H.No 28-171, Floor, Maruthi Nagar, IDA Gandhi Nagar, Chintal, Hyderabad - 37.

sales.coordinates@gmail.com

Coordinates Survey Solutions

Sales, Service, Purchase & Survey Consultancy

To,
M/s KSRM COLLEGE OF ENGINEERING,
Kadapa.

Type of Instrument: **SOKKIA TOTAL STATION**

Model: **CX55** Serial Number: **UA0818**

Condition Of Instrument As Dispatched:
SERVICED & CALIBRATED TO SPECIFICATION.

Test Result In Lab And In Simulation Group:
MEETS ALL SPECIFICATIONS DETAILS BY MANUFACTURES.

Ref No: CSS / TS / CAL / 07B / 2022-2023

We hereby certify that the instrument detailed hereon have been inspected, tested and calibrated in accordance with the documented procedures listed by SURVEY INSTRUMENTS MANUFACTUERS with the equipment provided by them as collimation systems and using other self-calibration techniques.

For Coordinates Survey Solutions,



Calibration Date: 12/11/2022

Next Calibration Due Date: 11/11//2023

Regd Office : H.No 28-171, Floor, Maruthi Nagar, IDA Gandhi Nagar, Chintal, Hyderabad - 37.

sales.coordinates@gmail.com

Department of Civil Engineering

K S R M College of Engineering (Autonomous), K A D A P A - 516 005

Distribution of Consultancy Amount for the Academic Year Jan 2023 to June 2023

Total Amount in Rs.	**962100** /-
Dues & Expenditure in Rs.	65250 /-
Survey Work	20000
Net Amount to Distribute in Rs.	896850
Net Amount to Distribute in Rs.	**876850** /-

Name	%	Amount in Rs	Adv. in Rs.	Net Amount
Management	50	448425	0	448425
HoD	12	105222		105222
Faculty	23	201676		
Lab Technician	12	105222		
Dept. Office	2	17537		
Contingents	1	8769		

35000
876850

Distribution in Rs.

Name	Total in Rs.	Adv. in Rs.	Balance in Rs.	Sign.
Dr. N. Amaranatha Reddy	0		0	
Prof. G. Sreenivasa Reddy	20614		20614	
Prof. V. Giridhar	15946		15946	
Sri D. Viswanath	5330		5330	
Sri. V. V. Prasad	11048		11048	
Sri. N. Prathap Kumar	0		0	
Sri. P. Suresh Praveen Kumar	22147		22147	
Dr. P. Kishore Kumar Reddy	1521		1521	
Sri. P. Rajendra Kumar	18007		18007	
Smt. K. Niveditha	10007		10007	
Sri. P. Pavan Kumar	4565		4565	
Miss. V. Sai Neeraja	0		0	
Sri Y. Dasthagiri	4641		4641	
Sri. G. Venkateswarlu	1292		1292	
Sri. M. Ravi Kishore Reddy	15897		15897	
Sri. G. Chennakesava Reddy	20287		20287	
Sri. M. C. Venkata Subbaiah	13353		13353	
Sri. I. Srinivasula Reddy	20208		20208	
Sri K. Sudhakar	9500		9500	
Sri K. Hemanth Kumar Reddy	21602		21602	
Laboratory Staff				
Sri. B. Narasimha Reddy	36493		36493	
Sri. D. Prem Kumar	52711		52711	
Sri. Kishore Kumar	17169		17169	
Sri. Abdul Rehmann	774		774	
Sri. V. Ramanjaneya Reddy	164		164	
Department Office Staff				
Sri. V. Ramanjaneya Reddy	11898		11898	
Sri. R.V. Subbaiah	5099		5099	
Total Amount Rs.	340273	0	340273	

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

28-7-2022

1. Owner Name: Mavsha Allah
2. Mobile No: 91001 19819
3. E-Mail ID:
4. Survey No:
5. Door No:.
6. Location / Area:
7. Depth of sample Collection / Foundation Depth: Drinking
8. No. of Floors: Rs 1500
9. Commercial / Residential / School / College / Hospital Building: 1500
10. Address: Anantapur Energy projects PLT 3000
Gondikovvur (V) Advance 1000
Chakrayapet (m) Balance 2000/-
Kadapa – 516259

V.V.

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

28-7-2022

1. Owner Name: Anantapur Energy Project Ltd
2. Mobile No: 91001 19819
3. E-Mail ID:
4. Survey No:
5. Door No:.
6. Location / Area: Construction
7. Depth of sample Collection / Foundation Depth:
8. No. of Floors: Rs 1500
9. Commercial / Residential / School / College / Hospital Building:
10. Address: Anantapur Energy project LTD
Gondikovvur (V)
Chakrayapeta (m)
Kadapa – 516259

Kadapa,
28-7-2022

To

The KSRM college of engineering.
Civil Department
Kadapa.

Respected sir,

sub:- we are requesting soil bearing capacity (sbc

we bought soil from PVL. we are taken a sample at the depth of 5' to 6' from NGL. So kindly requesting you sir. give me the soil sample.

Thanking you sir,

yours faithfully
A.K. infraproject
sri-93939096

1000/-
Paid
CM/-
28/7/22

10/ KN
22245

GOVERNMENT OF ANDHRA PRADESH
RURAL WATER SUPPLY &SANITATION DEPARTMENT

From

Sri M.Maheswara, B.Tech
Deputy Executive Engineer
RWS &S, Subdivision
MYDUKUR

TO

The Head of the Department,
Department of Civil Engineering
KSRM College of Engineering
KADAPA

Lr.No.AEE/DMF/CCDRAIN/B MATTAM/2022 dt 18.05.2022

Sir/Madam,

Sub: - RWS&S –District Mineral Fund Grant – Providing Open CC Drain from Govinda Swamy temple to Poleramma temple at Somireddypalli GP of B. Mattam mandal– Est Cost Rs. 150.00 Lakhs - SBC of Soil, Material Testing of Aggregates, steel and Cement- Design mix of RCC for M20 - Samples submitted –Examine test values- Report Requested – Regarding

Ref:-1.Proc.No.580/DMF/RWS/20121-327-C dt.10.01.2022 of the District Collector & Chariman, DMF Trust, YSR District ,Kadapa

2.T/S no. CR/2021-22 dt.29.03.2022 of the Superintending Engineer, RWS&S Circle, Kadapa

3. Agreement no. CR/2021-22 dt.13.05.2022 of the Superintending Engineer, RWS&S Circle, Kadapa

***

I am herewith sending the samples for testing of Soil bearing capacity, Material testing reports for Cement (OPC-43 grade), Reinforcement steel (Fe-500, TMT), Sand and course Aggregates (40mm and 20mm HBT metal). Also requesting for appropriate M20 Design mix using the samples submitted for using in the Department work **"Providing Open CC Drain from Govinda Swamy temple to Poleramma temple at Somireddypalli GP of B. Mattam mandal"** sanctioned under DMF grant for an estimate cost of Rs. 1500 Lakhs. Early report in this regard is requested.

Thanking you,

With Regards

To
YVP & Copy

M. M@ll 18/5/2022
DEPUTY EXECUTIVE ENGINEER
RWS&S, SUBDIVISION,
MYDUKUR

GOVERNMENT OF ANDHRA PRADESH
ROADS AND BUILDINGS DEPARTMENT

From
C.Sree Hari,B.Tech,
Assistant Executive Engineer,
(R&B) Section-III,Kadapa.

To
The Principal,
KSRM College of Engineering,
KADAPA

Letter No. Mixdesign / AEE III /2021-22 dt – 02-12-2021

Sir,

Sub:- (R&B) Section-III,Kadapa – Re-Construction of the Minor Bridge at Km 1/740 of Venkatewara Theatre to Industrial Estate via New Collector Office in Kadapa Town in YSR District — Mix Design for M30,M25,M20,M15 – Regarding.

@@@@@@@

I am herewith sending materials for conducting Mix design for M30,M25,M20 and M15 Grade Concrete and communicate the test results to this office at an early date to proceed with the above work.

M35 Grade concrete

1) Cement
2) 40 mm HBD m/c metal
3) 20 mm HBD m/c metal
4) 10 mm HBD m/c metal
5) Sand

The necessary testing charges will be paid by the contracting agency as per the agreement condition.

8000 X 4
32,000/-
Advance paid 5000/-
27,000/-

Sree Hari, AEE, R&B
7093586671

TD/JG & PKSR

Yours faithfully,
C. Sreehari 02/12/21
Asst. Executive Engineer
(R&B) Section-III
Kadapa.

From
Shaik . Rahamthulla
Assistant Engineer
PIU Sub Division, Pulivendula

To
The Head of the Department
Civil Engineering Department
KSRM Engineering Collage Kadapa,
YSR District

Lr No:Pulivendula/PADA/KUPPALAPALLI -NANDIPALLI / Date 24.02.2022

Sir

Sub:- Providing BT road from Kuppalpalli to Nandipalli of Vempalli Mandal in YSR District under PADA Grant.Soil Sample for Embamkment is Collected-Certain test results requested -reg

I am here with the sending the samples of above said work for lab testing

Sl.no	Description of Material	Test to be conduct
1	Carriageway (sail)& Shoulder (Soil)	Liquid Limits(LL),Plastic limts,Plastic Indes (PI Value),Maxmimum Dry Density (MDD),Optimujm Moisture Contens (OMC),Clifirnia Bearing Ratio (CBR), Classfication of Soil
2	Granulur SuBase Gr.III	Aggregate Impact Value, Gradation,California Bearing Ratio (CBR),Water Absorption
3	Wet Mix Maceam (WMM) Sample	Aggregate Impact Value, Gradationas per 400.12 of MORD 2014,Flakines Index,Elngation Index,Aggreate Crushing Value,Maxmium Dry Density,California Bearing Ratia (CBR)

Hence I request you, test the Samples and send the test results to thie office

Yours Faithfully,

S Rahamthulla
24.02.2022

Assistant Engineer
PIU Sub Division, Pulivendula

MK Reddy Infra Pvt Ltd

Date
18/07/22

To
The Principle Sir,
Ksem Engineering college
Kadapa,

Sub
Testing of Soil samples for G+5 residencial building.

Respected Sir,

We are sending 3 nos of undistrubed soil samples for testing of SBC to construct residencial appartment at Sevey no. 591/11, 591/12, 591/13, 589/10. in Telecomnagar, Kadapa.

G. Penchal Reddy.
9632474616

#4/163, Buchi Reddy Palem, Badvel, YSR Kadapa District, Andhra Pradesh, India.
Phone: 9632474616

SPECTRUM ENGINEERING CONSULTANCY

(An ISO 9001:2008 Certified Company)

D.No.11/709,Habeebullah street,
Kadapa – 516003.
YSR District
Ph:7816040004,9246868973. Email: spectrum.seckadapa@gmail.com

Date:-27-07-2022

To,

The derperametal HOD,

KSRM Collage,

Kadapa.

As the Testing for grade of ~~M10~~, M30. Which are following testing below:

1. Design mix
2. Physical properties of cement
3. Water Ratio

Kindly consider required testing as per ISO Stands

M30
8000/-
Advance 4000/-
4000/- Paid

Spectrum Engineering Consultancy
Kadapa
27/07/22

(P. Mohammed Abbas)

सत्यमेव जयते

KADAPA MUNICIPAL CORPORATON

From

Sri G. Surya Sai Praveenchand, I.A.S.,
Commissioner,
Kadapa Municipal Corporation,
YSR District.

To

The Principal,
KSRM College of Engineering,
Kadapa,
Y.S.R District.

Roc.No. 06/PESHI/2022/KMC, Dt: 22-07-2022

Sub:- PESHI – Kadapa Municipal Corporation – Manabadi – Naadu Nedu Phase-II– Issue Soundness & Soil test Certificate to the Municipal Schools – Requested – Regarding

Ref:- Instructions of the Executive Authority, dt: 21-07-2022.

** ** **

It is to inform that, the Government of Andhra Pradesh have issued certain guidelines for implementation of program to improve the infrastructure facilities in Municipal Schools under Manabadi-Naadu Nedu Program.

In this Connection, this Municipal Corporation has implementing the guidelines in 28 No. of Schools. Hence, it is requeseted to issue necessary instructions to the concern to conduct on Soundness and Soil Bearing Capacity in the list mentioned schools on Manabadi-Naadu Nedu Programme and furnish the certificates at an earliest to this office.

Yours faithfully,

Commissioner,
Municipal Corporation, Kadapa.

Encl: List of Schools.

22/7/22

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: M/s Dwaraka Constructions
2. Mobile No: 9849844933
3. E-Mail ID: harireddy.h@gmail.com
4. Survey No:
5. Door No:. ~~8415~~ 4th Floor, 2177-4, Dwaraka towers, Kadapa.
6. Location / Area: Kopparthy
7. Depth of sample Collection / Foundation Depth:
8. No. of Floors:
9. Commercial / Residential / School / College / Hospital Building: APIIC, Road work. (startup 2018)
10. Address: Kopparthy (9849844933)

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: M/s Sai venkateswara constructions
2. Mobile No: 8333000368
3. E-Mail ID:
4. Survey No:
5. Door No:. 2104, venkatrampalle
6. Location / Area: Kopparthy
7. Depth of sample Collection / Foundation Depth:
8. No. of Floors:
9. Commercial / Residential / School / College / Hospital Building: APIIC, Road work (MR-9)
10. Address: Kopparthy

15-7-2022

Sri Kodandaramaa Swamy Temple

Mallur Kothapalli (V)

chinnamandyam (M)

Annamayya (D)

7981250862

Sand —— 600

Bricks-8 —— 900

Balance Amount 1500/ ——

~~Paid Amount~~ V. Rao

14.07.2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: Juturu prasad
2. Mobile No: 9246946646
3. E-Mail ID:
4. Survey No: 91
5. Door No:.
6. Location / Area: near Railway station ~~of~~ Kadapa
7. Depth of sample Collection / Foundation Depth: 8 ft paid Amount 1000
8. No. of Floors: G+5
9. Commercial / Residential / School / College / Hospital Building:
10. Address:
Beside Arogyamata. Railway station Road. Kadapa.

V. Juturu

14 - 7. 2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: Shaik Mohammad Asif.
2. Mobile No: 9036210876
3. E-Mail ID:
4. Survey No: [illegible]
5. Door No:.
6. Location / Area: pulivendula partha Bustand
7. Depth of sample Collection / Foundation Depth: 6ft (1.80m) SBC 1000
8. No. of Floors: G+2.
9. Commercial / Residential / School / College / Hospital Building: Commercial Building.
10. Address: DOOR NO. 3-401
main Road
Pulivendula

paid Amount :

29-6-2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: General Manager (D), APRSCL, Kadapa.
2. Mobile No: 9676469355
3. E-Mail ID: {Gmkadapaaprscl@gmail.com / kambabu.thaiyuru@gmail.com}
4. Survey No: 1270/2, 1302, 1303, 1304, 1305.
5. Door No:. 6/700-1, Shankarapuram, Kadapa.
6. Location / Area: Sankarapuram
7. Depth of sample Collection / Foundation Depth: (Gravel) Advance - 4000/-
8. No. of Floors: –
9. Commercial / Residential / School / College / Hospital Building:
10. Address: AP Rajiv Swagruha Corporation Ltd, Ananda Nilaya Colony, Masapet, Rayachoti, Annamaya district.

V. Jw

OFFICE OF THE GENERAL MANAGER (PROJECTS)
AP.RAJIV SWAGRUHA CORPORATION LTD; KADAPA.

From,
General Manager (Projects)
AP.Rajiv Swagruha Corpn Ltd
Sankarapuram
Kadapa.

To,
The Principal,
KSRM.Engineering College
Kadapa.

Lr.No: 9/Infrastructure/Rayachoti/Kadapa/2022 Date: 17-06-2022.

Sir,

Sub: APRSCL-Providing Balance BT Roads (Partly) to Anandanilaya Township, at Rayachoti, Annamayya District-under Rajiv Swagruha scheme-Submission of Soil Samples Borrowed Earth for Roads Embankment-regarding.

Ref: Agreement No.01/APRSCL/CE/RCHT/2022-23, dated: 10-5-2022

***

This is to submit that the work under subject was entrusted to Sri. J.Chalama Reddy, Contractor, Rayachoti vide reference cited agreement. In the entrusted Roads some of the portions embankment is required to be done with borrowed earth. In this connection I am herewith sending 2 samples of borrowed earth for conducting of tests to assess their suitability for embankment.

(a) Grain size analysis
(b) Atternburg limits
(c) Shrinkage limit
(d) Optimum Moisture Content
(e) Proctor's density
(f) Shear strength of optimum content and 100% saturation.
(g) Permeability at Proctor's density & additionsl tests if required in accordance with the recommendations contained in IS.8826-1978 (Para "8").

Necessary charges for the Test results may be paid by the Contractor on intimation please.

Encl: 2 Samples

Yours faithfully,

GENERAL MANAGER (PROJECTS)
A.P. RAJIV SWAGRUHA CORPORATION LTD
KADAPA.

Scanned with CamScanner

K.S.R.M. COLLEGE OF ENGINEERING (AUTONOMOUS)
Department of Civil Engineering

Consultancy from July to December, 2022

S.No.	Name of the Faculty	Willing/ Not Willing	Signature
1	Dr. N. AMARANATHA REDDY		
2	Dr. G. SREENIVASA REDDY	Willing	
3	Dr. V. GIRIDHAR		
4	Dr. T. KIRAN KUMAR		
5	Dr. V. RAMESH BABU	not willing	
6	Dr. P. KISHORE KUMAR REDDY		
7	V. V. PRASAD	Willing	
8	G. VENKATESWARLU		
9	P. SURESH PRAVEEN KUMAR	Willing	
10	Smt. K. NIVEDITHA	Willing	
11	P. RAJENDRA KUMAR		
12	Dr. I. SREENIVASULA REDDY	willing	
13	P. PAVAN KUMAR	willing	
14	V. SAI NEERAJA	willing	
15	M. C. VENKATA SUBBAIAH	willing	
16	M. V. RAVI KISHORE REDDY	~~willing~~	
17	G. CHHENNA KESAVA REDDY	willing	
18	K HEMANTH KUMA REDDY	willing	
19	K. PRAMOD	willing	
20	V. DASTHAGIRI		
21	D. VISWANATH	willing	

Consultancy Incharge

HoD, CED

K.S.R.M. COLLEGE OF ENGINEERING (AUTONOMOUS)
Department of Civil Engineering

Consultancy Grievances

S.No.	Name of the Faculty	Comments	Signature
1	Dr. N. AMARANATHA REDDY		
2	Dr. G. SREENIVASA REDDY		
3	Dr. V. GIRIDHAR		
4	Dr. T. KIRAN KUMAR		
5	Dr. V. RAMESH BABU	—	
6	Dr. P. KISHORE KUMAR REDDY		
7	V. V. PRASAD	Last ~~dis~~time marks is not equally shared Please follow this time.	V. Vew
8	G. VENKATESWARLU		
9	P. SURESH PRAVEEN KUMAR	—	
10	Smt. K. NIVEDITHA	—	
11	P. RAJENDRA KUMAR		
12	CH. SANTOSH KUMAR	—	
13	P. PAVAN KUMAR	—	
14	V. SAI NEERAJA	—	
15	M. C. VENKATA SUBBAIAH	—	
16	M. V. RAVI KISHORE REDDY		
17	Dr. I. SREENIVASULA REDDY	—	
18	K HEMANTH KUMA REDDY	—	
19	K. PRAMOD	—	
20	D. DHARMA SIMHA REDDY		

Consultancy Incharge

HoD, CED

1. G. Lakshmi Devi — G. లక్ష్మీ దేవి 1000/-
2. J. Ranga Devi — J. గంగాదేవి 1000/-
3. K. Suvarna — K. సువర్ణ 1000/-
4. P. Siva: P. Siva — 2500/-
5. J. Balaobaiah J. Balaobaiah — 2500/-

SMS Limited
Tummalapalle Mine Project, Post-Mobbuchintalapalle,
Vemula Mandal, YSR Kadapa District, A.P.516349

NO: SMSL/TMPL/URANIUM/2022/ 759

Date: 13-07-2022

To

The In charge (Civil),

KSRM college of Engineering,

Kadapa – 516003.

Sub: PCC Concrete 1:2:4 Core Testing for Tummalapalle Uranium Mine project.

Dear Sir,

Reference to the above subject, we are plan to construct "Weigh Bridge" at Underground in Tummalapalle Mine project. We send two numbers of weigh bridge related core samples for testing purpose. The Concrete pour on 08-07-2022.The core taken on 12-07-2022. The required testing charges will be paid by us.

Kindly arrange the test report at your earliest convenience.

Thanking you

For SMS Ltd

(D. K. Choudhury)

Advisor (Mining)

SMSL-TMPL.

GOVERNMENT OF ANDHRAPRADESH
ROADS AND BUILDINGS DEPARTMENT

From
K. Bashkar, B-Tech.
Assistant Executive engineer
(R&B) Section, Orvakal

To,
K.S.R.M. College of Engineering,
Head of the Department,
Civil Engineering, Kadapa.

Lr.RcNo. /AEE/Mix Design/Orvakal/2020-21 Dated: 07-03-2022.

Sir,

Sub: -(R&B) Section-Orvakal Reconstruction of Bridge @ Km 0/6 of Nannur - Chinnatekur - Nagalapuram - Gudur - C.Belagal - Yemmiganur road in Kurnool District. - Mix Design –M15, M20 and M30 Grade Concrete for Bridge Construction – Request - Regarding.

Ref: - 1. C.R. Agreement: 103/2020-21 of the Superintending Engineer, (R&B) Circle, Kurnool.
2. M/S Sri Sri Vigneswara Constructions Company, Nandyal.

*** *** ***

With reference to the above, I submit that as per agreement conditions Design Mix for M15, M20 and M30 Grade Concrete are required for execution of above work. For this the following materials are here with enclosed for Design purpose.

I. Samples for M15 Grade Concrete

1. Cement	: 1 Bag
2. Sand	: 1 Bag
3. 10mm HBG Machine crushed chips	: 1 Bag
4. 20mm HBG Machine crushed chips	: 1 Bag
5. 40mm HBG Machine crushed chips	: 1 Bag

II. Samples for M20 Grade Concrete

1. Cement	: 1 Bag
2. Sand	: 1 Bag
3. 10mm HBG Machine crushed chips	: 1 Bag
4. 20mm HBG Machine crushed chips	: 1 Bag

III. Samples for M30 Grade Concrete

1. Cement	: 1 Bag
2. Sand	: 1 Bag
3. 10mm HBG Machine crushed chips	: 1 Bag
4. 20mm HBG Machine crushed chips	: 1 Bag

The tests may be carried out and results may be furnished at an early date. The necessary testing charges will be paid by the contractor as per norms.

Encls:- Sample of Materials as above and Data's.

Yours faithfully,

K. Bashkar

Assistant Executive Engineer,
(R&B) Section- Oravakal.

To/ VGE PPK

22/03/22

GOVERNMENT OF ANDHRAPRADESH
ROADS AND BUILDINGS DEPARTMENT

From
K. Bashkar, B-Tech.
Assistant Executive engineer
(R&B) Section, Orvakal

To,
K.S.R.M. College of Engineering,
Head of the Department,
Civil Engineering, Kadapa.

Lr.RcNo. HYSD Steel/AEE/Orvakal/2020-21 Dated:07-03-2022.

Sir,

Sub:- (R&B)Department – (R&B) Section Orvakal, –Properties of HYSD steel for following diameters for the work – Reconstruction of Bridge @ Km 0/6 of Nannur - Chinnatekur - Nagalapuram - Gudur - C.Belagal - Yemmiganur road in Kurnool District.- Request – Regard.

Ref: - Arising.

@@@

I am herewith sending the following diameters of HYSD Steel (Kamadhenu) to conduct tests properties.

1. 25 mm Dia.
2. 12 mm Dia.
3. 10 mm Dia.
4. 8 mm Dia.

Hence I request to send test results for above items and I am herewith enclosing Demand Draft towards testing charges.

Yours faithfully,

K. Bashkar

Assistant Executive Engineer,
(R&B) Section- Oravakal.

11-07-2022

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: Pathan Kotan venkatan prasad
2. Mobile No: 9440160670
3. E-Mail ID:
4. Survey No: 158
5. Door No:.
6. Location / Area:
7. Depth of sample Collection / Foundation Depth: Depth. 10'
8. No. of Floors:
9. Commercial / Residential / School / College / Hospital Building:
10. Address: pathan kotan venkatan prasad
Pulivendulan (town)
Pulivendulan Panchayathi
Peddan Ramanan Puram

Paid 1000/—

పులివెందుల
Dt. 11/07/2022

మహారాజశ్రీ గౌరవనీయులైన
KSRM Engineering principal వారికి వ్రాయు
ఆర్జీ ఏమనగా!

అయ్యా!

YSR జిల్లా, లింగాల మండలం,
రామాపురము గ్రామములో నివాసము
వుంటున్నా పాత్రకోట వెంకటరామిరెడ్డి అయినదు
పాత్రకోట. వెంకటప్రసాదు రెడ్డి అను నేను అన్నా
ఆర్జీ ఏమనగా! పులివెందుల టౌన్, పులివెందుల
పురపాలక సంఘం యందు పైద్ద రంగాపురము
పాలము యందు సర్వే నెంబరు: 158 యందు
ఉ-ద - 60 tets (or) 18.28 mts యా.ప: 60 tet
(or) 18.28 mts కొలతలగల ఖాళీ స్థలము
ఇండ్లు కట్టు కొనుటకు పులివెందుల
మున్సిపాలిటి యందు application పెట్టుచున్నాను.
కనుక నాకు soil testing report
కావలసినదిగా కోరుచున్నాను.

ఇట్లు
ఎస్ పి వీరిలేటి

P.V. prabhakar Reddy

Office of the
Sr Section Engineer (Works)
Renigunt Dt 01.07.2022

No SW/0989,

To

The HOD
Department of Civil Engineering
K.S.R.M College of Engineering
Kadapa

Sub : Testing of Soil samples - reg:
Name of work; Engg-GTL-South-0989-GTL Division-Renigunta-Gudur Section –Proposed replacement of steel girders with PSC slabs(Post tensioned) for Bridge No20 Up Exg Span 5x12.19m, Bridge No 23 Up Exg span 1x12.19m and Bridge No 30 Up Exg Span 2x914m (3 bridges)

Ref : Acceptance letter Guntakal Division- Engineering/Engg/GTL-South-0989/ 00841040038905 dt 26.07.2021

Agency : M/s M. Suryanarayan Reddy No 1025, 25th Cross MCECHS Layout, Dr Shivaram Karanth Nagar, Bangalore-560092

****

In connection with the above, the soil samples are collected at 1.83 m depth from Bed level at Bridge No 30 at KM 29/6-8 between Venkatagiri and Nidigallu stations is sending herewith for testing the following Characteristics

Please arrange to test the same at the following parameters

1. Soil classification
2. SBC
3. Atterberg limits

Sr Section Engineer(Works)
S.C.Railway Renigunta

वरिष्ठ सेक्शन इंजिनीयर (कार्य)
SENIOR SECTION ENGINEER (WORKS)
द.म.रेलवे, रेणिगुंटा
S.C.RLY, RENIGUNTA

22261

Department of Civil Engineering
K S R M College of Engineering (Autonomous), K A D A P A – 516 003

1. Owner Name: ~~Shaik. Ghouse~~ A. Ramesh Babu, B A. Commissioner - Rayachoty, Municipality.
2. Mobile No: 9885335110.
3. E-Mail ID:
4. Survey No:
5. Door No:.
6. Location / Area:
7. Depth of sample Collection / Foundation Depth: 9. feets
8. No. of Floors: G+2
9. Commercial / Residential / School / College / Hospital Building: 10/MCVS
10. Address: Parents. committee. Z. P. HS. URDU. KottaPalli, Rayachoty, School Building, Annamaiya (Distic).

Government of Andhra Pradesh
Water Resources Department

From
Sri K.V.Siva Reddy,
Executive Engineer,
NTR TGP Division,
Badvel.

To
The Principal,
KSRM Engineering College,
Kadapa.

Lr No: EE/NTR TGP/BDL/DB/ATO/Buildings/ 276 M **Dt:-**5.7.2022

Sir,

Sub: Telugu Ganga Project-Construction of NTR TGP Division Office Building and its two sub division office buildings in TGP Compound , Badvel, Kadapa District – Tests on Soil sample-Requested-Regarding.

Ref: SE's Agreement No: 4SE/ 2021-22 Dt:26.06.2021.

*****

I here with sending the Soil sample obtained from the foundations for the above work for conducting the tests for soil sample.

I. Safe Bearing Capacity.

1. Soil Sample(Undisturbed)

In this regard Sri V.Vinay Kumar Reddy, AEE deputed to hand over the material to the laboratory. The test results may please be communicated construction purpose.

Depth - 7

Encl :1.Soil sample
(Undisturbed)

Yours faithfully
K. V. Siva Reddy.
Executive Engineer, 5.7.2022
NTR TGP Division,
Badvel.

Paid Amount 1000/-

9686212269

V. Vinay

1-7-2022

From
The Deputy Zonal Manager (E),
APIIC Ltd,
Kadapa.

TO
The Principal,
KSRM College of Engineering,
Kadapa,
Y.S.R. District.

Lr No. DZM (E)/APIIC/KDP/Roads/Gopavaram/2022-23 Dt:01.07.2022

Sir,

Sub:- APIIC-Kadapa-Construction of Approach Road From NH-67 to Industrial Park, Gopavaram-Impact Value of Metal Requested- Reg.

Ref:- Agreement No: 05/CE/APIIC/2022-23 Dt:09.05.2022 of the CE-II, APIIC, Mangalagiri, Guntur District.

With Reference to Subject Sited above the work Construction of Approach Road From NH-67 to Industrial Park, Gopavaram, Y.S.R District was entrusted to M/S Sri Venkateshwara Construction, Kadapa. I am here with sending the metal Procured by the agencies for the Road Work. In this regard I Request that Necessary tests may be conduct and Aggregate Impact Value of the Metal may Please be Communicated at the earliest. Necessary Testing Charges will be paid by the Agency.

Yours Faithfully,

1/7/22

Deputy Zonal Manager (E),
APIIC Ltd., Kadapa.

m. 20 -
40 -

9553098900 - Bandi Subbar Reddy,
9704901251 - Brikshand Reddy,
paid Amount 1000/-

V.

GSR

23-06-2022

ANDHRA PRADESH TOWNSHIP & INFRASTRUCTURE DEVELOPMENT CORPORATION
'O' Block, 1st Floor, New Collectorate Buildings, KADAPA, Y.S.R. District.516004

From
The Project Officer,
APTIDCO, Kadapa Division,
YSR Kadapa District.

To
The Principal
K.S.R.M College of Engineering,
Kadapa-516003.

Lr. No: Tech-10/PO/APTIDCO/KDP/S2/2020/ Dated: 23.06.2022

Sir,

Sub:- Investigation, Survey, Planning, Design, Construction and handing over of 5,284 EWS DUs/flats (each of super builtup area of 300Sft), 6,607 EWS DUs /flats (each of super builtup area of 365Sft.) and 1,322 EWS DUs / flats (each of super builtup area of 430 Sft), (Total 13,213 EWS DUs/flats) in G+3 pattern with Monolithic concrete construction(Shear wall Technology) and with suitable foundations as per soil conditions including Internal Infrastructure facilities such as water supply, sanitary, electrification under PMAY (HFA) Phase II with 2 years defect liability period under EPC system at Kadapa, Rajampeta, Rayachoti, **Jammalamadugu**, Proddutur, Yerraguntla, Pulivendula and Badvel ULBs of **YSR Kadapa District.(Phase-II)** – Testing of Water samples – Submission of Test Reports – Reg.,

Ref:- 1. Agreement No. 13/CTO/APTIDCO/ 2017-18,Dt:18-01-2018

*****

With reference to above cited, it is to inform that the above subjected work was entrusted to M/s NCC Ltd., Hyderabad to complete 1440 EWS houses under Phase II at Gudemcheruvu Location of Jammalamadugu ULB.

In this connection, the water samples were collected from the source of drinking water near by the site which is being utilizing in the construction purpose as well as painting to the walls and same are being sent to your laboratory for conducting of chemical properties of water and any other specified tests by the BIS.

The laboratory charges for the test will be paid by the Contract Agency.

Yours faithfully,

for Project Officer,
APTIDCO Kadapa Division 23/6
YSR Kadapa District.

Not paid

22/6

28-06-2022

ANDHRA PRADESH TOWNSHIP & INFRASTRUCTURE DEVELOPMENT CORPORATION
'O' Block, 1st Floor, New Collectorate Buildings, KADAPA, Y.S.R. District.516004

From
The Project Officer,
APTIDCO, Kadapa Division,
YSR Kadapa District.

To
The Principal
K.S.R.M College of Engineering,
Kadapa-516003.

Lr. No: Tech-10/PO/APTIDCO/KDP/S2/2020/55M **Dated: 05.06.2022**

Sir,

Sub:- Investigation, Survey, Planning, Design, Construction and handing over of 2,003 EWS DUs/flats (each of super builtup area of 300Sft), 7,011 EWS DUs/flats (each of super builtup area of 365Sft.) and 1,002 EWS DUs / flats (each of super builtup area of 430 Sft), (Total 10,016 EWS DUs/flats) in G+3 pattern with Monolithic concrete construction(Shear wall Technology) and with suitable foundations as per soil conditions including Internal Infrastructure facilities such as water supply, sanitary, electrification under PMAY (HFA) Phase III with 2 years defect liability period under EPC system at Kadapa & Proddutur of YSR Kadapa District, Srikalahasthi of Chittoor District and Tadipatri of Ananthapur District. **(Phase I)** – Testing of Water samples – Submission of Test Reports – Reg.,

Ref:- 1.Agreement No.10/CE/APTIDCO/2017-2018; Dated: 13.11.2017.

*****

With reference to above cited, it is to inform that the above subjected work was entrusted to M/s NCC Ltd., Hyderabad to complete 992 EWS houses under Phase I at Chinnachowk, Kadapa.

In this connection, the water samples were collected from the source of drinking water near by the site which is being utilizing in the construction as well as painting to the walls and same are being sent to your laboratory for conducting of chemical properties of water and any other specified tests by the BIS.

The laboratory charges for the test will be paid by the Contract Agency.

Yours faithfully,

5/6/22

for Project Officer,
APTIDCO Kadapa Division
YSR Kadapa District.

23-06-2022

ANDHRA PRADESH TOWNSHIP & INFRASTRUCTURE DEVELOPMENT CORPORATION
'O' Block, 1st Floor, New Collectorate Buildings, KADAPA, Y.S.R. District.516004

From
The Project Officer,
APTIDCO, Kadapa Division,
YSR Kadapa District.

To
The Principal
K.S.R.M College of Engineering,
Kadapa-516003.

Lr. No: Tech-10/PO/APTIDCO/KDP/S2/2020/ Dated: 23.06.2022

Sir,

Sub:- Investigation, Survey, Planning, Design, Construction and handing over of 5,284 EWS DUs/flats (each of super builtup area of 300Sft), 6,607 EWS DUs /flats (each of super builtup area of 365Sft.) and 1,322 EWS DUs / flats (each of super builtup area of 430 Sft), (Total 13,213 EWS DUs/flats) in G+3 pattern with Monolithic concrete construction(Shear wall Technology) and with suitable foundations as per soil conditions including Internal Infrastructure facilities such as water supply, sanitary, electrification under PMAY (HFA) Phase II with 2 years defect liability period under EPC system at Kadapa, Rajampeta, **Rayachoti,** Jammalamadugu, Proddutur, Yerraguntla, Pulivendula and Badvel ULBs of **YSR Kadapa District.(Phase-II) –** Testing of Water samples – Submission of Test Reports – Reg.,

Ref:- 1. Agreement No. 13/CTO/APTIDCO/ 2017-18,Dt:18-01-2018

*****

With reference to above cited, it is to inform that the above subjected work was entrusted to M/s NCC Ltd., Hyderabad to complete 240 EWS houses under Phase II at Sibiyala Location of Rayachoti ULB.

In this connection, the water samples were collected from the source of drinking water near by the site which is being utilizing in the construction purpose as well as painting to the walls and same are being sent to your laboratory for conducting of chemical properties of water and any other specified tests by the BIS.

The laboratory charges for the test will be paid by the Contract Agency.

Yours faithfully,

Project Officer,
APTIDCO Kadapa Division
YSR Kadapa District.

23-06-22

From
Niranjan Reddy
Mandal Engineering Officer
Vemula

To
The Head of the Department
Civil Engineering Department
KSRM College of Engineering, YSR District

Lr No: 02 Vemula/ PADA/Gravel Sub Base Test Date: 10.10.2021

Sir,

Sub:-Vemula-Providing C. C road from Duggannagaripalli to S.C. Colony of Chagaleru G.P of Vemula Mandal in YSR Kadapa District- PADA Grant—Est. Cost: 95.00 Lakhs- Gravel Sample for **Gravel Sub Base** is Collected-Certain test results requested-reg.

I submit here with Gravel Sample to be used for Gravel sub base and I request you to furnish the following test results for Borrow soil at Nandipalli.

1) Gradation as per Clause 402 MORD table 400.3,

2) Maximum Dry Density (MDD) & Optimum Moisture Content (OMC)

Yours Faithfully,

12/6/2022

Mandal Engineering Officer,
MPP Vemula,

9440246501

Paid Amount 2000/-

2218

SIEVE ANALYSIS FOR GSB

Name of the work: **Formation of Breached road across Papagni River from Vempalli to Alireddypalli in Vempalli Village and GP of Vempalli Mandal.**

Est **Rs.28.00 Lakhs**
Grant **PADA**

Clause 402 MORD Table 400.3

Location-1 Km 0/2 + 10 m (L/S)
Sample **10000 gm**

S.No	Sieve Designation	Weight retained in Gms	Cumulative weight retained in Gms	Percentage cumulative weight retained (Row - 4/Sample wt)*100	Percentage by weight passing (100- Row - 5)	Allowable Percentage by weight passing (As per Table 400.2 Grading C) of MORD specification	Remarks
1	2	3	4	5	6	7	8
1	26.50 mm	0	0	0.00	100.00	100	
2	19.00mm	70	70	0.70	99.30	97-100	
3	4.75 mm	4950	5020	50.20	49.80	41-71	
4	425.00mm	3150	8170	81.70	18.30	12-28	
5	75 microns	1830	10000	100.00	0.00	0-16	

23-10-2021
1.98

~~Location-2~~ Km 0/4+21 m (R/S)
~~Sample~~ **10000 gm**

S.No	Sieve Designation	Weight retained in Gms	Cumulative weight retained in Gms	Percentage cumulative weight retained (Row - 4/Sample wt)*100	Percentage by weight passing (100- Row - 5)	Allowable Percentage by weight passing (As per Table 400.2 Grading C) of MORD specification	Remarks
1	2	3	4	5	6	7	8
1	26.50 mm	0	0	0.00	100.00	100	
2	19.00mm	65	65	0.65	99.35	97-100	
3	4.75 mm	4960	5025	50.25	49.75	41-71	
4	425.00mm	3120	8145	81.45	18.55	12-28	
5	75 microns	1855	10000	100.00	0.00	0-16	

23/6/2022

Assistant Executive Engineer,
~~Vigilance & Quality Control (PR),~~
Pulivendula

Deputy Executive Engineer,
~~Vigilance & Quality Control(PR),~~
Pulivendula

K.S.R.M. COLLEGE OF ENGINEERING (AUTONOMOUS)
Department of Civil Engineering

Consultancy Grievances

S.No.	Name of the Faculty	Comments	Signature
1	Dr. N. AMARANATHA REDDY		
2	Dr. G. SREENIVASA REDDY	No Comment	
3	Dr. V. GIRIDHAR	Be Share Equally Based	
4	Dr. T. KIRAN KUMAR	No comment on Share Basis	
5	Dr. V. RAMESH BABU		
6	Dr. P. KISHORE KUMAR REDDY		
7	V. V. PRASAD	Share the amount equally for all	
8	G. VENKATESWARLU	No Comments the faculty	
9	P. SURESH PRAVEEN KUMAR	Nill	
10	Smt. K. NIVEDITHA	—	
11	P. RAJENDRA KUMAR		
12	CH. SANTOSH KUMAR	—	
13	P. PAVAN KUMAR	—	
14	V. SAI NEERAJA	—	
15	M. C. VENKATA SUBBAIAH	No comments	
16	M. V. RAVI KISHORE REDDY	—	
17	Dr. I. SREENIVASULA REDDY	—	
18	K HEMANTH KUMA REDDY	No Comments	
19	K. PRAMOD	—	
20	D. DHARMA SIMHA REDDY	Nou	

P. Rajendra Kumar
Consultancy Incharge

HoD, CED

K.S.R.M. COLLEGE OF ENGINEERING,(Autonomous), KADAPA
Dept of Civil Engineering

Sl. No	Name of the Staff	Designation	Willing / Not Willing	Signature
1	Sri V. Ramanjaneya Reddy	Jr. Asst.	willing	V. Ramanjaneya Reddy
2	Sri B. Narasimha Reddy	Grade-III Tech.		B. N. Reddy
3	Sri M.Arjuna	Grade-III Tech.	Not Willing	M. Arjuna
4	P.Kishore	Grade-III Tech.	willing	P. KISHOR
5	Sai Srinivas	Lab Technician	NOT Willing	T. Sai Srinivas
6	Sri D. Prem Kumar	Attender	willing	D. Prem Kumar
7	S.Abdull	Lab Technician	willing	S. Abdul Rehaman
8	R.V.Subbaiah	Attender		

P. Rajendra Kumar
Consultancy Incharge

Hod

31-12-2021

Department of Civil Engineering

K S R M Civil Engineering (Autonomous), K A D A P A – 516 003

S.No.	Name of the Staff	Consultancy Willing /Not Willing
1	Gollapally Sreenivasa Reddy	Willing –
2	Tappeta Kiran Kumar	
3	Valikala Giridhar	Yes
4	Nallapareddy Amaranatha Reddy	willing
5	Vanipenta Ramesh Babu	NO – not willing
6	Palempalli Kishore Kumar Reddy	Yes -
7	V Venkateswara Prasad	V.Ven (willing)
8	Nethagani Prathap Kumar	
9	Potula Suresh Praveen Kumar	- Yes -
10	Paladi Rajendra Kumar	Yes -
11	Gunti Venkateswarlu	Yes
12	Kommineni Niveditha	Yes
13	Palagiri Pavan Kumar	NO
14	Vutukuru SaiNeeraja	Yes
15	Chintala Santosh Kumar	Yes
16	Mamilla Chinna Venkata Subbaiah	Yes
17	Meegada V Ravi Kishore Reddy	Yes
18	Idamakanti Srinivasula Reddy	Yes
19	K Hemanth Kumar Reddy	Yes
20	K Pramod	Yes
21	D Dharma Simha Reddy	Yes
22	A Uma Sankar	
23	B Vinayaka	Not willing
24	G Jagadesh	Yes willing
25	B.N Vinod	Yes
26	D Viswanath	Yes

P. Rajasekhar Reddy

Faculty In charge

HoD